




Section 1 – Setup Amazon Q Business




APPLICATION



Generating Results



Functionality of added components



Skill Gap Analysis Output card

Add card

Share

Upload Job Profile are filled

file and Upload CV are filled

Output

Title

Skill Gap Analysis

Prompt

Type [go to reference a card](#)
Analyze [Upload Job Profile](#) and [Upload CV](#) e and perform a skill gap analysis. Display output in a table format, and restrict it to 5 skills only

Source

Attached files

Delete card

Save

SYNC

us-west-2.console.aws.amazon.com/amazonq/business/applications/44824c34-9054-423a-b958-a55d9ffc2500/data-sources/indexes/3d...

Search

United States (Oregon)

Account ID: 6083-7182-1475
root@user4405857-79da0c35-5cd4-4e5a-8c25-...

Amazon Q Business

Applications

my-data-saurch

my-data-saurch

Sync now

Stop sync

Actions

Sync started successfully at Nov 20, 2025, 7:23 AM GMT+3.
Amazon Q Business is syncing the following data source: 'my-data-saurch'. It can take from a few minutes to a few hours. Sync speeds are limited by factors such as remote repository throughput and throttling, network bandwidth, and the size of documents.

0 0 0 1 0 2 0 1

my-data-saurch

Info

Data source details

Name	my-data-saurch	Status	Active	Last sync status	-
Description	-	Type	S3V2	Last sync time	-
Data source ID	79a07cd7-c261-4477-8591-d8466fc43cd4	IAM role ARN	arn:aws:iam::669375921475:role/QBusinessDataRole	Current sync state	1 Syncing - crawling Syncing - indexing

Sync history

Troubleshooting tools - new

Settings

Tags

This information isn't currently available.

Was this content helpful?

Yes

No

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Daily sync is configured

Locate the folder that has your metadata JSON

- **Filter patterns - optional**
Add a pattern to include only certain folders, file types or specific files in your repository. All paths are relative to the data source location S3 bucket. You can have a combined total of 100 patterns.
- **Multi-media content configuration - optional**
- **Advanced Settings - optional** [help](#)

Sync run schedule [help](#)

Tell Amazon Q Business how often it should sync this data source. You can check the health of your sync job in the data source details page once the data source is created.

Frequency
Select how often you want your data source to sync.

Start time

Local 11:21 AM (UTC+3)

- **Tags - optional** (0) [help](#)
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

UPLOADED FILES

Business > Applications > CareerCoachAssessment > Data sources > Uploaded files

Business <

atlassian

its

New

and guards

New

xobx New

my New

churned

New

rds New

Sign New

insights New

id

New

Uploaded files [info](#)


Uploaded files (1)

Search files

Delete files Add files

Document name	Upload time	Upload status	Status details
<input type="checkbox"/> Football_Coach.CV.pdf	Dec 07, 2025, 11:51 AM GMT+3	Indexed	Ready to use as a source

S3 Bucket files



Upload [info](#)

Add the files and folders you want to upload to S3. To upload a file larger than 1600B, use the AWS CLI, AWS SDKs or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose [Add files](#) or [Add folder](#).

Files and folders (2 total, 65.1 KB) [Remove](#) [Add files](#) [Add folder](#)

All files and folders in this table will be uploaded.

<input type="checkbox"/>	Name	Folder	Type	Size
<input type="checkbox"/>	Achievement_coach.pdf	-	application/pdf	62.4 KB
<input type="checkbox"/>	coach_profile.pdf	-	application/pdf	2.7 KB


Destination [info](#)

Destination
[s3://coach-course-demo](#)

Destination details
Bucket settings that request new objects stored in the specified destination.

Permissions
Grant public access and access to other AWS accounts.

BUCKET



Successfully created bucket "coach-bucket"
To upload files and folders, or to configure additional bucket settings, choose [View details](#).

[View details](#) [X](#)

General purpose buckets [All AWS regions](#) **Directory buckets**

General purpose buckets (2) [info](#) [Copy ARN](#) [Empty](#) [Delete](#) [Create bucket](#)

Buckets are containers for data stored in S3.

<input type="checkbox"/>	Name	AWS Region	Creation date
<input type="checkbox"/>	coach-course-demo	US West (Oregon) us-west-2	November 20, 2025, 03:59:55 (UTC+01:00)
<input type="checkbox"/>	coach-bucket	US West (Oregon) us-west-2	December 7, 2025, 12:07:57 (UTC+01:00)


Account snapshot [info](#) [View dashboard](#)

[Updated daily](#)
Storage Lens provides visibility into storage usage and activity trends.


External access summary - new [info](#)

[Updated daily](#)
External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.


Access control



Blocked words



ACL file created



ACL full configuration

```
restricted-coach-acl - Notepad
File Edit Format View Help
[
{
  "keyPrefix": "Football_Coach_CV.pdf",
  "aclEntries": [
    {
      "Name": "career.coach.two",
      "Type": "USER",
      "Access": "ALLOW"
    }
  ],
  {
    "Name": "career.coach.one",
    "Type": "USER",
    "Access": "DENY"
  }
  ],
  {
    "keyPrefix": "Achievement_coach.pdf",
    "aclEntries": [
      {
        "Name": "career.coach.one",
        "Type": "USER",
        "Access": "ALLOW"
      }
    ],
    {
      "Name": "career.coach.two",
      "Type": "USER",
      "Access": "ALLOW"
    }
  ]
  ],
  ]
}
```

Uploaded ACL file to my S3 bucket.

Amazon S3 > Buckets > career-coach-course-demo

career-coach-course-demo info

Objects Metadata Properties Permissions Metrics Management Access Points


Objects (3)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 Inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)


Find objects by prefix

	Name	Type	Last modified	Size	Storage class
<input type="checkbox"/>	Achievement_coach.pdf	pdf	December 7, 2025, 12:00:49 (UTC+03:00)	62.4 KB	Standard
<input type="checkbox"/>	Football_Coach_CV.pdf	pdf	November 25, 2025, 04:01:17 (UTC+03:00)	2.7 KB	Standard
<input type="checkbox"/>	restricted-coach-acl.json	json	December 7, 2025, 12:40:00 (UTC+03:00)	225.0 B	Standard


ACL Path provided in S3 configuration




ACCESS ALLOWED(user allowed to get the answer)




ACCESS DENIED(user no allowed to get answer)





ADDED CUSTOM LABELS



HR SELECTED (App is shared)



Marked as verified



FINAL SCREENSHOT

