```
In [1]:
        import re
        from sklearn.datasets import load digits
        from sklearn.model_selection import train_test_split
        import numpy as np
        import matplotlib.pyplot as plt
        import seaborn as sns
        from sklearn import metrics
        %matplotlib inline
        digits = load_digits()
In [2]:
        print("Image Data Shape",digits.data.shape)
        print("Label Data Shape",digits.target.shape)
        Image Data Shape (1797, 64)
        Label Data Shape (1797,)
In [4]: plt.figure(figsize=(20,4))
        for index,(image,label)in enumerate (zip(digits.data[0:5],digits.target[0:5])
             plt.subplot(1,5,index+1)
             plt.imshow(np.reshape(image,(8,8)),cmap=plt.cm.gray)
             plt.title('Training:%i\n'%label,fontsize=10)
               Training:0
                               Training:1
                                               Training:2
                                                                Training:3
                                                                                Training:4
In [5]: | from sklearn.model_selection import train_test_split
        x_train,x_test,y_train,y_test=train_test_split(digits.data,digits.target,test
In [6]: |print(x_train.shape)
         (1257, 64)
In [7]:
        print(y_train.shape)
         (1257,)
```

```
print(x_test.shape)
 In [8]:
          (540, 64)
         print(y_test.shape)
 In [9]:
          (540,)
In [10]: | from sklearn.linear_model import LogisticRegression
In [11]: |
         logisticRegr=LogisticRegression(max_iter=10000)
         logisticRegr.fit(x_train,y_train)
Out[11]: LogisticRegression(max_iter=10000)
         In a Jupyter environment, please rerun this cell to show the HTML representation or
         trust the notebook.
         On GitHub, the HTML representation is unable to render, please try loading this page
         with nbviewer.org.
In [12]: | print(logisticRegr.predict(x test))
          [4 0 9 1 8 7 1 5 1 6 6 7 6 1 5 5 8 6 2 7 4 6 4 1 5 2 9 5 4 6 5 6 3 4 0 9 9
          8 4 6 8 8 5 7 9 8 9 6 1 7 0 1 9 7 3 3 1 8 8 8 9 8 5 8 4 9 3 5 8 4 3 1 3 8
          7 3 3 0 8 7 2 8 5 3 8 7 6 4 6 2 2 0 1 1 5 3 5 7 1 8 2 2 6 4 6 7 3 7 3 9 4
          7 0 3 5 1 5 0 3 9 2 7 3 2 0 8 1 9 2 1 5 1 0 3 4 3 0 8 3 2 2 7 3 1 6 7 2 8
          3 1 1 6 4 8 2 1 8 4 1 3 1 1 9 5 4 8 7 4 8 9 5 7 6 9 4 0 4 0 0 9 0 6 5 8 8
          3 7 9 2 0 8 2 7 3 0 2 1 9 2 7 0 6 9 3 1 1 3 5 2 5 5 2 1 2 9 4 6 5 5 5 9 7
          1 5 9 6 3 7 1 7 5 1 7 2 7 5 5 4 8 6 6 2 8 7 3 7 8 0 9 5 7 4 3 4 1 0 3 3 5
          4 1 3 1 2 5 1 4 0 3 1 5 5 7 4 0 1 0 9 5 5 5 4 0 1 8 6 2 1 1 1 7 9 6 7 9 7
          0 4 9 6 9 2 7 2 1 0 8 2 8 6 5 7 8 4 5 7 8 6 4 2 6 9 3 0 0 8 0 6 6 7 1 4 5
          6 9 7 2 8 5 1 2 4 1 8 8 7 6 0 8 0 6 1 5 7 8 0 4 1 4 5 9 2 2 3 9 1 3 9 3 2
          8 0 6 5 6 2 5 2 3 2 6 1 0 7 6 0 6 2 7 0 3 2 4 2 3 6 9 7 7 0 3 5 4 1 2 2 1
          2 7 7 0 4 9 8 5 6 1 6 5 2 0 8 2 4 3 3 2 9 3 8 9 9 5 9 0 3 4 7 9 8 5 7 5 0
          5 3 5 0 2 7 3 0 4 3 6 6 1 9 6 3 4 6 4 6 7 2 7 6 3 0 3 0 1 3 6 1 0 4 3 8 4
          3 3 4 8 6 9 6 3 3 0 5 7 8 9 1 5 3 2 5 1 7 6 0 6 9 5 2 4 4 7 2 0 5 6 2 0 8
          4 4 4 7 1 0 4 1 9 2 1 3 0 5 3 9 8 2 6 0 0 4
In [13]:
         score=logisticRegr.score(x_test,y_test)
         print(score)
         0.9537037037037037
 In [ ]:
```