```
In [1]: import numpy as np
    import pandas as pd

from sklearn import preprocessing
    import matplotlib.pyplot as plt
    import seaborn as sns
    sns.set(style="white")
    sns.set(style="whitegrid",color_codes=True)

import warnings
    warnings.simplefilter(action='ignore')
```

Out[2]:

	Passengerld	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	NaN	S
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th	female	38.0	1	0	PC 17599	71.2833	C85	С
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	NaN	S
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C123	S
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	NaN	S
												•••
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536	13.0000	NaN	S
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053	30.0000	B42	S
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607	23.4500	NaN	S
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369	30.0000	C148	С
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376	7.7500	NaN	Q

891 rows × 12 columns

In [3]: test_df=pd.read_csv(r"C:\Users\Niranjan\Downloads\test.gender_submission.csv")
 test_df

Out[3]:

	Passengerld	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
0	892	3	Kelly, Mr. James	male	34.5	0	0	330911	7.8292	NaN	Q
1	893	3	Wilkes, Mrs. James (Ellen Needs)	female	47.0	1	0	363272	7.0000	NaN	S
2	894	2	Myles, Mr. Thomas Francis	male	62.0	0	0	240276	9.6875	NaN	Q
3	895	3	Wirz, Mr. Albert	male	27.0	0	0	315154	8.6625	NaN	S
4	896	3	Hirvonen, Mrs. Alexander (Helga E Lindqvist)	female	22.0	1	1	3101298	12.2875	NaN	S
413	1305	3	Spector, Mr. Woolf	male	NaN	0	0	A.5. 3236	8.0500	NaN	S
414	1306	1	Oliva y Ocana, Dona. Fermina	female	39.0	0	0	PC 17758	108.9000	C105	С
415	1307	3	Saether, Mr. Simon Sivertsen	male	38.5	0	0	SOTON/O.Q. 3101262	7.2500	NaN	S
416	1308	3	Ware, Mr. Frederick	male	NaN	0	0	359309	8.0500	NaN	S
417	1309	3	Peter, Master. Michael J	male	NaN	1	1	2668	22.3583	NaN	С

418 rows × 11 columns

In [4]: train_df.shape

Out[4]: (891, 12)

In [5]: train_df.head()

Out[5]:

	Passengerld	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	NaN	S
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th	female	38.0	1	0	PC 17599	71.2833	C85	С
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	NaN	S
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C123	S
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	NaN	S

In [6]: test_df.shape

Out[6]: (418, 11)

In [7]: test_df.head()

Out[7]:

	Passengerld	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
0	892	3	Kelly, Mr. James	male	34.5	0	0	330911	7.8292	NaN	Q
1	893	3	Wilkes, Mrs. James (Ellen Needs)	female	47.0	1	0	363272	7.0000	NaN	S
2	894	2	Myles, Mr. Thomas Francis	male	62.0	0	0	240276	9.6875	NaN	Q
3	895	3	Wirz, Mr. Albert	male	27.0	0	0	315154	8.6625	NaN	S
4	896	3	Hirvonen, Mrs. Alexander (Helga E Lindqvist)	female	22.0	1	1	3101298	12.2875	NaN	S

```
In [8]: train_df.describe
```

Out[8]:	<bound< th=""><th>metho</th><th>od NDFrame</th><th>.describ</th><th>e of</th><th>Passen</th><th>gerId Su</th><th>ırvived F</th><th>class</th><th></th><th></th></bound<>	metho	od NDFrame	.describ	e of	Passen	gerId Su	ırvived F	class		
	0		1	0	3 \						
	1		2	1	1						
	2		3	1	3						
	3		4	1	1						
	4		5	0	3						
	886		887	0	2						
	887		888	1	1						
	888		889	0	3						
	889		890	1	1						
	890		891	0	3						
							Name	e Sex	Age	SibSp	
	0					-	en Harris		22.0	1	\
	1 C	umings	s, Mrs. Joh	nn Bradl	ey (Flor	ence Bri	ggs Th	female	38.0	1	
	2				Heikk	inen, Mi	ss. Laina	female	26.0	0	
	3	Fι	utrelle, Mn	rs. Jacq	ues Heat	h (Lily	May Peel)	female	35.0	1	
	4				Allen,	Mr. Will	iam Henry	, male	35.0	0	
	886						v. Juozas		27.0	0	
	887			Gra	ham, Mis	s. Marga	ret Edith	ı female	19.0	0	
	888		Johnstor	n, Miss.	Catheri	ne Helen	"Carrie"	female	NaN	1	
	889					-	rl Howell		26.0	0	
	890				Do	oley, Mr	. Patrick	male	32.0	0	
	P	arch		Ticket	Fare	Cabin E	mbarked				
	0	0	Δ/1	5 21171	7.2500		S				
	1	0		17599	71.2833	C85	c				
	2	0	STON/O2.		7.9250	NaN	S				
	3	0	31011, 021	113803	53.1000	C123	S				
	4	0		373450	8.0500	NaN	S				
	886	0		211536	13.0000	NaN	 S				
	887	0		112053	30.0000		S				
	888	2	W. /0	C. 6607	23.4500	NaN	S				
	889	0	,	111369	30.0000	C148	C				
	890	0		370376	7.7500	NaN	Q				
	370	J		5,05,0	7.7500	INGIN	Ą				

[891 rows x 12 columns]>

```
In [9]: train_df.info()
```

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 891 entries, 0 to 890
Data columns (total 12 columns):

#	Column	Non-Null Count	Dtype
0	PassengerId	891 non-null	int64
1	Survived	891 non-null	int64
2	Pclass	891 non-null	int64
3	Name	891 non-null	object
4	Sex	891 non-null	object
5	Age	714 non-null	float64
6	SibSp	891 non-null	int64
7	Parch	891 non-null	int64
8	Ticket	891 non-null	object
9	Fare	891 non-null	float64
10	Cabin	204 non-null	object
11	Embarked	889 non-null	object
dtyp	es: float64(2), int64(5), obj	ect(5)

memory usage: 83.7+ KB

In [10]: test_df.describe

 [0].			


Out[10]:	<bound< th=""><th>metho</th><th>d NDFr</th><th>ame.des</th><th>cribe of</th><th>PassengerId</th><th>Pclass</th><th></th></bound<>	metho	d NDFr	ame.des	cribe of	PassengerId	Pclass	
	Name							
	0		892	3			Kelly, Mr. James \	
	1		893	3		Wilkes, Mrs. J	ames (Ellen Needs)	
	2		894	2		Myles, M	Mr. Thomas Francis	
	3		895	3			Wirz, Mr. Albert	
	4		896	3	Hirvonen,	Mrs. Alexander (Helga E Lindqvist)	
	• •						• • •	
	413		1305	3		:	Spector, Mr. Woolf	
	414		1306	1		Oliva y Oc	ana, Dona. Fermina	
	415		1307	3		Saether, M	r. Simon Sivertsen	
	416		1308	3		W	are, Mr. Frederick	
	417		1309	3		Peter,	Master. Michael J	
		Sex	Age	SibSp	Parch	Ticket	Fare Cabin Embark	ked

	Sex	Age	SibSb	Parch	licket	Fare	Cabin	Embarked
0	male	34.5	0	0	330911	7.8292	NaN	Q
1	female	47.0	1	0	363272	7.0000	NaN	S
2	male	62.0	0	0	240276	9.6875	NaN	Q
3	male	27.0	0	0	315154	8.6625	NaN	S
4	female	22.0	1	1	3101298	12.2875	NaN	S
• •					• • •			
41 3	male	NaN	0	0	A.5. 3236	8.0500	NaN	S
414	female	39.0	0	0	PC 17758	108.9000	C105	C
415	male	38.5	0	0	SOTON/O.Q. 3101262	7.2500	NaN	S
416	male	NaN	0	0	359309	8.0500	NaN	S
417	male	NaN	1	1	2668	22.3583	NaN	С

[418 rows x 11 columns]>

```
In [11]: test_df.info()
         <class 'pandas.core.frame.DataFrame'>
         RangeIndex: 418 entries, 0 to 417
         Data columns (total 11 columns):
              Column
                            Non-Null Count
                                            Dtype
          ---
          0
              PassengerId 418 non-null
                                            int64
          1
              Pclass
                            418 non-null
                                            int64
          2
              Name
                            418 non-null
                                            object
          3
              Sex
                            418 non-null
                                            object
          4
                            332 non-null
                                            float64
              Age
                            418 non-null
          5
                                            int64
              SibSp
          6
                            418 non-null
              Parch
                                            int64
          7
              Ticket
                            418 non-null
                                            object
          8
                                            float64
              Fare
                            417 non-null
          9
                                            object
              Cabin
                            91 non-null
          10 Embarked
                            418 non-null
                                            object
         dtypes: float64(2), int64(4), object(5)
         memory usage: 36.1+ KB
In [12]: train_df.isnull().sum()
Out[12]: PassengerId
                           0
         Survived
                           0
         Pclass
                           0
         Name
                           0
         Sex
                           0
         Age
                         177
         SibSp
                           0
                           0
         Parch
         Ticket
                           0
         Fare
                           0
         Cabin
                         687
         Embarked
                           2
         dtype: int64
In [13]: test_df.isnull().sum()
Out[13]: PassengerId
                           0
         Pclass
                           0
                           0
         Name
         Sex
                           0
         Age
                          86
                           0
         SibSp
                           0
         Parch
         Ticket
                           0
         Fare
                           1
         Cabin
                         327
         Embarked
                           0
         dtype: int64
```

```
In [14]: ax=train_df["Age"].hist(bins=15,density=True,stacked=True,color='cyan',alpha=0.6)
    train_df["Age"].plot(kind='density',color='teal')
    ax.set(xlabel='Age')
    plt.xlim(-10,85)
    plt.show()
```



```
In [15]: print(train_df["Age"].mean(skipna=True))
print(train_df["Age"].median(skipna=True))
```

29.69911764705882 28.0

```
In [16]: print((train_df['Cabin'].isnull().sum()/train_df.shape[0]*100))
```

77.10437710437711

```
In [17]: print((train_df['Embarked'].isnull().sum()/train_df.shape[0]*100))
```


0.22446689113355783

Boarded passengers grouped by part of embarketion (C = Cherbourg, Q = Queenstown, S = Southampton):

Embarked S 644 C 168

77

Name: count, dtype: int64



```
In [19]: print(train_df['Embarked'].value_counts().idxmax())
```

S

```
In [20]: train_data=train_df.copy()
    train_data["Age"].fillna(train_df["Age"].median(skipna=True),inplace=True)
    train_data["Embarked"].fillna(train_df["Embarked"].value_counts().idxmax(),inplace=True)
    train_data.drop('Cabin',axis=1,inplace=True)
```

In [21]: train_data.isnull().sum()

Out[21]: PassengerId 0 Survived 0 Pclass 0 Name 0 Sex 0 Age 0 SibSp Parch 0 Ticket 0 0 Fare Embarked 0


In [22]: train_data.head()

dtype: int64

Out[22]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Embarked
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	s
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th	female	38.0	1	0	PC 17599	71.2833	С
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	S
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	S
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	S

```
In [23]: plt.figure(figsize=(15,8))
    ax=train_df["Age"].hist(bins=15,density=True,stacked=True,color='teal',alpha=0.6)
    train_df["Age"].plot(kind='density',color='teal')
    ax=train_data["Age"].hist(bins=15,density=True,stacked=True,color='orange',alpha=0.5)
    train_data["Age"].plot(kind='density',color='orange')
    ax.legend(["Raw Age","Adjusted Age"])
    ax.set(xlabel='Age')
    plt.xlim(-10,85)
    plt.show()
```



```
In [25]: training=pd.get_dummies(train_data,columns=["Pclass","Embarked","Sex"])
    training.drop("Sex_female",axis=1,inplace=True)
    training.drop("PassengerId",axis=1,inplace=True)
    training.drop("Name",axis=1,inplace=True)
    training.drop("Ticket",axis=1,inplace=True)

final_train=training
    final_train.head()
```

Out[25]:


	Survived	Age	Fare	TravelAlone	Pclass_1	Pclass_2	Pclass_3	Embarked_C	Embarked_Q	Embarked_S
0	0	22.0	7.2500	0	False	False	True	False	False	True
1	1	38.0	71.2833	0	True	False	False	True	False	False
2	1	26.0	7.9250	1	False	False	True	False	False	True
3	1	35.0	53.1000	0	True	False	False	False	False	True
4	0	35.0	8.0500	1	False	False	True	False	False	True
4			-	_	-	-	-	_		


```
In [26]: test_df.isnull().sum()
Out[26]: PassengerId
                          0
         Pclass
                          0
         Name
                          0
         Sex
                          0
         Age
                          86
                          0
         SibSp
         Parch
                          0
         Ticket
                          0
         Fare
                          1
         Cabin
                         327
         Embarked
                          0
         dtype: int64
In [34]: | test data=test df.copy()
         test_data["Age"].fillna(train_df["Age"].median(skipna=True),inplace=True)
         test_data["Fare"].fillna(train_df["Fare"].median(skipna=True),inplace=True)
         test_data.drop('Cabin',axis=1,inplace=True)
         test_data['TravelAlone']=np.where((test_data["SibSp"]+test_data["Parch"])>0,0,1)
         test_data.drop("SibSp",axis=1,inplace=True)
         test data.drop("Parch",axis=1,inplace=True)
         testing=pd.get_dummies(train_data,columns=["Pclass","Embarked","Sex"])
         testing.drop("Sex_female",axis=1,inplace=True)
         testing.drop("PassengerId",axis=1,inplace=True)
         testing.drop("Name",axis=1,inplace=True)
         testing.drop("Ticket",axis=1,inplace=True)
         final_test=testing
         final_test.head()
```


Out[34]:

	Survived	Age	Fare	TravelAlone	Pclass_1	Pclass_2	Pclass_3	Embarked_C	Embarked_Q	Embarked_S
0	0	22.0	7.2500	0	False	False	True	False	False	True
1	1	38.0	71.2833	0	True	False	False	True	False	False
2	1	26.0	7.9250	1	False	False	True	False	False	True
3	1	35.0	53.1000	0	True	False	False	False	False	True
4	0	35.0	8.0500	1	False	False	True	False	False	True
										•

```
In [37]: plt.figure(figsize=(15,8))
    ax = sns.kdeplot(final_train["Age"][final_train.Survived == 1], color="darkturquoise", shade
    sns.kdeplot(final_train["Age"][final_train.Survived == 0], color="lightcoral", shade=True)
    plt.legend(['Survived', 'Died'])
    plt.title('Density Plot of Age for Surviving Population and Deceased Population')
    ax.set(xlabel='Age')
    plt.xlim(-10,85)
    plt.show()
```









```
In [28]: final_train['IsMinor']=np.where(final_train['Age']<=16, 1, 0)</pre>
          print(final_train['IsMinor'])
          0
                 0
          1
                 0
                  0
          2
          3
                  0
          4
                 0
          886
                 0
          887
                 0
          888
                 0
                  0
          889
          890
                 0
          Name: IsMinor, Length: 891, dtype: int32
In [35]: final_test['IsMinor']=np.where(final_test['Age']<=16, 1, 0)</pre>
          print(final_test['IsMinor'])
          0
                  0
          1
                  0
          2
                  0
          3
                  0
          4
                  0
          886
                 0
          887
                 0
          888
                  0
          889
                 0
          890
          Name: IsMinor, Length: 891, dtype: int32
```

In [38]: sns.barplot(x='TravelAlone', y='Survived', data=final_train, color="mediumturquoise")
plt.show()



```
import seaborn as sns
import matplotlib.pyplot as plt
# Assuming 'train_df' is your DataFrame containing the data
sns.barplot(x='Sex', y='Survived', data=train_df, color='aquamarine')
plt.show()
```



In []: