MR Lab Demos

Michael Mihocic, last update: 23.09.2025

Table of Contents

Switch on Hardware....2
Prepare the Room....2
Run Demos....2
  Demos Mix 1....2
  Demos Mix 2....3
Create Matlab Demos....4
Switch off Hardware....4

Switch on Hardware



- switch on PC in rack
- switch on monitor
- log on on PC as user “MRLab” (password required)
- on Windows desktop: run “Start PDU” to switch on all amplifiers and devices
- wait a few seconds until all of them are booted up
- on Windows desktop: run “d24-unmute” to unmute all amplifiers
    - note: unmuting the amplifiers them will double their power consumption
    - using the script “d24-mute” will soft mute them again

Prepare the Room

- close the doors
- close the windows
- unlock the panic mute buttons

Run Demos



- make sure that all amplifiers are unmuted (no red icon on the top left edge of their screen)
- on Windows desktop:
    - “Mix 1 (192ch)” loads the configuration for all 192 channels, used by some demos
    - “Mix 2 (64ch)” loads the configuration for 64 channels, used by some demos
    - when changing Mixes, there might be a prompt asking to discard manual changes → confirm the dialogue

Demos Mix 1

load “Mix 1 (192ch)”

- Jungle: birds, rain and thunder
    - double click link to batch file
    - press green button to start demo
    - optional: use light green buttons to start delayed, or to enable loop
    - orange fader (left) controls volume

- demo can be combined with demo “realtime reverb” (Mix 1 configuration)
- press “stop” or close all Pd windows to stop demo

- Fly: a fly circling around the room
  - double click link to batch file
  - press green button to start demo
  - optional: use light green buttons to start delayed, or to enable loop
  - orange fader (left) controls volume
  - demo can be combined with demo “realtime reverb” (Mix 1 configuration)
  - press “stop” or close all Pd windows to stop demo
- Directions: single directions, each played with 3s signals of pink noise
  - directions (azi, ele):
    - 0,0: North (long wall, directing entrance with glass door)
    - 90,0: West (short wall)
    - 180,0: South (long wall, opposite entrance)
    - 270,0 (short wall, directing LED wall)
    - 45,45 (elevation up)
    - 225,-45 (elevation down)
  - double click link to batch file
  - press green button to start demo
  - optional: use light green buttons to start delayed, or to enable loop
  - orange fader (left) controls volume
  - demo can be combined with demo “realtime reverb Mix 1”
  - press “stop” or close all Pd windows to stop demo
- realtime reverb
  - double click on link
  - demo starts automatically
  - **warning**: it might be necessary to lower the volume of “MicArray IN” to avoid feedback (see screenshot)
  - close Reaper to stop demo



Demos Mix 2

load “Mix 2 (64ch)”

- realtime reverb Mix 2
  - double click on link
  - demo starts automatically
  - **warning**: it might be necessary to lower the volume of "MicArray IN" to avoid feedback (see screenshot)
  - close Reaper to stop demo
- music
  - double click on link
  - hit "Space" button to launch the demo
  - hit "Space" again, or close Reaper to stop demo
- Sonible Original
  - kept as backup; this is the state we received the demo from Sonible

Create Matlab Demos

- Use the file startSPATIALIZE.m in its respective folder to create the output wave files.

Switch off Hardware



- on Windows desktop: run "d24-shotdown" to shutdown amplifiers
- wait a few seconds until all of the amplifiers are shut down
- on Windows desktop: run "Stop PDU" to switch off amplifiers (and save a lot of power…)
- shut down PC
- switch off monitor