

Compile Pd

Main source: <https://puredata.info/docs/developer/WindowsMinGW>

Install Msys

Source: <https://puredata.info/docs/developer/WindowsMinGW>

- Download the Msys 32-bit installer from: <https://www.msys2.org/>
- run Msys

Configure Msys

Source: <https://github.com/msys2/msys2/wiki/MSYS2-installation>

- Run twice:
pacman -Syuu

Install Packages

Source: <https://puredata.info/docs/developer/WindowsMinGW>

- Run the following commands:
 - `pacman -S make pkg-config autoconf automake libtool`
 - `pacman -S mingw32/mingw-w64-i686-gcc`

Build VBAP

- Navigate to this folder
 - `cd mypath`
(eg: `cd /d/Projects/ExpSuite/Sourceforge/FrameWork/pd/extra/vbap/`)
- Run
 - launch **mingw32** (located in the same folder as msys2, eg.: `C:\msys64\mingw32.exe`)
 - `make`

Test

Start `vbap-test.bat` and `vbap-test.pd` to test functionality

Info

- This VBAP implementation is based on VBAP, located on: `P:\Projects\ExpSuite\Tools\vbap-vendor-r17648` (downloaded from <https://sourceforge.net/p/pure-data/svn/HEAD/tree/vendor/vbap/vbap-HEAD/>), and `pd-lib-builder`: <https://github.com/pure-data/externals-howto>
- The calculation of triplets by vbap does not work for larger arrays (>20 speakers?). Use "ls-triplets" to provide own triplets.