

# Cucumber Report

Aug 2, 2024, 12:27:32 PM

Start : Aug 02, 12:26:57.425 PM

End : Aug 02, 12:27:31.637 PM

Duration : 34.212 s

Features




Scenarios

Steps

PASSED - 0  
FAILED - 5  
SKIPPED - 0

PASSED - 0  
FAILED - 55  
SKIPPED - 0


PASSED - 1  
FAILED - 55  
SKIPPED - 295




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Book a vehicle online so that user can conveniently purchase it</u>	33.001 s	3	0	3	0	16	1	3	12
<u>Test ride submission of TVS vehicles for campaigns</u>	0.746 s	22	0	22	0	154	0	22	132
<u>Test ride submission for different TVS vehicles</u>	0.203 s	20	0	20	0	140	0	20	120
<u>TVS motor HomePage Validations</u>	0.139 s	6	0	6	0	26	0	6	20
<u>Validating On-Road price updated correctly on brand pages for all the states and variants</u>	0.071 s	4	0	4	0	15	0	4	11

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	55	0	55	0	5	0	5	0
@VehicleBooking	3	0	3	0	1	0	1	0
@testRideCampaignNeg	11	0	11	0	1	0	1	0
@testRideCampaign	22	0	22	0	1	0	1	0
@campaignTestRidePos	11	0	11	0	1	0	1	0
@testRide	20	0	20	0	1	0	1	0
@testRideNeg	10	0	10	0	1	0	1	0
@testRidePos	10	0	10	0	1	0	1	0
@HomePage	6	0	6	0	1	0	1	0
@tvshomepage	1	0	1	0	1	0	1	0
@ourProducts	1	0	1	0	1	0	1	0
@scooters	1	0	1	0	1	0	1	0
@motorcycles	1	0	1	0	1	0	1	0
@mopeds	1	0	1	0	1	0	1	0
@stateDropDownVerification	1	0	1	0	1	0	1	0
@priceValidation	4	0	4	0	1	0	1	0
@matchedElement	1	0	1	0	1	0	1	0


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@Ronin	1	0	1	0	1	0	1	0
@Raider	1	0	1	0	1	0	1	0
@ApacheSeries	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Book a vehicle online so that user can conveniently purchase it</u>	3	0	3	0	33.001 s
2	<u>Test ride submission of TVS vehicles for campaigns</u>	22	0	22	0	0.746 s
3	<u>Test ride submission for different TVS vehicles</u>	20	0	20	0	0.203 s
4	<u>TVS motor HomePage Validations</u>	6	0	6	0	0.139 s
5	<u>Validating On-Road price updated correctly on brand pages for all the states and variants</u>	4	0	4	0	0.071 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Book a vehicle online so that user can conveniently purchase it</u>	<u>Select the vehicle ,variant,location and dealer details</u>	5	1	1	3	32.932 s
2	<u>Book a vehicle online so that user can conveniently purchase it</u>	<u>Fill the details and verify the otp</u>	4	0	1	3	0.007 s
3	<u>Book a vehicle online so that user can conveniently purchase it</u>	<u>Make a payment and verify the booking status</u>	7	0	1	6	0.022 s
4	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.362 s
5	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.006 s
6	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.011 s
7	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.028 s
9	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.008 s
10	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.008 s
11	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.011 s
12	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.006 s
13	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.016 s
14	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.018 s
16	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.007 s
17	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.013 s
18	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.007 s
19	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.016 s
20	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.006 s
21	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.012 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
22	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.007 s
23	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.012 s
24	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.007 s
25	<u>Test ride submission of TVS vehicles for campaigns</u>	<u>Submit Campaign TesRide forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.010 s
26	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.007 s
27	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.007 s
28	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
29	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.006 s
30	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.007 s
31	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.014 s
32	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.007 s
33	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.007 s
34	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.011 s
35	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Invalid Details</u>	5	0	1	4	0.004 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
36	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.004 s
37	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.005 s
38	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.010 s
39	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.006 s
40	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.005 s
41	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.005 s
42	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.007 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
43	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.004 s
44	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.005 s
45	<u>Test ride submission for different TVS vehicles</u>	<u>Submit Ride forms for TVS Vehicles with Valid Details</u>	9	0	1	8	0.011 s
46	<u>TVS motor HomePage Validations</u>	<u>Verify the functionalities of home page</u>	4	0	1	3	0.051 s
47	<u>TVS motor HomePage Validations</u>	<u>Verify functionalities of our products page</u>	4	0	1	3	0.014 s
48	<u>TVS motor HomePage Validations</u>	<u>Verify scooter vehicle pages on TVS Motor website</u>	4	0	1	3	0.008 s
49	<u>TVS motor HomePage Validations</u>	<u>verify each motorcycle page navigation from home page on TVS Motor website</u>	4	0	1	3	0.016 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
50	<u>TVS motor HomePage Validations</u>	<u>verify TVS XL100 moped page navigation from home page on TVS Motor website</u>	4	0	1	3	0.008 s
51	<u>TVS motor HomePage Validations</u>	<u>Verify state name along with ex-showroom price visibility for scooters, motorcycles, and mopeds</u>	6	0	1	5	0.017 s
52	<u>Validating On-Road price updated correctly on brand pages for all the *</u>	<u>Verify On-Road prices for all states on TVS brand pages for all variants</u>	4	0	1	3	0.022 s
53	<u>Validating On-Road price updated correctly on brand pages for all the *</u>	<u>Verify On-Road prices for Ronin TVS brand page</u>	4	0	1	3	0.016 s
54	<u>Validating On-Road price updated correctly on brand pages for all the *</u>	<u>Verify On-Road prices for Raider TVS brand page</u>	3	0	1	2	0.016 s
55	<u>Validating On-Road price updated correctly on brand pages for all the *</u>	<u>Verify On-Road prices for ApacheSeries brand page with all variants</u>	4	0	1	3	0.006 s

\* The feature name and/or scenario name has been cropped to fit in the available space.

## Book a vehicle online so that user can conveniently purchase it

<b>FAILED</b>	<b>DURATION - 33.001 s</b>	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 16 Pass - 1 Fail - 3 Skip - 12	
/ 12:26:57.425 PM // 12:27:30.426 PM /					



## Select the vehicle ,variant,location and dealer details

FAILED		DURATION - 32.932 s			Steps Total - 5 Pass - 1 Fail - 1 Skip - 3			
/ 12:26:57.428 PM // 12:27:30.360 PM /								
Book a vehicle online so that user can conveniently purchase it								
@regression @VehicleBooking								

#	Step / Hook Details	Status	Duration
1	Given Navigate to the booking page	PASSED	24.633 s
2	When select the vehicle and variant  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, findElement {using=xpath, value=//div[@id='slick-slide02']/div//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62259/devtoo..., se.cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)	FAILED	8.283 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.toString(Unknown Source) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:467) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:422) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:669) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:467) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:422) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:225) at com.tv.s.pages.Booking.clickVehicle(Booking.java:75) at StepDefs.BookingPageStepDef.select_the_vehicle_and_variant(BookingPageStepDef.java:55) at ?.select the vehicle and variant(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/BookingPage.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	Then next button is disabled before selecting the location and dealer	SKIPPED	0.000 s
4	And enter the location and choose dealership name	SKIPPED	0.000 s
5	And next button is enabled after selecting the location and dealer	SKIPPED	0.000 s



### Fill the details and verify the otp

FAILED	DURATION - 0.007 s		<b>Steps</b> Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 12:27:30.387 PM // 12:27:30.394 PM /				
Book a vehicle online so that user can conveniently purchase it				
@regression @VehicleBooking				

#	Step / Hook Details	Status	Duration
1	<p>And Marketing updated checkbox should be checked</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, findElement {using=xpath, value=//input[@type='checkbox']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.isSelected(Unknown Source) at StepDefs.BookingPageStepDef.marketing_updated_checkbox_should_be_checked(BookingPageStepDef.java:87) at ?.Marketing updated checkbox should be checked(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/ features/BookingPage.feature:12) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.006 s
2	And Verify mobile number and otp button should be disabled before filling the details	SKIPPED	0.000 s
3	Then Enter the personal details "8088059296","Automation Test Booking" and "testAuto@gmail.com"	SKIPPED	0.000 s
4	And Verify mobile number and otp button should be enabled after filling the details	SKIPPED	0.000 s

**Make a payment and verify the booking status**





<div>FAILED</div> <div>DURATION - 0.022 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 12:27:30.404 PM // 12:27:30.426 PM /</div>				
<div>Book a vehicle online so that user can conveniently purchase it</div>				
<div>@regression @VehicleBooking</div>				



#	Step / Hook Details	Status	Duration
1	<p>And OTP submit button should be disabled before entering the otp</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, findElement {using=id, value=btnVerifyOTP}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1.WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62259/devtoo..., se.cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy21.isEnabled(Unknown Source)     at StepDefs.BookingPageStepDef.otp_submit_button_should_be_disabled_before_entering_the_otp(BookingPageStepDef.java:116)     at ?.OTP submit button should be disabled before entering the otp(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/</pre>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	Resources/features/BookingPage.feature:22) * Not displayable characters are replaced by '?'. 2 And OTP submit button should be enabled after entering the otp		
2	And OTP submit button should be enabled after entering the otp	SKIPPED	0.001 s
3	And Mobile number should be verified	SKIPPED	0.000 s
4	And mobile number,fullName and email id text fields should be disabled	SKIPPED	0.000 s
5	Then click on netBanking payment mode	SKIPPED	0.000 s
6	And select the "Avenues Test for New TC" bank from dropdown values	SKIPPED	0.000 s
7	And click on Make Payment button	SKIPPED	0.000 s

### Test ride submission of TVS vehicles for campaigns

FAILED	DURATION - 0.746 s	Scenarios Total - 22 Pass - 0 Fail - 22 Skip - 0		Steps Total - 154 Pass - 0 Fail - 22 Skip - 132	
/ 12:27:30.448 PM // 12:27:31.194 PM /					



### Submit Campaign TesRide forms for TVS Vehicles with Invalid Details

FAILED		DURATION - 0.362 s			Steps	
/ 12:27:30.449 PM // 12:27:30.811 PM /					Total - 5	
Test ride submission of TVS vehicles for campaigns					Pass - 0	
@testRideCampaignNeg @regression @testRideCampaign					Fail - 1 Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "ApacheRR310_Campaign"	FAILED	0.360 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?1&utm_campaign=tvspromo&utm_content=static_promo1&utm_medium=affiliate&utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88		



#	Step / Hook Details	Status	Duration
	<pre>(a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)   at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)   at ?.Navigate to Test Ride page for "ApacheRR310_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/ Resources/features/CampaignTestRide.feature:17) * Not displayable characters are replaced by '?'. </pre>		
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.001 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s

### Submit Campaign TesRide forms for TVS Vehicles with Invalid Details

<b>FAILED</b> DURATION - 0.006 s / 12:27:30.822 PM // 12:27:30.828 PM / Test ride submission of TVS vehicles for campaigns @testRideCampaignNeg @regression @testRideCampaign		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------	--------------------------------------------------------	---------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "TVSScootyPep+_ Campaign"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?2&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "TVSScootyPep+_ Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/CampaignTestRide.feature:17)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.005 s
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.001 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s



## Submit Campaign TesRide forms for TVS Vehicles with Invalid Details

<div>FAILED</div> <div>DURATION - 0.011 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 12:27:30.838 PM // 12:27:30.849 PM /				
Test ride submission of TVS vehicles for campaigns				
@testRideCampaignNeg @regression @testRideCampaign				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "TVSJupiter_Campaign"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?3&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "TVSJupiter_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/CampaignTestRide.feature:17)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.007 s
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s



### Submit Campaign TesRide forms for TVS Vehicles with Invalid Details

<div>FAILED</div> <div>DURATION - 0.007 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 12:27:30.856 PM // 12:27:30.863 PM /				
Test ride submission of TVS vehicles for campaigns				
@testRideCampaignNeg @regression @testRideCampaign				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "TvsSport_Campaign"</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?4&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "TvsSport_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	features/CampaignTestRide.feature:17) * Not displayable characters are replaced by '?'. 2 When click on submit button without filling required details and verify the error messages 3 Then enter the invalid name and verify the error message 4 And enter the invalid mobile number verify the error message 5 And enter the invalid otp to verify error message		
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.001 s

### Submit Campaign TesRide forms for TVS Vehicles with Invalid Details



FAILED		DURATION - 0.028 s			<b>Steps</b> Total - 5 Pass - 0 Fail - 1 Skip - 4			
/ 12:27:30.874 PM // 12:27:30.902 PM /								
Test ride submission of TVS vehicles for campaigns								
@testRideCampaignNeg @regression @testRideCampaign								

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "TvsStarCity_Campaign" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?5&utm_campaign=tvspromo&utm_content=static_promo1&utm_medium=affiliate&utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WALAppDa...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)	FAILED	0.027 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "TvsStarCity_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/ Resources/features/CampaignTestRide.feature:17) * Not displayable characters are replaced by '?'. </pre>		
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s

### Submit Campaign TesRide forms for TVS Vehicles with Invalid Details



<b>FAILED</b> DURATION - 0.008 s / 12:27:30.920 PM // 12:27:30.928 PM / Test ride submission of TVS vehicles for campaigns @testRideCampaignNeg @regression @testRideCampaign		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------	--------------------------------------------------------	-------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "XL100_Campaign" <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?8&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) </pre>	FAILED	0.006 s



#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "XL100_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/CampaignTestRide.feature:17) * Not displayable characters are replaced by '?'. </pre>		
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s



### Submit Campaign TesRide forms for TVS Vehicles with Invalid Details

<b>FAILED</b> DURATION - 0.008 s / 12:27:30.938 PM // 12:27:30.946 PM / Test ride submission of TVS vehicles for campaigns @testRideCampaignNeg @regression @testRideCampaign		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------	--------------------------------------------------------	--------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "Ntorq125_Campaign" <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?10&amp;utm_campaign=insta&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1.WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, </pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "Ntorq125_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/ Resources/features/CampaignTestRide.feature:17)  * Not displayable characters are replaced by '?'. </p>		
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s



### Submit Campaign TesRide forms for TVS Vehicles with Invalid Details

<b>FAILED</b> DURATION - 0.011 s / 12:27:30.952 PM // 12:27:30.963 PM / Test ride submission of TVS vehicles for campaigns @testRideCampaignNeg @regression @testRideCampaign		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------	--------------------------------------------------------	---------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "Radeon_Campaign"	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?11&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WALAppDa...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se.cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "Radeon_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/CampaignTestRide.feature:17)  * Not displayable characters are replaced by '?'. </p>		
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s



## Submit Campaign TesRide forms for TVS Vehicles with Invalid Details

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 12:27:30.970 PM // 12:27:30.976 PM /				
Test ride submission of TVS vehicles for campaigns				
@testRideCampaignNeg @regression @testRideCampaign				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "Zest110_Campaign"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?12&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "Zest110_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/CampaignTestRide.feature:17)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.005 s
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s



### Submit Campaign TesRide forms for TVS Vehicles with Invalid Details

<div>FAILED</div> <div>DURATION - 0.016 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 12:27:30.982 PM // 12:27:30.998 PM /				
Test ride submission of TVS vehicles for campaigns				
@testRideCampaignNeg @regression @testRideCampaign				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "Raider_Campaign"</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?16&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "Raider_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/</pre>	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	features/CampaignTestRide.feature:17) * Not displayable characters are replaced by '?'. 2 When click on submit button without filling required details and verify the error messages		
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.001 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.001 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s



### Submit Campaign TesRide forms for TVS Vehicles with Invalid Details

<b>FAILED</b> DURATION - 0.007 s / 12:27:31.004 PM // 12:27:31.011 PM / Test ride submission of TVS vehicles for campaigns @testRideCampaignNeg @regression @testRideCampaign		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------	--------------------------------------------------------	-------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "Jupiter125_Campaign" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?17&utm_campaign=tvspromo&utm_content=static_promo1&utm_medium=affiliate&utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WALAppDa...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62259/devtoo..., se.cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "Jupiter125_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/ Resources/features/CampaignTestRide.feature:17) * Not displayable characters are replaced by '?'. </pre>		
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s

### Submit Campaign TesRide forms for TVS Vehicles with Valid Details

<b>FAILED</b> DURATION - 0.018 s / 12:27:31.018 PM // 12:27:31.036 PM / Test ride submission of TVS vehicles for campaigns @campaignTestRidePos @regression @testRideCampaign		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------	--------------------------------------------------------	-------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "ApacheRR310_Campaign" <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvs-motor.net/book-a-ride?1&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) </pre>	FAILED	0.015 s



#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "ApacheRR310_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/ Resources/features/CampaignTestRide.feature:46) * Not displayable characters are replaced by '?'. </pre>		
2	When Fill the "Test ride Automation", "1234567891" and "560072"	SKIPPED	0.001 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s

### Submit Campaign TesRide forms for TVS Vehicles with Valid Details



<b>FAILED</b> DURATION - 0.007 s / 12:27:31.041 PM // 12:27:31.048 PM / Test ride submission of TVS vehicles for campaigns @campaignTestRidePos @regression @testRideCampaign		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------------------------------------------	--

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "TVSScootyPep+_Campaign" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found	FAILED	0.006 s



#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?2&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "TVSScootyPep+_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/CampaignTestRide.feature:46)  * Not displayable characters are replaced by '?'. </p>		
2	When Fill the "TEST RIDE AUTOMATION", "1234567891" and "560018"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.001 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s



**Submit Campaign TesRide forms for TVS Vehicles with Valid Details**

<div>FAILED</div> <div>DURATION - 0.013 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
/ 12:27:31.054 PM // 12:27:31.067 PM /				
Test ride submission of TVS vehicles for campaigns				
@campaignTestRidePos @regression @testRideCampaign				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "TVSJupiter_Campaign"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?3&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "TVSJupiter_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/CampaignTestRide.feature:46)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.010 s
2	When Fill the "test ride automation", "1234567891" and "560060"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.001 s

### Submit Campaign TesRide forms for TVS Vehicles with Valid Details

<div>FAILED</div> <div>DURATION - 0.007 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
/ 12:27:31.077 PM // 12:27:31.084 PM /				
Test ride submission of TVS vehicles for campaigns				
@campaignTestRidePos @regression @testRideCampaign				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "TvsSport_Campaign"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvs-motor.net/book-a-ride?4&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "TvsSport_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/CampaignTestRide.feature:46) * Not displayable characters are replaced by '?'. </pre>		
2	When Fill the "Test ride Automation", "1234567891" and "560064"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.001 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s



### Submit Campaign TesRide forms for TVS Vehicles with Valid Details

<b>FAILED</b> DURATION - 0.016 s / 12:27:31.091 PM // 12:27:31.107 PM / Test ride submission of TVS vehicles for campaigns @campaignTestRidePos @regression @testRideCampaign		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------------------------------------------	--

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "TvsStarCity_Campaign" <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?5&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre>	FAILED	0.014 s



#	Step / Hook Details	Status	Duration
	<p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "TvsStarCity_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/CampaignTestRide.feature:46)  * Not displayable characters are replaced by '?'. </p>		
2	When Fill the "Test ride Automation", "1234567891" and "560069"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s

### Submit Campaign TesRide forms for TVS Vehicles with Valid Details

<b>FAILED</b> DURATION - 0.006 s / 12:27:31.112 PM // 12:27:31.118 PM / Test ride submission of TVS vehicles for campaigns @campaignTestRidePos @regression @testRideCampaign		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------	--------------------------------------------------------	---------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "XL100_Campaign"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?8&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "XL100_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/CampaignTestRide.feature:46)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.005 s
2	When Fill the "Test ride Automation", "1234567891" and "560062"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.001 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s

**Submit Campaign TesRide forms for TVS Vehicles with Valid Details**



<div>FAILED</div> <div>DURATION - 0.012 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 12:27:31.127 PM // 12:27:31.139 PM /				
Test ride submission of TVS vehicles for campaigns				
@campaignTestRidePos @regression @testRideCampaign				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "Ntorq125_Campaign"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?10&amp;utm_campaign=insta&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1.WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "Ntorq125_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/CampaignTestRide.feature:46)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.010 s
2	When Fill the "Test ride Automation", "1234567891" and "560063"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s

### Submit Campaign TesRide forms for TVS Vehicles with Valid Details

<div>FAILED</div> <div>DURATION - 0.007 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
<div>/ 12:27:31.144 PM // 12:27:31.151 PM /</div>				
<div>Test ride submission of TVS vehicles for campaigns</div>				
<div>@campaignTestRidePos @regression</div> <div>@testRideCampaign</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "Radeon_Campaign"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvs-motor.net/book-a-ride?11&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p>	FAILED	0.005 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "Radeon_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/CampaignTestRide.feature:46) * Not displayable characters are replaced by '?'. </pre>		
2	When Fill the "Test ride Automation", "1234567891" and "560066"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s



### Submit Campaign TesRide forms for TVS Vehicles with Valid Details

<b>FAILED</b> DURATION - 0.012 s / 12:27:31.157 PM // 12:27:31.169 PM / Test ride submission of TVS vehicles for campaigns @campaignTestRidePos @regression @testRideCampaign		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------------------------------------------	--

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "Zest110_Campaign" <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?12&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, </pre>	FAILED	0.010 s



#	Step / Hook Details	Status	Duration
	<p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "Zest110_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/CampaignTestRide.feature:46)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When Fill the "Test ride Automation", "1234567891" and "560067"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s

### Submit Campaign TesRide forms for TVS Vehicles with Valid Details

<b>FAILED</b> DURATION - 0.007 s / 12:27:31.173 PM // 12:27:31.180 PM / Test ride submission of TVS vehicles for campaigns @campaignTestRidePos @regression @testRideCampaign		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------	--------------------------------------------------------	---------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "Raider_Campaign"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?16&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "Raider_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/CampaignTestRide.feature:46)</p> <p>* Not displayable characters are replaced by '?'.  </p>	FAILED	0.005 s
2	When Fill the "Test ride Automation", "1234567891" and "560067"	SKIPPED	0.001 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s



**Submit Campaign TesRide forms for TVS Vehicles with Valid Details**

<div>FAILED</div> <div>DURATION - 0.010 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
/ 12:27:31.184 PM // 12:27:31.194 PM /				
Test ride submission of TVS vehicles for campaigns				
@campaignTestRidePos @regression @testRideCampaign				



#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "Jupiter125_Campaign"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?17&amp;utm_campaign=tvspromo&amp;utm_content=static_promo1&amp;utm_medium=affiliate&amp;utm_source=91wheels}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "Jupiter125_Campaign"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/CampaignTestRide.feature:46)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.007 s
2	When Fill the "Test ride Automation", "1234567891" and "560065"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.001 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s

### Test ride submission for different TVS vehicles

<b>FAILED</b>	DURATION - 0.203 s	Scenarios Total - 20 Pass - 0 Fail - 20 Skip - 0		Steps Total - 140 Pass - 0 Fail - 20 Skip - 120	
/ 12:27:31.210 PM // 12:27:31.413 PM /					

### Submit Ride forms for TVS Vehicles with Invalid Details

<b>FAILED</b>	DURATION - 0.007 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 12:27:31.210 PM // 12:27:31.217 PM /				
Test ride submission for different TVS vehicles				
@testRide @testRideNeg @regression				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "ApacheRR310"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvs-motor.net/book-a-ride?1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:</p>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "ApacheRR310"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:17) * Not displayable characters are replaced by '?'.		
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s



### Submit Ride forms for TVS Vehicles with Invalid Details

<b>FAILED</b> DURATION - 0.007 s / 12:27:31.220 PM // 12:27:31.227 PM / Test ride submission for different TVS vehicles @testRide @testRideNeg @regression		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------------------------------------------	--

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "TVSJupiter" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?3}] Capabilities {acceptInsecureCerts: false,	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<p>browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "TVSJupiter"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:17)</p> <p>* Not displayable characters are replaced by '?'.  </p>		
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s

### Submit Ride forms for TVS Vehicles with Invalid Details



<div>FAILED</div> <div>DURATION - 0.007 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 12:27:31.231 PM // 12:27:31.238 PM /				
Test ride submission for different TVS vehicles				
@testRide @testRideNeg @regression				



#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "TvsSport"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?4}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1.WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "TvsSport"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:17)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.006 s
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s

## Submit Ride forms for TVS Vehicles with Invalid Details





<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 12:27:31.242 PM // 12:27:31.248 PM /				
Test ride submission for different TVS vehicles				
@testRide @testRideNeg @regression				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "TvsStarCity"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?5}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1.WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62259/devtoo..., se.cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "TvsStarCity"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:17)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.004 s
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s



### Submit Ride forms for TVS Vehicles with Invalid Details

<div>FAILED</div> <div>DURATION - 0.007 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 12:27:31.252 PM // 12:27:31.259 PM /				
Test ride submission for different TVS vehicles				
@testRide @testRideNeg @regression				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "XL100"</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvs-motor.net/book-a-ride?8}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "XL100"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:17)</pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. When click on submit button without filling required details and verify the error messages		
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.001 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s



### Submit Ride forms for TVS Vehicles with Invalid Details

<b>FAILED</b> DURATION - 0.014 s / 12:27:31.262 PM // 12:27:31.276 PM / Test ride submission for different TVS vehicles @testRide @testRideNeg @regression		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------	--------------------------------------------------------	-------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "Ntorq125" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?10}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1.WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)	FAILED	0.012 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "Ntorq125"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:17) * Not displayable characters are replaced by '?'. </pre>		
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s



### Submit Ride forms for TVS Vehicles with Invalid Details

<b>FAILED</b> DURATION - 0.007 s / 12:27:31.280 PM // 12:27:31.287 PM / Test ride submission for different TVS vehicles @testRide @testRideNeg @regression		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
---------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------	--------------------------------------------------------	-------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "Radeon" <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?11}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62259/devtoo..., se.cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "Radeon"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:17) * Not displayable characters are replaced by '?'. </pre>		
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s

### Submit Ride forms for TVS Vehicles with Invalid Details

<b>FAILED</b>	DURATION - 0.007 s		<b>Steps</b> Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 12:27:31.291 PM // 12:27:31.298 PM /				
Test ride submission for different TVS vehicles				
@testRide @testRideNeg @regression				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "Zest110"</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?12}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: </pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "Zest110"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:17) * Not displayable characters are replaced by '?'.		
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s



### Submit Ride forms for TVS Vehicles with Invalid Details

<b>FAILED</b> DURATION - 0.011 s / 12:27:31.302 PM // 12:27:31.313 PM / Test ride submission for different TVS vehicles @testRide @testRideNeg @regression	<p>A bar chart with a y-axis from 0 to 0.15 and an x-axis from 1 to 5. A single black bar is present at x=1 with a height of approximately 0.01.</p>	Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	<p>A donut chart with a total of 5 segments. 1 segment is red (Fail), 4 segments are yellow (Skip). The number 5 is in the center.</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "Raider" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?16}] Capabilities {acceptInsecureCerts: false,	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	<p>browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "Raider"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:17)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s

### Submit Ride forms for TVS Vehicles with Invalid Details



<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
<div>/ 12:27:31.316 PM // 12:27:31.320 PM /</div>				
<div>Test ride submission for different TVS vehicles</div>				
<div>@testRide @testRideNeg @regression</div>				



#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "Jupiter125"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?17}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1.WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "Jupiter125"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:17)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.004 s
2	When click on submit button without filling required details and verify the error messages	SKIPPED	0.000 s
3	Then enter the invalid name and verify the error message	SKIPPED	0.000 s
4	And enter the invalid mobile number verify the error message	SKIPPED	0.000 s
5	And enter the invalid otp to verify error message	SKIPPED	0.000 s

## Submit Ride forms for TVS Vehicles with Valid Details





<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 12:27:31.324 PM // 12:27:31.328 PM /				
Test ride submission for different TVS vehicles				
@testRidePos @testRide @regression				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "ApacheRR310"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1.WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62259/devtoo..., se.cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "ApacheRR310"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:45)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.003 s
2	When Fill the "Test ride Automation", "1234567891" and "560072"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s

### Submit Ride forms for TVS Vehicles with Valid Details

<div>FAILED</div> <div>DURATION - 0.005 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 12:27:31.331 PM // 12:27:31.336 PM /				
Test ride submission for different TVS vehicles				
@testRidePos @testRide @regression				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "TVSJupiter"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?3}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1.WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "TVSJupiter"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:45) * Not displayable characters are replaced by '?'.		
2	When Fill the "test ride automation", "1234567891" and "560060"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.002 s



### Submit Ride forms for TVS Vehicles with Valid Details

<b>FAILED</b> DURATION - 0.010 s / 12:27:31.338 PM // 12:27:31.348 PM / Test ride submission for different TVS vehicles @testRidePos @testRide @regression		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------------------------------------------	--

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "TvsSport" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvs-motor.net/book-a-ride?4}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:	FAILED	0.009 s



#	Step / Hook Details	Status	Duration
	f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "TvsSport"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:45) * Not displayable characters are replaced by '?'.		
2	When Fill the "Test ride Automation", "1234567891" and "560064"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.001 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s

### Submit Ride forms for TVS Vehicles with Valid Details

<b>FAILED</b> DURATION - 0.006 s / 12:27:31.351 PM // 12:27:31.357 PM / Test ride submission for different TVS vehicles @testRidePos @testRide @regression		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------	--------------------------------------------------------	---------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "TvsStarCity"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?5}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "TvsStarCity"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:45)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.004 s
2	When Fill the "Test ride Automation", "1234567891" and "560069"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s



## Submit Ride forms for TVS Vehicles with Valid Details

<div>FAILED</div> <div>DURATION - 0.005 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 12:27:31.359 PM // 12:27:31.364 PM /				
Test ride submission for different TVS vehicles				
@testRidePos @testRide @regression				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "XL100"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?8}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1.WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62259/devtoo..., se.cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "XL100"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:45)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.003 s
2	When Fill the "Test ride Automation", "1234567891" and "560062"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s

### Submit Ride forms for TVS Vehicles with Valid Details

<div>FAILED</div> <div>DURATION - 0.005 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 12:27:31.367 PM // 12:27:31.372 PM /				
Test ride submission for different TVS vehicles				
@testRidePos @testRide @regression				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "Ntorq125"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?10}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1.WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62259/devtoo..., se.cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p>	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "Ntorq125"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:45) * Not displayable characters are replaced by '?'.		
2	When Fill the "Test ride Automation", "1234567891" and "560063"	SKIPPED	0.001 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s

### Submit Ride forms for TVS Vehicles with Valid Details



<b>FAILED</b> DURATION - 0.007 s / 12:27:31.378 PM // 12:27:31.385 PM / Test ride submission for different TVS vehicles @testRidePos @testRide @regression		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
---------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------------------------------------------	--

#	Step / Hook Details	Status	Duration
1	Given Navigate to Test Ride page for "Radeon" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?11}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:	FAILED	0.007 s





#	Step / Hook Details	Status	Duration
	f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "Radeon"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:45) * Not displayable characters are replaced by '?'.		
2	When Fill the "Test ride Automation", "1234567891" and "560066"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s

### Submit Ride forms for TVS Vehicles with Valid Details

<b>FAILED</b> DURATION - 0.004 s / 12:27:31.387 PM // 12:27:31.391 PM / Test ride submission for different TVS vehicles @testRidePos @testRide @regression		Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------	--------------------------------------------------------	---------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "Zest110"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?12}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "Zest110"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:45)</p> <p>* Not displayable characters are replaced by '?'.  </p>	FAILED	0.003 s
2	When Fill the "Test ride Automation", "1234567891" and "560067"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s



## Submit Ride forms for TVS Vehicles with Valid Details

<div>FAILED</div> <div>DURATION - 0.005 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 12:27:31.394 PM // 12:27:31.399 PM /				
Test ride submission for different TVS vehicles				
@testRidePos @testRide @regression				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "Raider"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvs-motor.net/book-a-ride?16}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1.WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62259/devtoo..., se.cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161)  at ?.Navigate to Test Ride page for "Raider"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:45)</p> <p>* Not displayable characters are replaced by '?'.  </p>	FAILED	0.004 s
2	When Fill the "Test ride Automation", "1234567891" and "560067"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s



### Submit Ride forms for TVS Vehicles with Valid Details

<div>FAILED</div> <div>DURATION - 0.011 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
<div>/ 12:27:31.402 PM // 12:27:31.413 PM /</div>				
<div>Test ride submission for different TVS vehicles</div>				
<div>@testRidePos @testRide @regression</div>				



#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Test Ride page for "Jupiter125"</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvsmotor.net/book-a-ride?17}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1.WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62259/devtoo..., se.cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</pre>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefs.TestRideStepDef.navigateToTestRidePageForVehicle(TestRideStepDef.java:161) at ?.Navigate to Test Ride page for "Jupiter125"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TestRide.feature:45) * Not displayable characters are replaced by '?'.		
2	When Fill the "Test ride Automation", "1234567891" and "560065"	SKIPPED	0.000 s
3	Then the URL should indicate redirection to the UAT environment	SKIPPED	0.000 s
4	Then Request OTP button is "enabled"	SKIPPED	0.000 s
5	And Request OTP for entered mobile number and verify OTP	SKIPPED	0.000 s
6	And click on detect button to get live location	SKIPPED	0.000 s
7	And Click on submit button	SKIPPED	0.000 s
8	And Verify the confirmation message of test ride booking	SKIPPED	0.000 s
9	And Verify data in the database after submitting a Test Ride form	SKIPPED	0.000 s

## TVS motor HomePage Validations

FAILED	DURATION - 0.139 s	Scenarios		Steps	
/ 12:27:31.420 PM // 12:27:31.559 PM /		Total - 6		Total - 26	
		Pass - 0		Pass - 0	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 20	

## Verify the functionalities of home page



FAILED		DURATION - 0.051 s			Steps	
/ 12:27:31.420 PM // 12:27:31.471 PM /					Total - 4	
TVS motor HomePage Validations					Pass - 0	
@HomePage @regression @tvshomepage					Fail - 1	
					Skip - 3	

#	Step / Hook Details	Status	Duration
1	<p>Given navigate to the TVS Motor home page</p> <pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefs.HomePageStepDef   at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)   at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)   at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)   at io.cucumber.core.runner.TestStep.run(TestStep.java:56)   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)   at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)   at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)   at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)   at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)   at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)   at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)   at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)   at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)   at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)   at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)   at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)   at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)   at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)   at org.junit.runners.ParentRunner.run(ParentRunner.java:413)   at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)   at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)   at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)   at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)   at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)   at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)   at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)   at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)   at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)   at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)   at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)   at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) </pre>	FAILED	0.049 s

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 46 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1.WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:592) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:456) at com.tv.s.pages.VehiclesPage.&lt;init&gt;(VehiclesPage.java:32) at StepDefs.HomePageStepDef.&lt;init&gt;(HomePageStepDef.java:33) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) </pre>		

#	Step / Hook Details	Status	Duration
2	When a popup appears on the homepage close the pop up	SKIPPED	0.000 s
3	Then should close the pop up	SKIPPED	0.000 s
4	And verify the count of total vehicles	SKIPPED	0.001 s

### Verify functionalities of our products page

<div>FAILED</div> <div>DURATION - 0.014 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 12:27:31.480 PM // 12:27:31.494 PM /				
TVS motor HomePage Validations				
@HomePage @regression @ourProducts				

#	Step / Hook Details	Status	Duration
1	Given navigate to our products page  io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefs.HomePageStepDef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)	FAILED	0.013 s



#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 46 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:592) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:456) at com.tv.s.pages.VehiclesPage.&lt;init&gt;(VehiclesPage.java:32) at StepDefs.HomePageStepDef.&lt;init&gt;(HomePageStepDef.java:33) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) </pre>		
2	When clicks on each vehicles tab and select the state	SKIPPED	0.001 s
3	Then each image src has the same name as vehicle displayed on each card	SKIPPED	0.000 s
4	And selected state should be updated on vehicle page	SKIPPED	0.000 s

### Verify scooter vehicle pages on TVS Motor website



<b>FAILED</b> DURATION - 0.008 s / 12:27:31.497 PM // 12:27:31.505 PM / TVS motor HomePage Validations @HomePage @scooters @regression		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
-------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------------------------------------------	--

#	Step / Hook Details	Status	Duration
1	Given navigate to the TVS Motor home page <pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefs.HomePageStepDef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) </pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		

#	Step / Hook Details	Status	Duration
	<pre> at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 46 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:592) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:456) at com.tv.s.pages.VehiclesPage.&lt;init&gt;(VehiclesPage.java:32) at StepDefs.HomePageStepDef.&lt;init&gt;(HomePageStepDef.java:33) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) </pre>		
2	When navigate to the "Our Products" section	SKIPPED	0.000 s
3	Then user should see scooters listed with their respective names and 'Know More' links	SKIPPED	0.000 s
4	And clicks on 'Know More' for each scooter and verifies the title	SKIPPED	0.000 s

**verify each motorcycle page navigation from home page on TVS Motor website**

<div>FAILED</div> <div>DURATION - 0.016 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 12:27:31.508 PM // 12:27:31.524 PM /				
TVS motor HomePage Validations				
@HomePage @regression @motorcycles				

#	Step / Hook Details	Status	Duration
1	<p>Given navigate to the TVS Motor home page</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefs.HomePageStepDef  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)  at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) </pre> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 46 more </pre> <p>Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:592) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:456) at com.tv.s.pages.VehiclesPage.&lt;init&gt;(VehiclesPage.java:32) at StepDefs.HomePageStepDef.&lt;init&gt;(HomePageStepDef.java:33) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) </pre>		
2	When navigate to the "Our Products" page and click 'motorcycles'	SKIPPED	0.000 s
3	Then user should see motorcycles listed with their respective names and 'Know More' links	SKIPPED	0.000 s
4	And verifies the url for each motorcycle page after clicking on their respective Know More links	SKIPPED	0.000 s

### verify TVS XL100 moped page navigation from home page on TVS Motor website

<b>FAILED</b> DURATION - 0.008 s / 12:27:31.528 PM // 12:27:31.536 PM / TVS motor HomePage Validations @HomePage @regression @mopeds		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
--------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------------------------------------------	--



#	Step / Hook Details	Status	Duration
1	Given navigate to the TVS Motor home page <pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefs.HomePageStepDef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) </pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)  at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)  at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)  at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)  at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  at org.junit.runner.JUnitCore.run(JUnitCore.java:137)  at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)  at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)  at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)  at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)  at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)  at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)  Caused by: java.lang.reflect.InvocationTargetException  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) </p>		



#	Step / Hook Details	Status	Duration
	<p>... 46 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:592)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)  at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:456)  at com.tv.s.pages.VehiclesPage.&lt;init&gt;(VehiclesPage.java:32)  at StepDefs.HomePageStepDef.&lt;init&gt;(HomePageStepDef.java:33)  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</p>		
2	When navigate to the "Our Products" page and click 'mopeds'	SKIPPED	0.000 s
3	Then user should see moped listed with its respective name and 'Know More' links	SKIPPED	0.000 s
4	And verifies the url for moped page after clicking on its respective Know More links	SKIPPED	0.000 s

**Verify state name along with ex-showroom price visibility for scooters, motorcycles, and mopeds**



<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 12:27:31.542 PM // 12:27:31.559 PM /				
TVS motor HomePage Validations				
@HomePage @stateDropDownVerification @regression				

#	Step / Hook Details	Status	Duration
1	<p>Given navigate to the TVS Motor home page in "PROD" environment</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefs.HomePageStepDef  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)  at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p>	FAILED	0.016 s



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 46 more Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, getCurrentWindowHandle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:592) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.getWindowHandle(RemoteWebDriver.java:456) at com.tv.s.pages.VehiclesPage.&lt;init&gt;(VehiclesPage.java:32) at StepDefs.HomePageStepDef.&lt;init&gt;(HomePageStepDef.java:33) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) </pre>		
2	When navigate to the "Our Products" page for state drop down	SKIPPED	0.000 s
3	And navigates through state drop down and check visibility for each vehicle type	SKIPPED	0.000 s
4	Then the state name should be displayed along with ex-showroom price for the vehicle name for each scooter	SKIPPED	0.000 s
5	And the state name should be displayed along with ex-showroom price for the vehicle name for each motorcycle	SKIPPED	0.000 s
6	And the state name should be displayed along with ex-showroom price for the vehicle name for each moped	SKIPPED	0.000 s

### Validating On-Road price updated correctly on brand pages for all the states and variants



<b>FAILED</b>	DURATION - 0.071 s	Scenarios		Steps	
/ 12:27:31.566 PM // 12:27:31.637 PM /		Total - 4		Total - 15	
		Pass - 0		Pass - 0	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 11	

### Verify On-Road prices for all states on TVS brand pages for all variants

<b>FAILED</b>	DURATION - 0.022 s		Steps	
/ 12:27:31.566 PM // 12:27:31.588 PM /			Total - 4	
Validating On-Road price updated correctly on brand pages for all the states and variants			Pass - 0	
@priceValidation @matchedElement @regression			Fail - 1	
			Skip - 3	



#	Step / Hook Details	Status	Duration
1	<p>Given navigate to the tvs brand "JUPITER_125" page in "PROD"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://www.tvsmotor.com/tvs-jupiter-125/smartxconnect#price-section}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62259/devtoo..., se:cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.PriceValidationStepDef.navigateToTheTvsBrandPageIn(PriceValidationStepDef.java:77)  at ?.navigate to the tvs brand "JUPITER_125" page in "PROD"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/ Resources/features/TvsPriceValdidation.feature:6)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.021 s
2	When user navigated to the price section and accept the cookies pop up	SKIPPED	0.000 s
3	When click on the state dropdown and select the state	SKIPPED	0.000 s
4	Then get the On-Road prices for all the states and variants	SKIPPED	0.000 s

## Verify On-Road prices for Ronin TVS brand page

<div>FAILED</div> <div>DURATION - 0.016 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 12:27:31.593 PM // 12:27:31.609 PM /				
Validating On-Road price updated correctly on brand pages for all the states and variants				
@priceValidation @regression @Ronin				

#	Step / Hook Details	Status	Duration
1	<p>Given navigate to the tvs brand "TVS_Ronin" page in "UAT"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://uat-www.tvs-motor.net/tvs-ronin/pricing}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1.WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62259/devtoo..., se.cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.PriceValidationStepDef.navigateToTheTvsBrandPageIn(PriceValidationStepDef.java:77)  at ?.navigate to the tvs brand "TVS_Ronin" page in "UAT"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TvsPriceValidation.feature:26)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.016 s
2	When the user navigates to the price section and accepts the cookies pop-up	SKIPPED	0.000 s
3	When click the state dropdown and select the state	SKIPPED	0.000 s
4	Then get the On-Road prices for all the states and variants for ronin	SKIPPED	0.000 s



## Verify On-Road prices for Raider TVS brand page

<div>FAILED</div> <div>DURATION - 0.016 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 12:27:31.612 PM // 12:27:31.628 PM /				
Validating On-Road price updated correctly on brand pages for all the states and variants				
@priceValidation @Raider @regression				

#	Step / Hook Details	Status	Duration
1	<p>Given navigate to the tvs brand "TVS_Raider" page in "PROD"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://www.tvsmotor.com/tvs-raider}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62259/devtoo..., se.cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.PriceValidationStepDef.navigateToTheTvsBrandPageIn(PriceValidationStepDef.java:77)  at ?.navigate to the tvs brand "TVS_Raider" page in "PROD"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TvsPriceValidation.feature:38)  * Not displayable characters are replaced by '?'.</p>	FAILED	0.016 s
2	When the user navigates to the price section of raider page and accepts the cookies pop-up	SKIPPED	0.000 s
3	Then get the On-Road prices for all the states and variants for raider	SKIPPED	0.000 s



## Verify On-Road prices for ApacheSeries brand page with all variants

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 12:27:31.631 PM // 12:27:31.637 PM /				
Validating On-Road price updated correctly on brand pages for all the states and variants				
@priceValidation @regression @ApacheSeries				

#	Step / Hook Details	Status	Duration
1	<p>Given navigate to the "TVSApacheSeries" page in "PROD"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=127.0.6533.88) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5bbdb42d853d6aaecc4c6e6c4ee116d, get {url=https://www.tvsmotor.com/tvs-apache/price}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 127.0.6533.88, chrome: {chromedriverVersion: 127.0.6533.88 (a2d0cb026721..., userDataDir: C:\Users\CHETHA~1\WAL\AppData..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62259}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62259/devtoo..., se.cdpVersion: 127.0.6533.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5bbdb42d853d6aaecc4c6e6c4ee116d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301)  at StepDefs.PriceApacheStepDef.navigateToThePageIn(PriceApacheStepDef.java:69)  at ?.navigate to the "TVSApacheSeries" page in "PROD"(file:///C:/Users/chethan.wali/Documents/DomesticCommuterUI/src/test/Resources/features/TvsPriceValidation.feature:50)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.005 s
2	When user navigated to the apache price section and accept the cookies pop up	SKIPPED	0.000 s
3	When click on the dropdowns to select "Apache RTR 310" and state	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
4	Then get the On-Road prices for all the states and models for apache series	SKIPPED	0.000 s