Linkki Stoplight REST-dokumentaatio palvelimesta
https://documenter.getpostman.com/view/25804451/2s9Ye8fEzu

Post method:

POST http://localhost:3001/custom_user/movies_and_series/watchlist

http://localhost:3001/custom_user/movies_and_series/watchlist

Body formdata

userName	jopo
postType	movie
targetId	12

Example Request   201 Created ⌄

curl

```
curl --location 'localhost:3001/custom_user/movies_and_series/watchlist
--form 'userName="masa"' \
--form 'postType="movie"' \
--form 'targetId="1"'
```
View More

Example Response

Body   Headers (1)   201 CREATED

json

```
{
    "jwtToken": "123xxx",
    "status": "success",
    "message": "Added to watchlist successfully"
}
```

Example Response

Body   Headers (1)   400 BAD REQUEST

json

```
{
    "status": "error"
}
```

Delete method:

DELETE   localhost:3001/movies_and_series/watchlist/:materialID/:userName

localhost:3001/movies_and_series/watchlist/:materialID/:userName

PATH VARIABLES

materialID

userName

Example Request   204 No Content ⌄

curl

```
curl --location --request DEL      View More   ost:3001//custom_user/movies_an
```

Example Response

Body   Headers (1)   204 NO CONTENT

json

```
{
    "status": "error"
}
```

Get method:

GET http://localhost:3001/custom_user/movies_and_series

http://localhost:3001/custom_user/movies_and_series

Example Request — 500 Internal Server Error

curl

```
curl --location 'http://localhost:3001/custom_user/movies_and_series'
```

Example Response

Body   Headers (1)   500 INTERNAL SERVER ERROR

json

```json
{
    "status": "error",
    "message": "Internal Server Error"
}
```

Example Response

Body   Headers (1)   200 OK

json

```json
{
    "jtwToken": "123xxx",
    "status": "success"
}
```

Get method with username:

GET localhost:3001/custom_user/movies_and_series/watchlist/:userName

localhost:3001/custom_user/movies_and_series/watchlist/:userName

PATH VARIABLES

userName

Example Request — 404 Not Found

curl

curl --location 'localhost:30... er/movies_and_series/watchlist
View More

Example Response

Body   Headers (1)   404 NOT FOUND

json

```json
{
    "status": "error",
    "message": "User not found"
}
```

Example Response

Body   Headers (1)   200 OK

```json
{
    "jwtToken":"123xxx"
    "status":"success"
}
```

Example Response

Body   Headers (1)   500 INTERNAL SERVER ERROR

```json
{
  "status": "error",
  "message": "Internal server error"
}
```

Get method watchlist:

GET   http://localhost:3001/custom_user/movies_and_series/watchlist

http://localhost:3001/custom_user/movies_and_series/watchlist

Example Request   200 OK ⌄

```
curl
curl --location 'http://local...   View More   ...stom_user/movies_and_series/wa
```

Example Response

Body   Headers (1)   200 OK

```json
{
  "status": "success"
}
```

Example Response

Body Headers (1)   500 INTERNAL SERVER ERROR

json

{
    "status": "error",
    "message": "Internal server error"
}

Get method search:

GET localhost:3001/search

localhost:3001/search?title=&genre=&type=&targetId=

PARAMS

title

genre

type

targetId

Example Request   200 OK ⌄

curl

curl --location 'localhost:3001/search?title=&genre=&type=&targetId=nul

Example Response

Body Headers (1)   200 OK

json

{
    "status": "success",
    "message": "Search successful",
    "data": {
        "results": [
            {
                "id": 1,
                "title": "Example Movie 1",
                "genre": "Action"
            },
                                            View More

Example Response

Body Headers (1)   500 INTERNAL SERVER ERROR

json

{
    "status": "error",
    "message": "Internal server error"
}