109年第二次航海人員測驗【601】二等船副【000015】船舶通訊與航海英文概要

(C) 1. Let go 2 _____ of chain cables. This means that the length of chain cables that have been put into the water is 30 fathoms.
A. feet
B. rods
C. shackles
D. yards

(A) 2. While transit (range) is using, for extreme accuracy what is the distance between the observer and the nearer object?
A. No more than 3 times the distance between the objects observed.
B. No more than 4 times the distance between the objects observed.
C. No more than 5 times the distance between the objects observed.
D. No more than 6 times the distance between the objects observed.

(D) 3. Which of the following status is not the reason the officer of the watch (OOW) to notify the master immediately?
A. Restricted visibility is encountered.
B. Difficulty is experienced in maintaining course.
C. On breakdown of the engines, propulsion, steering gear.
D. It is the time to terminate his watch.

(C) 4. I have lost a man overboard. Please help _____ search and rescue.
A. on
B. in
C. with
D. during

(A) 5. The vessel has problems with the ____ because there is no propulsion at all.
A. engines
B. compass
C. radar
D. echo sounder

(D) 6. 下列何者非船舶遇難信號？
A. 船上施放煙火（例如燃燒柏油桶或油桶）
B. 發出求救信號火箭或手持煙火信號
C. 發射任何紅色星簇火箭或爆彈，每隔短時間隔發射一次
D. 懸掛黑色圓球一個

(B) 7. 船舶在何種狀況下可使用VHF第13頻道進行船橋間通信，下列何者正確？
A. 一般移動
B. 安全移動
C. 緊急移動
D. 遇險移動

(B) 8. 船舶所使用的蓄電池是以何種方式儲存能量，下列何者正確？
A. 機械能
B. 化學能
C. 動力能
D. 液壓能

(C) 9. 若船舶以VHF DSC發送遇險信文，而海岸電台確認後船舶台應以何種頻道進行後續通信？

A. MF CH-101
B. HF CH-201
C. VHF CH-16
D. UHF CH-70

(C) 10. 一九八八年SOLAS(GMDSS)修正案，則對原公約之第幾章無線電通信全部予以修正？
A. 2
B. 3
C. 4
D. 5

(A) 11. 以下何者為發送遇險信號之時機？
A. 船舶發生嚴重事故，對航行人員有生命危險時。
B. 機器故障時
C. 人員受傷或落水時。
D. 船舶遭遇颱風時

(B) 12. 搜救編組之瞭望員在觀察時，下列何者不是影響因素之一？
A. 瞭望疲勞
B. 遇險者人數
C. 陸貌
D. 白晝或夜晚

(D) 13. 船舶通信依「國際信號規則(ICS)」之規定，試問「I am operating astern propulsion」，是下列何「單字母」之信號？
A. E
B. I
C. M
D. S

(B) 14. 摩爾斯燈號通訊時，等候信號或聚光信號，可以下列何字組表示之？
A. BT
B. AS
C. CQ
D. ZL

(C) 15. At the forward end of the hull structure is _____
A. the after peak tanks
B. Bulkheads
C. the fore peak tanks
D. cargo space

(C) 16. “Finished with engine” is a kind of _____
A. mooring order
B. helm order
C. telegraph order
D. anchor order

(A) 17. What is the function of clearing bearings?
A. Checking a ship is remaining within a safe area or not.
B. Checking a ship is on her course line or not.
C. Checking ship’s speed is on expectation or not.
D. Avoiding risk of collision.

(D) 18. What kind of international code ensign shall be hoisted if dangerous goods is loaded and berthed at port?
A. QUEBEC
B. PAPA
C. HOTEL
D. BRAVO

(C) 19. Keeping certain cargoes separated because of their inherent characteristics is known as _____.
A. overstowage
B. cargo typing
C. segregation
D. spot loading

(B) 20. _____ of the ship is 2100 hours for leaving Port of Kaohsiung.
A. Estimated Time of Dispatch
B. Estimated Time of Departure
C. Estimated Time of Deviation
D. Estimated Time of Disembarkation

(A) 21. 有關於天氣狀況「陰鬱」，在航海日誌所用之英文為下列何者？
A. Gloomy
B. Overcast
C. Mist
D. Drizzle

(B) 22. 於GMDSS系統中，下列何種通信設備其涵蓋範圍可達400浬，下列何者正確？
A. VHF DSC
B. NAVTEX Rx
C. SART
D. TWO WAY R/T (VHF)

(A) 23. 援助船舶回應搜救飛機，表示收悉並配合，用信號燈發出之摩斯碼為何？
A. 一長
B. 一短
C. 二長
D. 二短

(C) 24. 飛機看見船舶遇險者發出之信號後，發出何種摩斯燈號，以表示信號收悉明瞭？
A. 一短一長
B. 一長一短
C. 一短一長一短
D. 一長一短一長

(B) 25. 當船舶安全面臨非立即性之危險時，發送口語之應急信號為何？
A. MAYDAY
B. PAN-PAN
C. SECURITY
D. SAFETY

(A) 26. 「摩爾斯碼信號」中，「一··(劃、點、點)」代表何信號?
A. D

B. C
C. B
D. A

(B) 27. 船舶無線電通信中，採用8414.5KHZ進行遇險通報之設備，下列何者正確？
A. VHF+DSC
B. HF+DSC
C. MF+DSC
D. INMARSAT-B

(A) 28. 「國際信號規則（ICS）之規定」配合「單字母（Single letter）」信號組合而成之「單字母附輔助信號」代碼信號組，其中「C」連接三個數字，例如「C222」係表示：
A. Course 222
B. Certificate 222
C. Computer 222
D. Correct Course 222

(A) 29. 有關緊急無線電示標（EPIRB）保養的基本原則，下列何者錯誤？
A. 靠港時，EPIRB應收進駕駛台內防止竊盜
B. 若EPIRB外殼有破損或裂縫，應予更新
C. 若EPIRB之電池期限到期，應予更新
D. EPIRB與其水壓釋放裝置皆不可塗油漆

(B) 30. GMDSS系統中，船舶可用於搜索定位救生艇筏功能的裝置為何？
A. 3 GHz雷達
B. 9 GHz雷達
C. 雙向特高頻無線電話
D. 2182 KHz無線電話

(D) 31. 翻譯：客船上所有露天甲板應均可聽到一般應急警報系統。
A. On passenger ship the distress emergency alarm system shall be visional on all open decks.
B. On passenger ship the general emergency alarm system shall be visional on all open decks.
C. On passenger ship the distress emergency alarm system shall be audible on all open decks.
D. On passenger ship the general emergency alarm system shall be audible on all open decks.

(A) 32. When two power-driven vessel are meeting _____ so as to involve risk of collision, each shall alter her course to starboard so that each shall pass on the port side of the other.
A. on reciprocal
B. in reciprocal
C. on reciprocally
D. in reciprocally

(A) 33. 表示「本輪正向左轉向」時，應懸掛何種單字母信號旗？
A. I
B. L
C. P
D. T

(B) 34. 為能完全涵蓋那些在航行警告電傳（NAVTEX）區域以外的大洋區域，海事安全信息（MSI）可經由海事衛星的那一系統，廣播給選定的船舶或所有船舶？
A. SART
B. EGC
C. EPIRB

D. TOR

(C) 35. “Obstruction which has been swept by wire to the depth shown” - it will be marked in the chart by:

A. 

B. 

C.

D.

(D) 36. The relieving officer should always _____ the watch on time.
A. brief over
B. control over
C. hand over
D. take over

(D) 37. The spring range of tide is the depth between _____ and _____.
A. Mean High Water Springs, Mean Sea Level
B. Mean High Water Springs, Mean High Water Neaps
C. Mean High Water Springs, Mean Low Water Neaps
D. Mean High Water Springs, Mean Low Water Springs

(A) 38. 使用VHF通信，收到電文且需確認時，要說什麼？必要時得重複該電文。
A. Received, understood
B. Yes, OK
C. Accept, over
D. Accepted, out

(D) 39. 單字母附輔助信號中，字母“Z”聯接四個以上數字，係表示：
A. ZT時（12小時制）
B. UTC時（12小時制）
C. ZT時（24小時制）
D. UTC時（24小時制）

(D) 40. The drying height of rock is above _____.
A. Mean Sea Level
B. Mean Low Water Neaps Level
C. Mean High Water Level
D. Charted Datum