113年第三次航海人員測驗【305】一等船副(公)【000003】船舶通訊與航海英文

(B) 1. 國際遇險頻率中，特高頻(VHF)數位選擇呼叫(DSC)，採用下列何種頻道（CH）？
A. 16
B. 70
C. 87
D. 88

(D) 2. 下圖所示之國際信號旗為何？



A. DG21
B. DGG1
C. DGGG
D. DGGD

(D) 3. The drafts forward and after of a vessel are the same. In other words, the vessels is _____.
A. trimmed by the stern
B. trimmed by the head
C. listing to port side
D. on even keel

(C) 4. _____ is a senior and experienced seaman in deck department who assists the officer of the watch and steers the ship.
A. Ordinary sailor
B. Cadet
C. Able seaman
D. Wiper

(C) 5. Which of the followings is not the most common factors of collision?
A. Failure to properly evaluate radar information
B. Failure to reduce speed when radar contact is detected
C. Failure to choose effective lighthouses to fix ship positions
D. Failure to choose effective course change to avoid close quarters

(B) 6. Which Form of supplement of IOPP (International Oil Pollution Prevention) certificate to be provided for oil tankers?
A. Form A.
B. Form B.
C. Form C.
D. Form D.

(B) 7. 下列有關基隆港分道航行制之規定，何者錯誤？
A. 在此兩水道航行之船舶，應與前船保持安全距離
B. 除軍艦外，任何船舶駛近港口，均應依進港水道航行
C. 進港水道內嚴禁任何船舶錨泊

D. 港口進出點為單向航行，同一時間僅允許乙艘船隻通過

(A) 8. By SMCP, choose one of the following sentences for expressing ”Fire has been located in no.1 hold. The cargo is on fire; smoke is not poisonous.”
A. “Fire is in number 1 hold; cargo on fire; smoke not toxic.”
B. “Number 1 hold and cargo burning; smoke not toxic.”
C. “Fire is in number 1 hold; cargo on fire; smoke not harmful.”
D. “Number 1 hold on fire; cargo is burning; smoke not poisonous.”

(D) 9. 於航行電傳系統(NAVTEX)中，若接受信文為氣象警告，下列何者為其代碼？
A. J
B. K
C. L
D. B

(B) 10. 在夜間時，救生站或海上搜救單位對遇險船舶或人員，發出已看見你之3個白色星鏃火箭信號，每隔幾分鐘發射一次？
A. 半
B. 1
C. 2
D. 3

(B) 11. 飛機指示援助船舶前往遇險船舶或飛機處，應繞船舶至少飛幾圈？
A. 半
B. 1
C. 2
D. 3

(B) 12. 圖示信號旗所代表之字母依規定全名(code word)是？
A. India
B. Oscar
C. Tango
D. Zulu

(B) 13. 於日間，為指導載有遇險船員或人員的小艇，下列何者表示「此處登岸極度危險」？
A. 白旗一面或兩臂作上下揮動
B. 白旗一面或兩臂平伸作水平揮動
C. 紅旗一面作上下揮動
D. 紅旗一面作水平揮動

(C) 14. Which of the followings does not belong to a type of navigational warning?
A. NAVAREA warnings
B. Coastal warnings
C. International warnings
D. Local warnings

(B) 15. Which term below means the vertical distance measured from the ship's waterline to the highest point of the ship?
A. Freeboard
B. Air draught
C. Superstructure
D. Draft

(B) 16. 下列何者不是GMDSS的功能？
A. 遇險警示操作功能
B. 雷達信號發射功能
C. 搜救協調通信功能
D. 現場通信功能

(A) 17. 船舶發送數位選擇呼叫(DSC)求救，至少多少時間未獲岸台回報後，才可重複發送？
A. 2.5至4.5分鐘
B. 4.5至6.5分鐘
C. 6.5至8.5分鐘
D. 8.5至10.5分鐘

(A) 18. 航行警告電傳接收機(NAVTEX Rx)於操作時，下列資訊代碼何者為強制接收？
A. B
B. E
C. F
D. G

(C) 19. Which of the following tankers shall be fitted with “Emergency towing arrangements” required by SOLAS 1974/2000 amendment?
A. Tankers of not less than 10,000 dwt.
B. Tankers of not less than 15,000 dwt.
C. Tankers of not less than 20,000 dwt.
D. Tankers of not less than 40,000 dwt.

(B) 20. What is the interval between isolation valves on the fire main on main deck of tankers as per SOLAS?
A. Not more than 30 meters.
B. Not more than 40 meters.
C. Not more than 50 meters.
D. Not more than 60 meters.

(B) 21. You are sailing in heavy weather and the wind velocity is 36 knots. What Beaufort scale of wind do you encounter?
A. 9
B. 8
C. 7
D. 6

(B) 22. Which of the following item is not required to check when loading dangerous goods onboard?
A. Proper segregation of goods
B. Appropriate shape of goods
C. Correct technical names in documents
D. Correct marks

(C) 23. There is no barometric change in my position within three hours. Therefore, the barometer is _____.
A. rising
B. dropping
C. steady
D. declining

(C) 24. The Captain and Chief Officer will investigate the factors triggering the _____ after the cargo damage.
A. construction
B. establishment
C. cause of action
D. performance

(A) 25. _____ is responsible for all navigation facilities and charts and plots the sailing route.
A. Second officer
B. Chief officer
C. Third officer
D. Master

(A) 26. _____ is a type of deviations causing changes in the horizontal component of the induced or permanent magnetic fields at the compass due to rolling or pitching of the ship.
A. Heeling error
B. Semicircular error caused by the Coefficient B
C. Semicircular error caused by the Coefficient C
D. Quadrantal error caused by the Coefficient E

(A) 27. 旗號通信中，船舶速度信號的數字前冠以何字（旗）表示節數（Knot）？
A. S
B. V
C. R
D. M

(C) 28. Which of the following teams onboard is responsible for putting out fire?
A. Rescue team
B. First aid team
C. Firefighting team
D. Support team

(C) 29. _____ is a unit responsible for promoting efficient organization and for co-ordinating the conduct of search and rescue operations within a search and rescue region.
A. CSS
B. OSC
C. RCC
D. SMC

(B) 30. 摩斯碼 I（ . . ）與 T（ - ）之間的長度是多少個時間單位？
A. 1
B. 3
C. 5
D. 7

(C) 31. 某船於麻六甲水域發生船難，發出求救信號，搜救飛機「搖擺機翼」，問其意義為何？
A. 請重複原先信號
B. 請配合指示行動
C. 收到求救信號且明瞭意義
D. 信號不明瞭，卻收到了

(B) 32. 依IMO國際海事組織的規定，所有船舶由何時開始須將「遇險船舶船長操作全球海上遇險及安全系統設備指南」張貼於駕駛台上？
A. 1995年2月1日起
B. 1999年2月1日起
C. 2000年2月1日起
D. 2004年2月1日起

(A) 33. 沿岸發生船難，船員棄船乘小艇登陸。但要登陸的地點非常危險，救難人員若要指示「較佳登陸地點」是在該「遇難船」之右側，則夜間可用燈號顯示下列何種代碼？
A. 先發代碼“S”，再發代碼“R”
B. 先發代碼“S”，再發代碼“L”
C. 先發代碼“U”，再發代碼“R”
D. 先發代碼“U”，再發代碼“L”

(B) 34. 依GMDSS規定從救生艇筏上發送位置信號之SART設備，其工作頻帶是多少MHz？
A. 8200~8500
B. 9200~9500
C. 10200~10500
D. 11200~11500

(D) 35. 依照無線電規則，船舶無線電話通信之優先順序，下列何字為首的電文是第一優先？
A. GENERAL
B. SECURITE
C. PAN PAN
D. MAYDAY

(C) 36. Keep clear of this area, man over board and _____ is in progress.
A. wind farm establishment
B. vessel traffic service
C. search and rescue
D. port state control

(C) 37. 國際信號代碼中，以M為首多用於醫療方面的信號，由幾個字母組成？
A. 單
B. 雙
C. 三
D. 四

(D) 38. _____ list means a list of crew, passengers and all on board and their functions in a distress or drill.
A. Crew
B. General
C. Assembly
D. Muster

(C) 39. 下列何者為我國基隆港使用，作為引水作業及港埠備用之船岸通信特高頻（VHF）頻道？
A. 16

B. 14
C. 12
D. 11

(D) 40. Which of the following facilities has the firefighting capability?
A. Life raft
B. Lifebuoy
C. Search and rescue transponder
D. Portable extinguishers