114年第二次航海人員測驗【301】一等船副【000003】船舶通訊與航海英文

(A) 1. Which machinery below is capable of applying forces to mooring lines to keep them tight？
A. Tension winch
B. Capstan
C. Windlass
D. Slings

(D) 2. 衛星輔助搜救系統(COSPAS-SARSAT)之衛星，採用何種頻率進行發射？
A. 106 MHz
B. 206 MHz
C. 306 MHz
D. 406 MHz

(B) 3. What lights shall be exhibited when towing and the length of tow, measuring from the stern of the towing vessel to the after end of the tow exceeds 200 meters？
A. Two masthead lights in a vertical line, sidelights, stern light and a towing light in a vertical line above the stern light.
B. Three masthead lights in a vertical line, sidelights, stern light and a towing light in a vertical line above the stern light.
C. Two masthead lights in a vertical line, sidelights and stern light.
D. Three masthead lights in a vertical line, sidelights and stern light.

(B) 4. How many two-way radiotelephone apparatus shall be provided on every ocean going cargo ship of 500 gross tonnage and upwards as per SOLAS？
A. At least 2.
B. At least 3.
C. At least 4.
D. At least 5.

(B) 5. In determining a safe speed _____ shall not be among those taken into account.
A. the state of visibility
B. the type of the cargo
C. the traffic density
D. the maneuverability of the vessel

(A) 6. 為了避免相互間的干擾，航行警告電傳(NAVTEX)採用何種方式發送海事安全資訊？
A. 時間分隔
B. 頻率分隔
C. 相位分隔
D. 脈波分隔

(B) 7. 某砂石船夜間於臺灣東北角擱淺，救難人員投射救生器材給該船。該船人員已固定好在「救生吊圈」內可以拉走時，應該如何顯示聯絡信號？
A. 發射燈光信號顯示代碼“0”
B. 白燈一盞或手持白焰上下擺動
C. 白旗一面或雙臂作上下擺動
D. 白燈一盞或手持火焰作水平運動

(A) 8. 表示“I am dragging my anchor.”（我船正在走錨）的單字母信號，是何字母？
A. Y
B. X
C. T
D. U

(A) 9. 一個航行警告區內，最多劃分多少個電台？
A. 24
B. 21
C. 18
D. 15

(B) 10. Attention please! The weather is becoming worse, close all dead lights and storm doors, and _____ all loose objects in your cabins.
A. install
B. secure
C. set up
D. settle down

(A) 11. Which of the following statements regarding logbooks is true？
A. At the first port of call in each country, the time of free pratique granted should be entered in logbooks.
B. Unauthorized persons are permitted to read logbooks.
C. Cargo discharging should not be mentioned in logbooks.
D. When ships are in repair yards, the logbooks are not necessary to be applied.

(D) 12. Which one of the followings is NOT the “standard equipment” of life boat？
A. ration
B. compass
C. fresh water
D. nautical chart

(B) 13. 我國現行申請水上行動業務識別碼(MMSI)，應向何單位辦理申請？
A. 國家運輸安全調查委員會
B. 國家通訊傳播委員會
C. 交通部航港局
D. 交通部航政司

(C) 14. 某船舶拋錨等候領航人員，突然下起濃霧，與領航人員無法相互辨識，此時只好改由鳴放號笛聯絡。若你是當值船副，試問應該鳴放下列那個「單字母」之信號，以幫助領航人員找尋貴輪？
A. V
B. K
C. G
D. B

(D) 15. Different goods cannot be stowed in one cargo space or adjacent hold because of different _____.
A. colors
B. shapes
C. weight
D. compatibilities

(A) 16. My vessel is entering into the Panama _____. Which of the following choices is correct？
A. Canal
B. River
C. Quay
D. Berth

(C) 17. 搜救雷達詢答機(SART)之功能為：
A. 一般通信
B. 現場通信
C. 顯示位置
D. 遇險警報

(A) 18. Bill of lading is a document that establishes the terms of a contract between a _____ and a shipping company.
A. shipper
B. insurer
C. receiver
D. owner

(C) 19. _____ normally has very high waves with long overhanging crests and the surface of the sea takes on a white appearance.
A. Strong gale
B. Gale
C. Storm
D. Fresh breeze

(D) 20. 下列何者為AIS-SART發送訊號漏失之符號？
A.
B.
C.
D.

(B) 21. 根據2016版之IAMSAR Manual之建議，下列何者應製作SAR事件之final report？
A. SC
B. SMC
C. OSC
D. RCC

(A) 22. 下圖所示之國際信號旗其意思為何？
A. Azimuth 300
B. Azimuth 303
C. Course 300
D. Course 303

(D) 23. 關於摩爾斯燈號通信，下列何者正確？
A. 收信船台收到發送船台“DE + 發送船台呼號”信號後，發送“DE + 接收船台IMO號碼”作為回覆

B. 以“K”之傳送，表示已收到組成信文的文字或字組
C. 發送船台以“DDD”信號表示小數點符號
D. 摩爾斯燈號信文結束階段以“AR”表示之

(B) 24. 依照我國中央氣象署的分類，近中心最大風速達每秒30公尺者，係屬下列何者？
A. 強風
B. 輕度颱風
C. 中度颱風
D. 強烈颱風

(D) 25. Records of an important nature should not be entered in the logbook without due consideration and discussion with the officers who are acquainted with _____.
A. the descriptions
B. the details
C. the specifications
D. the facts

(C) 26. A vessel is _____ when she is not at anchor, made fast to the shore, or aground.
A. making way
B. dead in the water
C. underway
D. a power driven vessel

(C) 27. LOADING SITUATION OF SUB VSL SO FAR SATISFACTORY. AS PER PORT GENERAL ARRANGEMENT SHE WILL SHIFT TO ANOTHER BERTH TO CONTINUE LOADING THIS NOON WITH BEST ETD 2300HRS TONIGHT.According to this telex, ____ is not mentioned.

A. she is expected to leave 23:00 tonight
B. loading is in normal progress
C. the arrangement of her loading operations is far from satisfactory
D. the vessel will shift to another berth

(C) 28. _____ is the system for the broadcast and automatic reception of maritime safety information by means of narrow-band direct-printing telegraph.
A. ARPA
B. ECDIS
C. NAVTEX
D. SART

(B) 29. Regulations require that an official log book, in a form approved by _____, shall be kept in every ship registered in the Republic of Panama, except those exempted by the Act.
A. IMO
B. the Government
C. the builder
D. the owners of the vessel

(C) 30. Vessels shall be deemed to be in sight of one another only when one can _____ .
A. communicate with the other through VHF
B. be observed visually or by radar from the other
C. be observed visually from the other
D. be observed by the radar from the other

(A) 31. The _____ was periodically published by maritime countries which issued navigation

charts and publications. It contains several correction information affecting nautical charts, coast pilots, sailing direction, light lists, radio navigation aids and other related nautical publications.
A. notices to mariners
B. navigational warnings
C. annual summary
D. supplement

(D) 32. In _____ convention, a vessel which carries more than 12 passengers shall be deemed as a passenger ship.
A. STCW
B. MARPOL
C. MLC
D. SOLAS

(B) 33. 關於基隆港船舶交通管制作業規定，下列敘述何者為非？
A. 在管制區範圍內航行之船舶，應守值特高頻14頻道與塔台連繫
B. 船舶應向塔台進行第一次動態報告之位置為，距港口外防波堤中心12浬線
C. 船舶總長超過160公尺以上者，須於港外1.5浬處等候引水
D. 出港船於啟航前，使用電話或特高頻12頻道，向基隆港引水人辦事處申請引水

(C) 34. 高雄港水域，因有二處進出口，劃分為南北兩區，船舶欲進出高雄港第一港口時，下列敘述何者正確？
A. 隸屬高雄港交通服務南區
B. 該區船舶交通服務之無線電守值頻道為特高頻12頻道
C. 高雄港外海、錨區使用特高頻11頻道與話務管制臺聯絡
D. 以特高頻第13頻道發佈高港訊息

(B) 35. Instructions on how to conduct search and rescue are given in the _____ which is primarily designed for use by merchant ship.
A. SOLAS
B. IAMSAR Manual III
C. ISPS
D. MARPOL

(C) 36. Which device provides the main means in the GMDSS for locating ships in distress or their survival craft？
A. VHF homing device
B. MF/HF DSC
C. Satellite EPIRBs
D. Radio direction finder

(C) 37. 當遇險船時間上尚允許編輯DSC之遇險性質時，進行DSC遇險呼叫之程序為何？①切換至遇險專用頻道進行遇險通訊②按壓紅色Distress按鈕③遇險警報之接收回報(ACK)④編輯信文
A. ②③④①
B. ②③①④
C. ④②③①
D. ④②①③

(D) 38. 某夜，在外木山海水游泳池處目視到一救生艇欲登陸，因該處為岩岸不適合登陸，欲將其引導至該救生艇左側之外木山漁港，以燈光或音響信號發送何種摩斯碼組合？①K②S③R④L，其程序應為何？à表順序
A. ④à①
B. ③à①

C. ②à③
D. ②à④

(B) 39. 關於船舶行進中向軍艦行禮，將國旗懸掛在向軍艦之舷側旗桁上後，當該軍艦航駛至本船正橫位置時，行禮程序為何？①將本船國旗降至半懸②將本船國旗升至滿懸③待軍艦將國旗升至滿懸④待軍艦將國旗降至半懸
A. ④①③②
B. ①④③②
C. ④①②③
D. ①④②③

(C) 40. The function of a cardinal buoy is to indicate a specific cardinal point from a fixed object. Which of the objects below cannot be indicated by cardinal buoys ?
A. wrecks
B. shallow water
C. bridge spans
D. banks