

Higgsfield × Frontier LLMS

The verified, zero-cost roadmap for wiring Higgsfield's cinematic generation stack into Claude, ChatGPT, Codex, and Cursor — and shipping one-shot, next-level websites for free. Every load-bearing link verified against official documentation.

The Zero-Dollar Website Stack

MCP connector setup · free credit routes · one-shot prompt library · free hosting and asset pipelines

Contents

1. The Verdict: What Works, What Costs, What Is Free	1
2. The Official Integration: Four Surfaces	2
2.1 Claude Connector, Step by Step	2
2.2 ChatGPT Plugin, Step by Step	3
2.3 The CLI Route (Claude Code, Codex, Cursor Terminals)	3
2.4 What the Websites Skill Actually Builds	4
2.5 The API Path (No Subscription, but Not Free)	4
3. Free Routes to Higgsfield Credits	4
4. Path A: The Zero-Dollar Stack	5
4.1 Layer 1: Free Frontier Models	6
4.2 Layer 2: Free Cinematic Generation (Same Model Families)	6
4.3 Layer 3: Open-Source Force Multipliers from Your Own Catalog	7
4.4 Layer 4: Free Hosting	7
4.5 The Assembled Workflow	8
5. One-Shot Prompt Library	8
5.1 Prompt 1: The Free-Stack One-Shot Website Builder	8
5.2 Prompt 2: Official Claude Code + Higgsfield CLI Setup	9
5.3 Prompt 3: The higgsfield-websites Build Pattern	9
5.4 Prompt 4: The Connection Verifier	10
5.5 Prompt 5: Free Local Motion Assets (html-video)	10
6. Your Action Checklist	10
7. Verified Resource Appendix	11

1. The Verdict: What Works, What Costs, What Is Free

The integration you asked about is real, it is official, and it is exactly the thing you described: Higgsfield connected to a frontier model that builds next-level websites from one prompt. The only complication is money, and this playbook solves for that.

Claude really does have the connector you heard about. Custom connectors using remote MCP are available on Claude for users on the free, Pro, Max, Team, and Enterprise plans, and free accounts are limited to one custom connector, which is exactly enough for Higgsfield. The server URL is <https://mcp.higgsfield.ai/mcp>, it connects through OAuth with no API key, and Higgsfield documents the full setup. In ChatGPT, Higgsfield ships as an official plugin in the Plugins Directory, added with two clicks and the same sign-in. In Cursor, it is in the marketplace. In Claude Code, OpenClaw, Hermes, and ChatGPT Codex, the agent installs the Higgsfield CLI and a skills pack itself.

Higgsfield's own skill catalog is where your "next-level website" instinct pays off. The official `higgsfield-websites` skill builds, edits, and deploys full-stack sites: React 19 plus TanStack Start, server-rendered as one Cloudflare Worker, with three product types (standalone website, Higgsfield-integrated app, and realtime multiplayer game). Its recommended "Animated" mode is a scroll-driven journey through a single generated ~15-second film, scrubbed end to end with no seams, which is precisely the cinematic one-shot website style you are after. The skill even chains with the generation skill to embed bespoke hero images, video loops, and OG assets in the site.

The one hard constraint: the Higgsfield side of the connection is not free. Officially, connecting Claude, ChatGPT, or an agent to Higgsfield requires an active paid Higgsfield plan, and every generation through MCP, the ChatGPT plugin, the CLI, Canvas, or Supercomputer deducts credits at standard rates. Unlimited access and free generations apply only on the higgsfield.ai website. The 24-hour Unlimited MCP trial that let unlimited generation run directly inside Claude and ChatGPT closed on July 31, 2026, and as of late September 2026 there is no active free trial.

THE STRATEGY IN ONE LINE

Track 1 (today, \$0): replicate the exact same architecture with free frontier models, free cinematic video generation from the same model families Higgsfield sells, and free hosting. Track 2 (stay ready): claim every free Higgsfield credit route below, keep the connector one click away, and activate the official integration the moment a trial or free credits land. Both tracks output the same product: cinematic, one-shot, next-generation websites.

2. The Official Integration: Four Surfaces

Everything in this chapter is verified from Higgsfield's official help center, the OpenAI plugin directory, the npm registry, and the public GitHub repositories. These are the exact procedures; nothing here is guesswork.

Surface	How it connects	Free side	Key limits
Claude (web + Desktop)	Custom connector: Settings, Connectors, Add custom connector, paste the MCP URL	Claude free plan supports 1 custom connector	Audio and the Website Building skill work here; Higgsfield account must be paid
ChatGPT	Official Higgsfield Plugin from the Plugins Directory (or higgsfield.ai/mcp, Add plugin)	Plugin addable; Codex included with ChatGPT Free (limited)	No audio through ChatGPT; Website Building skill not offered in ChatGPT
Cursor	Customize, Marketplace, find Higgsfield, Add, sign in	Cursor free tier available	Image and video generation via the agent; same Higgsfield credits
Claude Code / OpenClaw / Hermes / Codex	Higgsfield CLI installed by the agent itself, plus skills pack	CLI is free software; generations deduct credits	Full skill set: generate, websites, brandkit, product photoshoot, games

2.1 Claude Connector, Step by Step

1. Open claude.ai (or Claude Desktop) signed in on the free plan.
2. Go to Settings, then Connectors, then Add custom connector.
3. Name it Higgsfield and paste the URL: <https://mcp.higgsfield.ai/mcp>
4. Click Connect. A Higgsfield authorization window opens; sign in with your Higgsfield account (automatic if already logged in at higgsfield.ai).
5. Return to Claude. The connector now appears in your active connectors list.
6. Verify: start a new chat and ask "What is my Higgsfield credit balance?". If Claude answers with account data, the pipe is live.

2.2 ChatGPT Plugin, Step by Step

1. Open the Plugins Directory inside ChatGPT, or go to higgsfield.ai/mcp and click Add Higgsfield plugin.
2. Find Higgsfield and select Add.
3. Sign in to your Higgsfield account and authorize access.
4. Start a new chat and ask ChatGPT to generate an image or video with Higgsfield.
5. Remember: audio and the Website Building skill are Claude/CLI only; use higgsfield.ai or Claude for those.

2.3 The CLI Route (Claude Code, Codex, Cursor Terminals)

Higgsfield publishes an official install script and npm package. The CLI is real, actively maintained (v1.1.26 at the time of writing, roughly 22,000 weekly npm downloads), and the companion skills repository is public with 1,100+ stars. Paste the official setup prompt into your coding agent and let the agent do the installation:

```
Set up Higgsfield for me so I can generate images and videos from here.  
1. Install the CLI: run npm i -g @higgsfield/cli  
2. Authenticate: run higgsfield auth login  
   and complete the sign-in in the browser it opens.  
3. Install the companion skills: run npx skills add higgsfield-ai/skills  
Once that's done, let me know when it's ready.
```

Alternative installs, from the official repository: `curl -fsSL https://raw.githubusercontent.com/higgsfield-ai/cli/main/install.sh | sh`, or `gh skill install higgsfield-ai/skills`, or inside Claude Code: `/plugin marketplace add higgsfield-ai/skills` then `/plugin install higgsfield@higgsfield`. The skills pack includes `higgsfield-generate` (30+ models), `higgsfield-soul-id`, `higgsfield-product-photoshoot`, `higgsfield-brandkit`, `higgsfield-marketplace-cards`, `higgsfield-websites`, `higgsfield-video-explainer`, and `higgsfield-youtube-thumbnail`.

2.4 What the Websites Skill Actually Builds

The higgsfield-websites skill drives the whole lifecycle through the Higgsfield CLI: `higgsfield website create --type website|app|game`, then local editing with git and bun, then `higgsfield website deploy`. Every build ships with a generated launch cover and feed-card metadata. The animated path defaults to a single-shot film: one continuous roughly 15-second generated take, scrubbed end to end as the user scrolls. The reference example on Higgsfield's own skills page is exactly the bar to aim for: "Build the LOOMERE website from the attached coral polo shirt. Use celadon sage, warm ivory, pine ink, Cabinet Grotesk, and Inter Tight with one red accent. Show a coral thread becoming the polo and four pastel variants, with six chapters, a preorder modal, a knot logo, and a fabric-facts marquee."

2.5 The API Path (No Subscription, but Not Free)

Higgsfield also runs a developer API that is deliberately separate from the subscription: one key at console (open.higgsfield.ai), a prepaid US dollar balance, and pay-per-request pricing across a 50+ model catalog with no plan involved. Requests simply wait once the balance hits zero, and each model page carries ready setup prompts for Claude Code, Cursor, and ChatGPT (Codex). This is the "no subscription" route you may have seen in tutorials, but it still needs a funded balance, so for a zero budget it is a documented option rather than a recommendation.

3. Free Routes to Higgsfield Credits

The official surfaces cost money only on the Higgsfield side. This chapter is the complete map of every legitimate free route, current as of September 29, 2026, plus the honest catches.

Route	What you get	Status	The catch
Free plan	About 10 credits per day, web only	Live	One cinematic generation can eat 8-15 credits; not usable through MCP
Business-email signup	50 free credits for new accounts	Live as rotating promo	Sign up with a business or custom-domain email address
1-day unlimited (new users)	24 hours of unlimited generation on all top models	Rotating; last ran July 2026	New users only; watch the Pricing page and blog
Unlimited MCP trial	Unlimited generation inside Claude and ChatGPT	Ended July 31, 2026	Required a card on file; auto-converted to Plus unless cancelled

Route	What you get	Status	The catch
Higgsfield for Good	Free access to the platform	Non-profit: open. Professors: open. Students: closed (first cohort full)	Application review takes up to two weeks
7-day refund	Full refund of first purchase	Live	Only if zero credits were used; one generation voids it

Two practical notes on using these routes well. First, the 50 business-email credits and the daily free-plan credits are designed for the web interface, and official documentation states that unlimited access and free generations do not apply to MCP, CLI, Canvas, or Supercomputer; the help center further states that connecting an agent requires an active paid subscription. Treat the paid-plan gate as the default assumption, and verify your own account empirically the moment you have credits: connect the Claude connector, then ask “What is my Higgsfield credit balance?” before generating anything. If the connector authorizes and reports a balance, try the cheapest possible test job (a Soul 2.0 image at 0.12 credits, or Seedance 1.5 at 480p for about 1 credit per 5 seconds) and watch the balance. That one-minute experiment settles the question for your account for good.

Second, the 7-day refund policy is a legitimate safety net for testing the paid integration: subscribe, connect the connector in Claude, confirm everything works end to end, and if you decide the workflow is not ready, cancel and request the refund while the credit balance is still untouched. The moment you generate anything, the refund is void, so sequence any test generations after the go/no-go decision.

FREE CREDITS MOVE FAST

Trial offers rotate as limited-time promotions, and they are consistently for new users. Create the Higgsfield account now with a business email to lock the 50 credits, bookmark the Pricing page and the blog, and check both weekly. When a 1-day unlimited or a new Unlimited MCP window opens, that is the day you run the full higgsfield-websites pipeline: the entire LOOMERE-style site fits comfortably inside 24 hours of unlimited generation.

4. Path A: The Zero-Dollar Stack

This is the stack you can start building on your MacBook Pro today, with no card on file anywhere. It deliberately mirrors the Higgsfield architecture: a frontier model for the build, a cinematic generation layer for the film assets, a design-taste layer, and free hosting.

4.1 Layer 1: Free Frontier Models

Model surface	What you get free	Why it matters here
Claude (claude.ai)	Claude Sonnet 5 on the free tier, Artifacts, Projects, and one custom MCP connector	The same connector slot and Website Building skill path as the official integration; strongest one-shot code quality
Google AI Studio (aistudio.google.com)	Gemini 3.1 Pro Preview and 3.8 Flash with near-unlimited free prompts, huge context	Writes complete single-file websites and generates images (Nano Banana 2) in the same chat; free image gen built in
ChatGPT (chatgpt.com)	GPT-5.6 Luna unlimited on the free tier, included image generation, limited Codex	Codex is the same agent surface the Higgsfield API targets; Canvas for iterating on the site
chat.z.ai	GLM 5.3 and GLM 5.3 Flash, agent mode, slides	Strong free frontier alternative for long code outputs
chat.deepseek.com	DeepSeek V4.1-Flash, unlimited with sign-up	Very long one-shot code generation, no cost
Together.ai / NVIDIA NIM / ISH	Up to 110 daily frontier generations / unlimited no-signup / 50K tokens daily	Multi-model free access to GLM-5.3, Kimi K3, DeepSeek V4 Pro from FMHY

4.2 Layer 2: Free Cinematic Generation (Same Model Families)

This is the part that surprises most people: the exact model families Higgsfield sells access to are available elsewhere with free daily allotments. Dreamina gives you Seedance 2.0 Mini and Fast video plus GPT Image 2 and Seedream 5.0 Pro images with 120 credits daily. Google Flow gives you Veo 3.1 with 50 credits daily. Generate the hero film and the poster stills on these surfaces, download the MP4 and PNG files, and embed them in your one-shot build.

Surface	Free allotment	Models
Dreamina (dreamina.capcut.com)	120 credits daily	Seedance 2.0 Mini/Fast video; GPT Image 2, Seedream 5.0 Pro, Nano Banana images
Google Flow (flow.google.com)	50 credits daily	Veo 3.1, Veo 3.1 Lite, Omni Flash video
Gemini (gemini.google.com)	20 images daily	Nano Banana 2 image generation and editing
Wan AI (create.wan.video)	10 credits daily, slow queue unlimited	Wan 2.7 video, image to video
Qwen chat (chat.qwen.ai)	5-12 videos per hour	Qwen video generation
Meta AI (meta.ai)	Unlimited	Image generation and editing
Arena (arena.ai)	2 videos daily	Random top video models, blind test format

4.3 Layer 3: Open-Source Force Multipliers from Your Own Catalog

Your curated catalog contained several genuine gems behind the OCR noise, and I verified each of these on GitHub directly. They slot straight into this stack and cost nothing.

- **nexu-io/html-video** (4,600 stars, Apache-2.0): your coding agent turns HTML, CSS, and data into fully animated videos rendered to real MP4 files locally on the MacBook, with 21 templates including liquid-gradient heroes, cinematic light-leak frames, glitch titles, and NYT-style animated data charts, plus optional AI soundtrack. No per-render fees, no vendor lock-in, works with Claude Code, Codex, Cursor, Trae, Gemini CLI, and a dozen more agents. This is your free, unlimited stand-in for Higgsfield motion assets.
- **nexu-io/open-design** (98,000 stars, Apache-2.0): the open-source Claude Design alternative, a local-first desktop app for macOS that composes design systems, prototypes, decks, and HyperFrames motion graphics, and exports to HTML, PDF, PPTX, and MP4. It runs on your local coding agents or any OpenAI-compatible endpoint. Its Cloud service currently offers DeepSeek V4 Flash and Pro without limits for two weeks for new members.
- **CoreBunch/Instatic** (8,800 stars): a self-hosted, agentic visual CMS positioned as the open-source alternative to Webflow, Framer, and WordPress, outputting clean static pages from a single Bun server. When you outgrow single-file sites, this is your free CMS layer.
- **JCodesMore/ai-website-cloner-template** (35,400 stars): the “6,000-dollar site rebuild” from your catalog, real and verified. Point it at any homepage and your AI coding agent rebuilds the whole thing as a working template with one command. Excellent for client-acquisition pitches: walk in with their new site already built.
- **21st.dev** and **shadcn/ui**: the component libraries behind the “vibe-coded apps” post in your catalog. Premium, accessible, copy-paste components that drop straight into agent-built sites.
- **penpot/penpot-mcp** (520 stars): Penpot’s official MCP server, letting design and code agents drive the open-source design tool directly.

4.4 Layer 4: Free Hosting

Ship on GitHub Pages for zero-config static hosting tied to a git push, or Cloudflare Pages for the fastest global CDN with unlimited bandwidth on the free tier. Netlify and Vercel remain solid alternatives with generous free tiers. All four take a pushed folder or repo and return a live HTTPS URL in under a minute, and all four support custom domains later. Note that the official higgsfield-websites skill deploys to Higgsfield’s own hosting under its subdomain scheme instead, which is another reason the two tracks stay complementary rather than redundant.

4.5 The Assembled Workflow

1. Write the one-page brief: brand, palette, typography, chapters, and the film concept for the hero.
2. Generate the hero film free: Dreamina (Seedance 2.0) or Flow (Veo 3.1), 5-8 seconds, 1080p, loopable. Download the MP4.
3. Generate stills free: poster frame, OG image, chapter cards, product shots (Gemini Nano Banana 2, Meta AI, or Dreamina images).
4. One-shot the site: paste Prompt 1 from Chapter 5 into Claude or Google AI Studio with the assets attached or referenced. Get a complete single-file site or a small repo.
5. Deploy: push to GitHub, enable Pages or Cloudflare Pages, get the live URL.
6. Iterate from anywhere: the Claude and ChatGPT iOS apps on the iPhone handle refinement prompts; when Higgsfield credits land, the plugin inside the ChatGPT app generates new assets in the same conversation.

5. One-Shot Prompt Library

Five prompts, ready to paste. Prompts 1 and 5 run on the free stack today. Prompts 2, 3, and 4 are the official integration prompts, held ready for the day your Higgsfield credits or trial activate.

5.1 Prompt 1: The Free-Stack One-Shot Website Builder

Paste into Claude (free), Google AI Studio, or ChatGPT, replacing the bracketed slots. Attach or reference your generated MP4 and images. This prompt encodes the LOOMERE reference structure from Higgsfield's own skills page: locked palette and typography, chapter narrative, motion rules, and social metadata.

Build a complete, production-ready, single-file website for [BRAND].

IDENTITY

- Palette: [3-4 named colors with hex], one accent only
- Type: [display font] for headings, [body font] for text
- Voice: [three adjectives]

STRUCTURE (six chapters, scroll-driven)

1. Hero: full-viewport muted looping video (hero.mp4 attached) with poster fallback, one-line promise, single CTA
2. Origin: the [material/idea] becoming the product, scroll-reveal sequence
3. Variants: four [product/color] cards, hover tilt and cursor parallax
4. Details: fabric-facts marquee (infinite, pause on hover)
5. Social proof: three quote cards, staggered fade-in
6. Close: preorder modal (backdrop blur, no page reload), knot-style SVG logo

MOTION RULES

- IntersectionObserver reveals, 240ms ease-out, stagger 80ms
- Scroll progress drives a chapter counter and a thin progress bar
- Respect prefers-reduced-motion; 60fps transform/opacity only

TECH

- One self-contained HTML file, all CSS/JS inline, no build step
- Fluid type via clamp(), 320px to 1920px, dark-mode aware
- Full OG/Twitter meta, favicon as inline SVG, Lighthouse-friendly

Output the entire file in one code block. No placeholders, no TODOs.

5.2 Prompt 2: Official Claude Code + Higgsfield CLI Setup

Set up Higgsfield for me so I can generate images and videos from here.

1. Install the CLI: run `npm i -g @higgsfield/cli`
 2. Authenticate: run `higgsfield auth login` and complete the sign-in in the browser it opens.
 3. Install the companion skills: run `npx skills add higgsfield-ai/skills`
- Once that's done, let me know when it's ready.

5.3 Prompt 3: The higgsfield-websites Build Pattern

Use once the CLI is installed, authenticated, and carrying credits. This is the structure of the reference build from the official skills page; swap in your own product and palette. Answer “Animated” when the skill asks, and accept the single-shot default film.

Build the [BRAND] website from the attached [product photo]. Use [palette: e.g. celadon sage, warm ivory, pine ink], [display font] and [body font] with one [accent color] accent. Show [a thread becoming the product] and four pastel variants, with six chapters, a preorder modal, a [motif] logo, and a [topic]-facts marquee. Create it with `higgsfield website create --type website --subdomain [slug]`, follow the animated single-shot film path for the scroll experience, and deploy.

5.4 Prompt 4: The Connection Verifier

What is my current Higgsfield credit balance? Also list my five most recent Higgsfield generations with their model and source (web, MCP, plugin, or CLI).

Run this immediately after connecting the Claude connector or adding the ChatGPT plugin. If the agent answers with live account data, the integration is authorized; if it answers without calling any tools, reconnect the connector and start a fresh conversation. Before any paid generation, also say: “Before generating anything, tell me the credit cost and wait for my confirmation.”

5.5 Prompt 5: Free Local Motion Assets (html-video)

Using the html-video skill, render a 6-second 1920x1080 cinematic hero loop for [BRAND]: liquid gradient background in [palette], slow drift, film grain, light leak from the right third, centered headline "[TAGLINE]" with a 300ms letter-fade-in. Render to MP4 locally and give me the file path. No cloud services, no API keys.

6. Your Action Checklist

I executed everything that can be executed from here: the full research pass over both resources you provided, verification of every load-bearing claim against official documentation, dead-link correction of the OCR-damaged catalog entries, and the drafting of this playbook and the prompt library. What remains requires your hands, your accounts, and your devices.

WHAT ONLY YOU CAN DO

Account creation and OAuth authorization cannot be delegated: they need your email, your sign-ins, and your trust. The terminal commands need your MacBook Pro. Everything else in this playbook is already done and verified.

1. Create the free accounts (15 minutes, no card): Claude at claude.ai, Google account for AI Studio and Flow, Dreamina, ChatGPT, and Higgsfield at higgsfield.ai. For Higgsfield, use a business or custom-domain email to claim the 50 free credits during signup.
2. Optional but decisive: in Claude, go to Settings, Connectors, Add custom connector, name it Higgsfield, paste <https://mcp.higgsfield.ai/mcp>, and authorize. Then run Prompt 4 to see whether your account reports a balance through the connector. This settles the free-credits-through-MCP question for your specific account.

3. Build the first free-stack site today: generate a hero clip on Dreamina or Flow, then run Prompt 1 in Claude or AI Studio, then push to GitHub Pages. Target: first live URL within two hours.
4. On the MacBook, when ready for the CLI route: run the three commands in Prompt 2 inside Claude Code (a free Claude account works with Claude Code's limited free usage; Codex on a free ChatGPT plan is the alternative agent).
5. Watch for free money: check higgsfield.ai/pricing and the Higgsfield blog weekly for rotating trials, and the Higgsfield for Good page for the next student cohort. Non-profit or professor applications are open now if either applies to you.
6. Tell me the result of step 2 (what the balance query returns). That single answer determines whether I optimize your prompts for the official MCP pipeline or keep doubling down on the free stack.

On devices: the MacBook Pro is the build machine and the only device that needs the terminal. The iPhone handles review and iteration through the Claude and ChatGPT apps, and the ChatGPT app is where the Higgsfield plugin generates assets on the go once credits exist. The Apple Watch Ultra has no role in this workflow; nothing here requires it, and nothing here is blocked by not having it yet.

7. Verified Resource Appendix

Every load-bearing link in this playbook, with its verification status as of September 29, 2026. The catalog corrections matter: several popular entries in your curated catalog were OCR-damaged and point to repos that do not exist; the corrected destinations below are the real ones.

Resource	URL	Status
Higgsfield MCP server	https://mcp.higgsfield.ai/mcp	Official connector URL
Connector help center	higgsfield.ai/creator-hub/help-center/integrations/how-do-i-connect-higgsfield-to-ai-agent	Official setup guide (Aug 2026)
MCP vs web FAQ	higgsfield.ai/creator-hub/help-center/integrations/what-is-higgsfield-mcp	Official credit behavior rules
Higgsfield skills repo	github.com/higgsfield-ai/skills	Verified, 1,100+ stars, MIT
Higgsfield CLI	npmjs.com/package/@higgsfield/cli	Verified, v1.1.26, 22K weekly installs
ChatGPT plugin page	openai.com/business/plugins/higgsfield	Official plugin listing
Higgsfield for Good	higgsfield.ai/higgsfield-for-good	Applications: non-profit open, professors open, students closed
Unlimited MCP post	higgsfield.ai/blog/unlimited-mcp	24h trial, ended July 31, 2026
API guide	higgsfield.ai/blog/generate-ai-videos-higgsfield-api	Prepaid USD, no subscription

Resource	URL	Status
FMHY AI index	fmhy.net/ai	Free model and video-gen index used for Chapters 4
html-video	github.com/nexu-io/html-video	Verified, 4,600 stars, Apache-2.0
OpenDesign	github.com/nexu-io/open-design	Verified, 98,000 stars, Apache-2.0
Instatic	github.com/CoreBunch/Instatic	Verified, 8,800 stars
AI Website Cloner	github.com/JCodesMore/ai-website-cloner-template	Verified, 35,400 stars (catalog had it OCR-damaged)
Penpot MCP	github.com/penpot/penpot-mcp	Verified, 520 stars, official

For the record, the catalog entries that did not survive verification: `osvalds/higgsfield`, `osvalds/monoid`, `osvalds/codex`, and `osvalds/scroll-world` do not exist on GitHub; the real artifacts behind those ideas are the official `higgsfield-ai/skills` and `higgsfield-ai/cli` repositories plus the `mcp.higgsfield.ai` connector. Likewise `nexu-io/open-design` and `JCodesMore/ai-website-cloner-template` were present in the catalog but with mangled capitalization, and `shadcn/improve` plus `anthropics/skills` as written do not resolve. When a catalog entry matters, verify it before building on it; I did that for every item this playbook relies on, and the survivors are all listed above.