

Organiser

TYPO3 Organiser, TYPO3 for the lobbies and the organisers. See: <http://typo3-organiser.de/> Manual: <http://typo3-organiser.de/typo3conf/ext/org/doc/manual.pdf>. The Organiser provides a lot of features for handle a simple calendar, companies, contacts, events, jobs, locations, news, people and services. Sell your tickets with the integrated shop. The installer enables you to install the Organiser with one mouse click! Sample data is included.



Version: 6.0.1, 2014-11-24

Extension Key: org

Language: en

Keywords: calendar, events, lobby, locations, news, organiser, people, shop, staff, tickets

Copyright 2010-2014, Dirk Wildt - Die Netzmacher, <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License available from <http://www.opencontent.org/opl.shtml>
The content of this document is related to TYPO3 a GNU/GPL CMS/Framework available from www.typo3.org

Table of Contents

Organiser	1	Job	37
Screen Shots	3	Plugin	37
Frontend	3	TypoScript	37
Backend	6	Communicating with Powermail	38
One-Click-Installation	7	Page TSconfig	39
Introduction	8	Organiser records	39
What does it do?	8	CSS	42
What do you need?	9	Remove the default CSS	42
Audience	9	Add your own CSS	42
Non possible TYPO3 core features	9	SEO and RealUrl	43
Further manuals	9	DRS – Development Reporting System	44
Upgrades	9	Reference	45
Features	10	Completely browser reference	45
Tables	10	Upgrades	46
Caddy	16	From version < 6.0	46
E-payment	17	Update from < 3.x	47
Flip it!	18	What's new?	50
Georeferenced data	19	6.0	50
Maps (Google Maps, Open Street Map)	20	4.0	51
Radial Search	21	3.0	52
Responsive	22	2.1	53
Search Engine Optimisation	23	2.0	53
Others	24	FAQ	54
Preconditions	26	Bugs	54
TYPO3 6.2 is recommended	26	Configuration	54
Latest extensions	26	Status	55
Installation	27	Store record configuration	55
One click with the Organiser Installer	27	Store fe_groups configuration	56
Adapt some constants to your needs	27	Helpful suggestions and benefits	57
Controlling by the extension manager	28	Forum	57
Basic	28	Packages for Sponsors	58
Downgrade	28	Fun – 50 EUR	58
Geocoding	28	Logo – 150 EUR	58
Hide tables	28	Patron – 500 EUR	58
Linkhandler	28	Further Information	59
Simplifyer	29	Demo website	59
Controlling by plugins	32	Manual and tutorial in PDF	59
Annotation	32	Professional Support	59
Plugins in the frontend	32	Other extensions published by Die Netzmacher	60
Plugins in the backend	33	Known Bugs	61
Randomised plugins	34	AOE Link Handler	61
Controlling by TypoScript	35	Change Log	62
Constant Editor	35	Illustration index	68
TypoScript Object Browser	36	Alphabetical Index	69
Controlling the Caddy	37		

Screen Shots

Frontend

Current Version

Installed by the Organiser Installer¹

Desktop




Illustration 1: TYPO3 Organiser home page




Illustration 2: TYPO3 Organiser Calendar




Illustration 3: TYPO3 Organiser Caddy with 10 sponsor tickets




Illustration 4: Flip pages of PDF files with the TYPO3 Organiser!

¹ Version 6.x

Smartphone




Illustration 5: Home




Illustration 6: Home with open menu



Illustration 7: Calendar




Illustration 8: Caddy




Illustration 9: News (single view)



Illustration 10: People (single view)

Version 4.x

[DEPRECATED!]



Illustration 11: TYPO3 Organiser home page



Illustration 12: Hochschule für Schauspiel "Ernst Busch" Berlin




Illustration 13: LEG Thüringen




Illustration 14: TYPO3 Usergroup Thuringia




Illustration 15: bat Studiotheater




Illustration 16: The Organiser has Flip it! integrated.

- bat-Studiotheater der Hochschule für Schauspiel "Ernst Busch" Berlin
<http://www.bat-berlin.de/>
- Hochschule für Schauspiel "Ernst Busch" Berlin
<http://www.hfs-berlin.de/>
- Landesentwicklungs-Gesellschaft Thüringen
<http://www.leg-thueringen.de/downloads/>
- TYPO3 Organiser
<http://typo3-organiser.de/>
- TYPO3 Usergroup Thuringia
<http://typo3-thueringen.de/>

Backend

Organiser website

The screenshot shows the TYPO3 Backend interface. The left sidebar contains a tree structure with the following items: WEB (Page, View, List, Functions, Info, Access, Recycler, Template, Mails), FILE, USER TOOLS, ADMIN TOOLS, SYSTEM, and HELP. The main content area is titled 'Calendar' and displays four tables:

- Calendar (3)**: Contains three rows of event data with columns for Datetime, Title, and actions (edit, delete, etc.).
- Calendar: Subjects (3)**: Contains three rows of subject data with columns for Subject label, Title, and actions.
- Calendar: Entrance Fees (3)**: Contains three rows of entrance fee data with columns for Entrance Phrase, Amount, and actions.
- Tax (3)**: Contains three rows of tax rate data with columns for Value of the tax rate, Rate, and actions.

Illustration 17: Result after installing with the Organiser Installer. Here: folder with the calendar data.

Form for a calendar item

The screenshot shows the TYPO3 Backend form for creating a calendar item. The form includes the following sections:

- Event**: Tabs for Event, Teaser, Marginal, Location, admission, Images, Controlling, and Search Engines.
- Automatic link to ...**: A dropdown menu with 'the detail view (default)' selected.
- Title of the event**: A text input field containing 'First night: TYPO3 Organiser'.
- Subheader**: A text input field.
- Datetime**: A text input field containing '0:03 20-11-2015'.
- Datetime end of event**: A text input field.
- Type of Event**: A section with 'Selected Items' (TYPO3) and 'Available Items' (policy, society, TYPO3).
- Bodytext**: A rich text editor with a toolbar and a text area containing the following text:

First night: [Organiser](#) - TYPO3 for [organisers](#) and the lobby ([Dirk Wildt](#))

The developer - [Dirk Wildt](#) (Die Netzmacher) - will present the TYPO3 [Organiser](#) in the public the first time. The will be some sample applications and references.

The [Organiser](#) enables you, to manage news and events with selling online tickets and further on to manage your people, headquarters and locations.

The [Organiser](#) is the TYPO3 extension for [organisers](#) like [theatres](#) and the lobby.

It is using the shopping cart [Caddy](#).

 - Website: [typo3-organiser.de](#)

P.S.: [Barack Obama](#) has permitted his participation. BE AWARE: Short denials by the president aren't

Illustration 18: The form for a calendar item

Link Wizard

NOTE: The AOE Link Handler has a bug in TYPO3 6.2 and doesn't work!¹




Illustration 19: You can link to every Organiser record by the link wizard.

One-Click-Installation

Organiser Installation

Check \$TYPO3_CONF_VARS

✓ \$TYPO3_CONF_VARS[pageNotFoundOrNotFound] is proper.

Check extension dependencies

- ✓ autokate: "TemplateParser" is loaded.
- ✓ baseorg: "Organiser-Template" is loaded.
- ✓ browser: "Browser-TYPO3" without PHP is loaded.
- ✓ caddy: "Caddy-TYPO3 shopping cart" is loaded.
- ✓ cpe: "Record tree for TCA" is loaded.
- ✓ cpe: "Developer library" is loaded.
- ✓ flip: "Flip (TYPO3 for real magazines)" is loaded.
- ✓ linkhandler: "AOE linkhandler configurator" is loaded.
- ✓ org: "Organiser-TYPO3 for lobby and organisers" is loaded.
- ✓ powermail: "Powermail" is loaded.
- ✓ seo: "Dynamic tag" is loaded.

Start the Installation

- Create a backend group
- Create a page tree
- Create the plugins browser, caddy and powermail
- Create page content:
- Create TypoScript for the browser, caddy and powermail
- Create configuration records for powermail
- Create records
- Create files and images
- Create page content
- Consolidating

Start the installation **1** **Install All**




Illustration 20: Install the Organiser with one click! Installer button (1). Result in the frontend (2) and the backend (3)

¹ AOE Link Handler 1.1.0. See details at Known Bugs on page 61 below.

Introduction

What does it do?

Organiser: TYPO3 for the lobbies and the organisers

The Organiser is easy: easy to use, easy to configure, easy to handle. TYPO3 integrators can install the Organiser with minimum costs. You can manage a calendar, events, companies, documents, news, jobs and people. You can sell tickets and items.

The Organiser is the solution for a small budget and for small-scale enterprises, which make low demands on e-commerce.

Responsive.

The Organiser is optimised for desktops, tablets and smartphones. Test it: go to the ticket shop and vary the size of your browser window. **Flip it! and maps aren't responsive.**

Installation with one click.

You are welcome to install the Organiser with one mouse-click. But **not all features aren't ready-to-use**. See section "What's not ready?" at the bottom.

Features

- E-payment
- Georeferenced data
- Image gallery by default
- Localisation
- Maps (Google Maps, Open Street Map)
- Modular
 - Formular management, spam protection: Powermail
 - Online catalogues: Flip it!
 - Responsive framework: Foundation
 - Shopping cart: Caddy
 - TYPO3-frontend-engine: Browser – TYPO3 without PHP
- One-Click-Installation
- Optimised for search Engines (SEO)
- PDF attachments
- Radial Search
- Responsive **but Flip it! and maps**
- Simplified variants

What's not ready?

Events, Jobs and Services hasn't any sample data and hasn't any prepared TypoScript. Tax rate for tickets can't configured, the rate is 0%. Documents haven't any field for a price.

TYP03 Editors can't change this behaviour. TYP03 Integrators can change it, but they must be familiar with TCA, TypoScript and the Browser – TYP03 without PHP.

We would like to solve the open issues, but we need contracts.

What do you need?

- If you like to use the Organiser ready-to-use, you don't need nothing, but TYPO3, the Organiser Installer and a mouse.¹
- If you intend to adapt Quick Shop to your needs, you should be familiar with TypoScript and TCA – the TYPO3 table configuration array.

Audience

- TYPO3 agencies
- TYPO3 integrators
- TYPO3 developers

Non possible TYPO3 core features

The Organiser doesn't support

- versioning
- workspaces

Further manuals

This manual doesn't explain

- the Browser – TYPO3 without PHP
- Caddy – the TYPO3 shopping cart
- Flip it!
- Foundation – the responsive framework
- Powermail
- Radial Search (Umkreissuche)
- SEO Dybamic Tag

in depth.

If you have any question about these extensions and frameworks, please refer to

- Browser – TYPO3 without PHP (browser)
<http://typo3.org/extensions/repository/view/browser/>
- Caddy (caddy)
<http://typo3.org/extensions/repository/view/caddy/>
- Flip it! (flipit)
<http://typo3.org/extensions/repository/view/flipit/>
- Foundation
<http://foundation.zurb.com/>
- Powermail (powermail)
<http://typo3.org/extensions/repository/view/powermail/>
- Radialsearch (Umkreissuche) (radialsearch)
<http://typo3.org/extensions/repository/view/radialsearch/>
- SEO Dynamic Tag (seo_dynamic_tag)
http://typo3.org/extensions/repository/view/seo_dynamic_tag/

Upgrades

- Bad news: It isn't possible to upgrade from a former version to 6.x. I'm sorry.
- See reasons and possible support in the section "Upgrades > From version < 6.0" on page 46 below.

¹ You should be a TYPO3 integrator!

Features

Tables

Calendar




Illustration 21: Calendar on a desktop ...



Illustration 22: ... and on a smartphone

- Search Form
 - full text search
 - radial search
 - filter for locations, periods and subjects
- Index browser
- Page-browser / record-browser
- Different CSS for current and expired dates
- Social bookmarks in list and single view
- Ticket ordering
- AJAX supported¹

Map and georeferenced data

The map is based on Google Maps or Open Street Map. You move from the one to the other by a mouse click.

Maps aren't optimised for desktops, tablets and smartphones. They aren't responsive!

Live examples

- <http://typo3-organiser.de>
- <http://www.bat-berlin.de> DEPRECATED²

¹ AJAX isn't recommended!

² Example is with Organiser 4.x

Companies




Illustration 23: Companies on a desktop ...

- Search Form
 - full text search
 - radial search
 - filter for business segments
- Index browser
- Page-browser / record-browser
- Social bookmarks in list and single view
- AJAX supported¹

Map and georeferenced data

The map is based on Google Maps or Open Street Map. You move from the one to the other by a mouse click.

Maps aren't optimised for desktops, tablets and smartphones. They aren't responsive!

Live examples

- <http://typo3-organiser.de>




Illustration 24: ... and on a smartphone

¹ AJAX isn't recommended!

Documents




Illustration 25: Documents on a desktop ...

- Search Form
 - full text search
 - filter for categories, media and periods
- Index browser
- Page-browser / record-browser
- Social bookmarks in list and single view
- AJAX supported¹
- Document download
- Document ordering

Flip it!

TYPO3 Flip it! enables you, to page flip in PDF files like in real magazines.

The Organiser has Flip it! integrated. Visitors of your website can page flip in your documents online.

The visitor of your website needs a internet browser with a flash plugin only.

See details at

- TYPO3 Flip it!
<http://typo3-flipit.de/en/>


See screen shot at

- "Screen Shots > Frontend" on page 3 above.

Flip it isn't optimised for desktops, tablets and smartphones. It isn't responsive!

Online examples

- <http://typo3-organiser.de/downloads/>
- <http://www.leg-thueringen.de/en/downloads/> DEPRECATED²



CD: Aus dem Leoparden-Gummistiefel

2009 – Das aktuelle TYPO3 4 funktioniert nicht nur, sondern hört sich auch heiß an. Eine der verschwitztesten Aufnahmen: aus dem Inneren eines Leoparden-Gummistiefels einer TYPO3-Entwicklerin. [details »](#)

CD: TYPO3 Fluid - Wassermusik

2012 – Das neue TYPO3 wird mit Fluid noch flüssiger. Grund für Nina Hagen, die Grand-Dame des Punk, vor der TYPO3-5-Band ihr Fisch-Lied neu zu interpretieren. Ab Ende 2012 lieferbar. [details »](#)

CD: TYPO3-Party -

Illustration 26: ... and on a smartphone

¹ AJAX isn't recommended!

² Example is with Organiser 4.x

Events

Event is a special type of calendar item. It is a benefit, if you have repeating dates.

Sorry, but there isn't any prepared TypeScript in the current version.

Jobs

Sorry, but there isn't any prepared TypeScript in the current version.

Locations




Illustration 27: Locations on a desktop ...




Illustration 28: ... and on a smartphone

- Search Form
 - full text search
 - radial search
 - filter for business segments
- Index browser
- Page-browser / record-browser
- Social bookmarks in list and single view
- AJAX supported¹

Map and georeferenced data

The map is based on Google Maps or Open Street Map. You move from the one to the other by a mouse click.

Maps aren't optimised for desktops, tablets and smartphones. They aren't responsive!

Live examples

- <http://typo3-organiser.de>

¹ AJAX isn't recommended!

News





Illustration 29: News on a desktop ...

- Search Form
 - full text search
 - radial search
 - filter for subjects
- Index browser
- Page-browser / record-browser
- Social bookmarks in list and single view
- AJAX supported¹

Live examples

- <http://typo3-organiser.de>



Get into the TYPO3 FLOW!

21. Nov. 2014 – Discover FLOW3 with our Getting Started Tutorial. Just follow the step-by-step instructions for... [details »](#)

TYPO3-Organiser kommt...

TYPO3: Alles aus einer Hand

01. Apr. 2011 – Der TYPO3-Organiser kommt am 1. April 2011. Das haben heute die Entwickler angekündigt und auch... [URL »](#)

Health Reform

28. Feb. 2011 – Posted by Kalpen Modi on March 22, 2011 at 04:00 PM EDT One year

Illustration 30: ... and on a smartphone

¹ AJAX isn't recommended!

People




Illustration 31: People on a desktop ...

- Search Form
 - full text search
 - radial search
 - filter for field of activities
- Index browser
- Page-browser / record-browser
- Social bookmarks in list and single view
- AJAX supported¹

Live examples

- <http://typo3-organiser.de>



Barack Obama

Barack H. Obama is the 44th President of the United States. His story is the American story - values from the heartland, a middle-class upbringing in a strong family, hard work and education as the means of getting ahead, and the conviction that a life so blessed should be lived in service to... [details »](#)

Dirk Wildt

2009[GesellschafterDie Netzmacher GbRInternetdienstleistungen|| 2002 - 2008[Einzelunternehmerthink visually!Internetdienstleistungen|| 2000 - 2002[Finanzcontrollerg.e.b.b.Verteidigungsindustrie / Militär|| 1999 - 2000[FinanzcontrollerGMZ (Tagesspiegel-Gruppe)Verlagswesen|| 1997 - ... [details »](#)

Illustration 32: ... and on a smartphone

¹ AJAX isn't recommended!

Caddy




Illustration 33: Caddy on a desktop ...




Illustration 34: ... and on a smartphone

See further information at

- Caddy – responsive Shopping Cart
PDF: <http://typo3-caddy.de/typo3conf/ext/caddy/doc/manual.pdf>
TER: <http://typo3.org/extensions/repository/view/caddy/>

If you are using the Organiser Installer, the Installer take care of all properties.

E-payment




Illustration 35: Caddy e-payment (Paymill) in live mode




Illustration 36: Caddy e-payment (Paymill) in test mode

You can use the Caddy with an e-payment modul. See further information at

- Caddy – responsive Shopping Cart
PDF: <http://typo3-caddy.de/typo3conf/ext/caddy/doc/manual.pdf>
TER: <http://typo3.org/extensions/repository/view/caddy/>

Precondition is a contract with an e-payment provider (here: Paymill)

Flip it!




Illustration 37: Run over pages like in a real magazine. Flip it! application in the fancybox.

Flip it! enables you to run over pages in PDF documents like in a real magazine. Flip it! offers lovely and smooth page flip transitions. The visitor of your website does not need any PDF plugin but a Flash plugin. Flip it! can convert PDF documents to SWF files automatically.


Further information:

- Flip it!
Website: <http://typo3-flipit.de/>
PDF: <http://typo3-flipit.de/typo3conf/ext/flipit/doc/manual.pdf>
TER: <http://typo3.org/extensions/repository/view/flipit/>

Flip it! isn't responsive. See section "What isn't responsive?" on page 22 below.

If you are using the Organiser Installer, the Installer take care of all properties.

Georeferenced data



The screenshot shows a web browser window with the address bar displaying "Path: /TYPO3 Route/ Routen [8067]". A green notification bar at the top states: "Geocoding by Browser - TYPO3 without PHP latitude and longitude are updated!". Below this, the page title is "Edit Marker (POI) 'Brandenburger Tor' on page 'Routen'". The form has several tabs: "Marker (POI)", "Category", "Address", "Contact details", "Paths", "Short Terms", "Images", and "Controlling". The "Address" tab is active, showing fields for "Name" (Brandenburger Tor), "Street" (Pariser Platz), "Zip" (10117), "City" (Berlin), "Administrative area level 2" (Mitte), "Administrative area level 1" (Berlin), and "Country" (Deutschland). A "Geocode prompt" box contains a timestamp and message: "* 2013-09-02 14:54:03 - Browsers - TYPO3 ohne PHP: Breiten- und Längengrad wurden aktualisiert!". Below this, there is a checkbox labeled "Latitude and longitude should not updated automatically" which is unchecked. The "Longitude" field contains "13.379365" and the "Latitude" field contains "52.5168559". At the bottom right, there is a small icon and text: "Marker (POI) [4]".

Illustration 38: Calculate the geocoding data of your address automatically. Here: example with TYPO3 Route.

BrowserMaps – the modul of the frontend engine Browser – is able to geocode address data. Geocoding means: your address data get a latitude and a longitude.

BrowserMaps supports automatic geocoding:

- while you are save a record with address data
- by a cronjob for all address data of one table

BrowserMaps is using the Google Geocoding API.

See further information at

- BrowserMaps Tutorial (en)
PDF: http://typo3-browser.de/typo3conf/ext/browser_tut_map_en/doc/manual.pdf
TER: http://typo3.org/extensions/repository/view/browser_tut_map_en/

If you are using the Organiser Installer, the Installer take care of all properties, but the cron job.

Maps (Google Maps, Open Street Map)

See examples at the sections:

- OpenStreetMap: Companies on page 11 above
- Google Maps: Locations on page 13 above

See further information at

- BrowserMaps Tutorial (en)
PDF: http://typo3-browser.de/typo3conf/ext/browser_tut_map_en/doc/manual.pdf
TER: http://typo3.org/extensions/repository/view/browser_tut_map_en/

If you are using the Organiser Installer, the Installer take care of all properties.

Radial Search

Search Word

Search

10117 Berlin

Radius 1.000 Km

☒ Business segments

Reset

Search

Canada, United States of America, Mexico, Cuba, Jamaica, Honduras, Costa Rica, Venezuela, Montserrat, Barbados, Bermuda, Faroe, Island, Norge, Danmark, Polen, Rumänien, Ungarn, Spanien, Portugal, Marokko, Algerien, Libyen, Ägypten, Sudan, Saudi Arabien, Indien, Pakistan, Kasachstan, Kirgisien, Usbekistan, Tadschikistan, Afghanistan, Iran, Irak, Kuwait, Oman, Katar, Bahrain, Brunei, Indonesien, Malaysia, Singapur, Philippinen, Thailand, Vietnam, Laos, Kambodscha, Myanmar, Sri Lanka, Nepal, Bhutan, Tibet, China, Korea, Japan, Taiwan, Hongkong, Macau, Australien, Neuseeland, Fidschi, Tonga, Samoa, Vanuatu, Papua-Neuguinea, Indonesien, Malaysia, Singapur, Philippinen, Thailand, Vietnam, Laos, Kambodscha, Myanmar, Sri Lanka, Nepal, Bhutan, Tibet, China, Korea, Japan, Taiwan, Hongkong, Macau, Australien, Neuseeland, Fidschi, Tonga, Samoa, Vanuatu, Papua-Neuguinea

Data CC-BY-SA by OpenStreetMap

☒ TYPO3 ☒ policy

All A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

448 Km linear distance from 10117 Berlin

Die Netzmacher

684 Km linear distance from 10117 Berlin

TYP03

TYP03 Association

6.718 Km linear distance from 10117 Berlin

The White House

Illustration 39: Radial Search form (1, 2) and hits within the given radius (3) and outside the radius (4)

The Radial Search form has both parts:

- An input field for ZIP and city with an auto-complete function.
- A select box with values for a radius.

See examples at the sections:

- Companies on page 11 above
- Locations on page 13 above

See further information at

- Radial Search
PDF: <http://typo3-organisier.de/typo3conf/ext/radialsearch/doc/manual.pdf>
TER: <http://typo3.org/extensions/repository/view/radialsearch/>

If you are using the **Organiser Installer**, the **Installer** take care of all properties.

Responsive

What's responsive?

The Organiser is responsive in principle but both modules Flip it! and maps. See screenshots above and in the next section below.

What isn't responsive?

Flip it!

Flip it! isn't responsive, because the size of the area is fixed, which contains the PDF document. It won't adapt to the screen size of the device.



Illustration 40: Flip it! on a smartphone

The area outside of the screen is shaded.

Maps

Flip it! isn't responsive, because the size of the area is fixed, which contains the PDF document. It won't adapt to the screen size of the device.




Illustration 41: Map on a smartphone

The area outside of the screen is shaded.

Workaround

Don't display Flip it! and maps on small and medium screens.

Search Engine Optimisation

Search Engine Optimisation (SEO) is done by SEO Dynamic Tag and can be extended by RealURL.

See

- SEO Dynamic Tag 2 (seo_dynamic_tag)
PDF: http://typo3-organiser.de/typo3conf/ext/seo_dynamic_tag/doc/manual.pdf
TER: http://typo3.org/extensions/repository/view/seo_dynamic_tag/
- Browser Tutorial RealURL (en)
http://typo3.org/extensions/repository/view/browser_tut_realurl_en/

See Constant Editor [SEO DYNAMIC TAG - *].

If you are using the Organiser Installer, the Installer take care of all properties.

Others

+AOE link handler configurator

The AOE link handler enables to link from every content element with an RTE field to certain records in the database.

You are configuring the AOE link handler with the AOE link handler configurator.

And the Organiser has the AOE link handler configurator integrated (since version 3.3). See

- AOE link handler configurator (linkhandlerconf)
<http://typo3.org/extensions/repository/view/linkhandlerconf/>

Workflow




Illustration 42: Link from everywhere to everywhere

TYPO3 Organiser enables to link from every RTE-field to every TYPO3 Organiser record.

1. RTE field: Click on the link icon
2. The link wizard will be opened in a new window.
3. The link wizard has tabs for every TYPO3 Organiser record. Select the tab like [Org: Staff]
4. The link wizard will display the TYPO3-Organiser page tree. Select the user, you want to link to.

Controlling




Illustration 43: Integrated link handler

You are controlling the AOE link handler by the Extension Manager.

1. Modul Admin Tools Extension Manager
2. Edit area Organiser (org)
3. [Configuration]
4. Category [LINKHANDLER]

The user interface should be self-explained.

If you are using the Organiser Installer, the Installer take care of all properties.

Preconditions

TYPO3 6.2 is recommended

TYPO3 6.2 is recommended. Maybe the Organiser runs in smaller versions proper too.

Latest extensions

You are needing the latest extensions! This are

- browser 6.0
- caddy 6.0
- powermail 2.x is recommended, 1.x is proper too

Installation

One click with the Organiser Installer

Organiser Installation

Check \$TYPO3_CONF_VARS

✓ \$TYPO3_CONF_VARS[FE|page|NotFoundOrCleanError] is proper.

Check extension dependencies


- ✓ autokateemplate: "Template Auto-parse" is loaded.
- ✓ baseorg: "Organiser-Template" is loaded.
- ✓ browser: "Browser - TYPO3 without PHP" is loaded.
- ✓ caddy: "Caddy - TYPO3 shopping cart" is loaded.
- ✓ cpe_cabtree: "Record tree for TCA" is loaded.
- ✓ cpe_devlib: "Developer library" is loaded.
- ✓ flip: "Flip - TYPO3 for real magazines" is loaded.
- ✓ linkhandler: "AOE linkhandler configurator" is loaded.
- ✓ org: "Organiser - TYPO3 for lobby and organisers" is loaded.
- ✓ powermail: "Powermail" is loaded.
- ✓ seo_dynamic_tag: "SEO Dynamic Tag" is loaded.

Start the Installation

- Create a backend group
- Create a page tree
- Create the plugins browser, caddy and powermail
- Create page content
- Create TypoScript for the browser, caddy and powermail
- Create configuration records for powermail
- Create records
- Create files and images
- Create page content
- Consolidating

Start the installation

1



3

Illustration 44: Install the Organiser with one click! Installer button (1). Result in the frontend (2) and the backend (3)

Install the Organiser with the Organiser Installer (org_installer):

- http://typo3.org/extensions/repository/view/org_installer/

The one-click-installation is recommended.

Adapt some constants to your needs

See "Constant Editor" on page 35 below.

Controlling by the extension manager

Basic

Check TYPO3 version.

Localise special backend labels.

Downgrade

Some downgrade properties for using deprecated fields from Organiser 4.x.

Geocoding

Enable automatically geocoding.

Hide tables

Hide no needed tables, simplify your backend forms.

Linkhandler

Enable tabs for each Organiser table in the form of the klink wizard.

Simplifyer

Simplify backend forms.

Localise special backend labels

Language for special backend labels like TypoScript static templates and the link handler.

Exclude Organiser fields

Simplify backend forms! Default: The editor has access to most fields. None excluded: The editor has access to all fields like the administrator. All excluded: the editor has access to required fields only like the title. This option has an effect for editors and it hasn't any effect for administrators.

See examples below.

All excluded

All fields should be excluded




Illustration 45: All excluded – the alignment in the extension manager




Illustration 46: All are excluded: editor has access to required fields only. Here: table repertoire




Illustration 47: Backend user configuration. The administrator can configure a lot.

The None-Examples

None field should be excluded




Illustration 48: None excluded – the alignment in the extension manager




Illustration 49: None are excluded: editor has access to all fields. Here: table repertoire




Illustration 50: Backend user configuration. The administrator can't configure near by nothing.

Exclude fe_group controlling

Simplify backend forms! If you have a website without a fe_user administration, you don't need the fe_group controlling field in backend forms. This option marks it in organiser tables 'excluded'. This has an effect for editors and it hasn't any

effect for administrators.

Exclude time controlling

Simplify backend forms! If you don't want to control records by time, you don't need the time control field in backend forms. This option marks it in organiser tables 'excluded'. This has an effect for editors and it hasn't any effect for administrators.

Don't exclude fe_users fields

The organiser needs some fe_users fields by default. Organiser makes this fields visible by disabling the 'exclude' property. This has an effect for editors only. For administrators all fields are visible anyway.

Store record configuration

[Easy]: less configuration costs. If you want to link from one record to another, both have to be stored in the same directory. It may be confusing in case of a lot of data.

[Clear presented]: each record group has its own directory. I.e. fe_users are in [staff], events are in [calendar].

Disadvantage: you have to configure page TSconfig and you will have some wizards without an add icon and without an list icon.

[Multi grouped]: Same like [clear presented], but record groups can have more than one directory. It enables sophisticated access rules.

See section "FAQ: Store record configuration" in the manual.

Store fe_groups configuration

[Store it everywhere (TYPO3 default)]: You will see fe_groups of the whole website in a flexform fe_groups field. This is the TYPO3 default.

[Managed by general record storage page (not recommended)] If you like to see only fe_groups of a special folder, you can configure it in the page properties with the field "general record storage page".

[Managed by page TSconfig (ID)] If you like to see only fe_groups of a special folder, you can configure it in the page TSconfig with the property PAGE_TSCONFIG_ID.

[Managed by page TSconfig (list)] If you like to see only fe_groups of a special folder, you can configure it in the page TSconfig with the property PAGE_TSCONFIG_IDLIST.

See section "FAQ: Store fe_groups configuration" in the manual.

Full wizard support

If full wizard support is enabled, main records will have all three icons for their category records: edit, add and list. This is best usability. But you have to store category records in the same directory like the main records. You have to rough it, if there are needs to store categories in other directories. This property has only an effect in case of store records [clear presented] or [multi grouped].

Controlling by plugins

Annotation

You are controlling the TYPO3 Organiser with the Browser plugin. The Browser – TYPO3 without PHP – enables the separation of the database (the backend) and the design / work flow (frontend):

Organiser data (database) <-> Browser (plugin) <-> Organiser output (design)

A Browser plugin is always available.

A plugin enables to configure a lot of things with the mouse:

- Search form
- A-Z browser
- Page-browser / record browser
- empty page on start
- among others.

The Browser plugin needs a TypoScript template. The TypoScript template controls both:

- the query to the database and the handling of the result
- the connection to an HTML template with so called database markers.

If you like to extend the TYPO3 Organiser or to change queries or templates, it is a good idea to become familiar with the Browser – TYPO3 without PHP. See

- Browser homepage
<http://typo3-browser.de>
- Browser in the TYPO3 repository
<http://typo3.org/extensions/repository/view/browser/>

The Organiser has prepared a lot of TypoScript templates, so there isn't any need to configure a TypoScript template, if you are satisfied with the default views and the default work flow.

Plugins in the frontend

This section regards to Organiser 4.x and is deprecated!



There are two types of plugins:

- main (1) and
- margin (2)

The differences are only, that

- main plugins display the list view and the single view on the same page

- margin plugins display the single view on another page
- usually main plugins are more detailed than margin plugins

Plugins in the backend

The most of this section is applicable, but it regards to Organiser 4.x and is deprecated!

If you are using the Organiser Installer all plugins in the backend are configured.

If you like to change some configurations investigate the illustration below.



Illustration 51: The Browser plugin

1. Tab [Plugin]
2. Plugin [Browser]
3. Tab [Templating]
Select the TypoScript template like calendar or news.
4. Tab [General]
Select the available view. The view depends on the selection in the tab [Templating] (3)
5. Tab [Lists]
Configure your list view
6. Tab [Javascript/AJAX]
Enable AJAX and configure it.
7. Tab [Social Media]
Add social bookmarks to your list views and single views.
8. Tab [Behaviour]
Don't forget to configure the record storage page. Without it, the Browser hasn't any chance to find the Organiser records.

Main

Prepared

- +Org: Calendar
- +Org: +Calendar +Caddy
- +Org: +Calendar expired
- +Org: Companies
- +Org: Downloads
- +Org: +Downloads +Caddy
- +Org: +Downloads +Caddy +Flags
- +Org: +Downloads Flip it!
- +Org: Downloads categories
- +Org: Locations
- +Org: News

- +Org: People

Margin

This section regards to Organiser 4.x and is deprecated!

- +Org: Calendar – margin
- +Org: Department – margin
- +Org: Downloads – TOP 5
- +Org: Headquarters – margin
- +Org: Locations – margin
- +Org: News – margin
- +Org: Shopping cart for tickets – margin
- +Org: Staff – margin (don't cache it)

Randomised plugins

It is possible to randomise the content of plugins. There is one plugin prepared:

- +Org: Staff – margin (don't cache it)

Live examples

- "Personen" in the right column of <http://www.hfs-berlin.de/> DEPRECATED¹
- "TYPO3-Thüringen Mitglieder" in the right column of <http://typo3-thüringen.de/> DEPRECATED²

¹ Example is with Organiser 4.x

² Example is with Organiser 4.x

Controlling by TypoScript

Constant Editor

If you have installed the Organiser with the Organiser Installer, all constants should be proper but [ORGANISER STATIC URL] (see below).




Illustration 52: TypoScript Constant Editor

1. Modul: Web > Template
2. Page tree: root page
3. Edit area: [Constant Editor]
4. Category [ORGANISER STATIC URL]
The Installer will failed in two cases:
 - You aren't using real url
 - You haven't installed the organiser on the top-level

TypoScript Object Browser

The most of this section is applicable, but it regards to Organiser 4.x and is deprecated!

The TypoScript Object Browser is your tool, if you like to change TypoScript.

You need it, if you like to change labelling, to wrap fields in a different way or to use other HTML templates.

This manual doesn't repeat the configuring of the Browser – TYPO3 without PHP –, but it explains where to find the TypoScript of the Organiser in principle.




Illustration 53: TypoScript Constant Editor

1. Modul: Web > Template
2. Page tree: root page
3. Edit area: [TypoScript Object Browser]
Browse: [Setup]
4. Look for plugin.tx_browser_pi1.views.list
5. Investigate the array [101] to [701]

If you like to change the configuration for single views, please take a look on plugin.tx_browser_pi1.views.single.

If you like to configure a randomised plugin, you have to configure plugin.tx_browser_pi4.

Controlling the Caddy

Caddy has its own manual. See further information at

- Caddy – responsive Shopping Cart
PDF: <http://typo3-caddy.de/typo3conf/ext/caddy/doc/manual.pdf>
TER: <http://typo3.org/extensions/repository/view/caddy/>

Job

The job of Caddy is:

- session management for items
- calculating
- storing orders in the Caddy database (usually on the page with the Caddy plugin)

Plugin

You configure the Caddy with its plugin on the pages "Caddy". See

- Organiser
 - Calendar
 - Caddy
 - ...
 - Documents
 - Caddy
 - ...

TypoScript

Constant Editor

1. Modul: Web > Template
2. Page tree:
 - root page
 - calendar > caddy
 - documents > caddy
3. Edit area: [Constant Editor]
4. Category [CADDY – ...]

Setup

Please use the Constant Editor in principle.

Caddy

If you like to investigate the TypoScript, please take a look into:

```
plugin.tx_caddy_pi1 {
    ...
}
```

Caddy Mini

If you like to investigate the TypoScript, please take a look into:

```
plugin.tx_caddy_pi3 {
    ...
}
```

Communicating with Powermail

The extension powermail enables the storing of Powermail e-mails.

powermail has its own plugin on the pages "Caddy". The page contains all forms, fieldsets and fields related to the frontend ordering form.

If you are interested in powermail, please refer to:

- Powermail (powermail)
<http://typo3.org/extensions/repository/view/powermail/>

Page TSconfig

Organiser records

The Organiser Installer configure some page TSconfig in the organiser sysfolders.

The effect is, that a backend user is allowed to add certain Organiser records to certain Organiser sysfolders only. For example:

- People records can added to the people sysfolder only.

You will find the configuration in the page TSconfig of the sysfolder "data" and all subfolders.

Page TSconfig snippets

Sysfolder Data (here: pid 33)

```
// Created by ORGANISER INSTALLER at 2014-11-22 10:55:21 -- BEGIN

//////////////////////
//
// INDEX

// TCEFORM
//   organiser tables
// TCEMAIN
//   clearCacheCmd
//   permissions
// MOD
//   web_layout

// PID
// [43] organiser
//   [44] calendar
//   [46] downloads
//   [47] events
//   [45] headquarters
//   [49] locations
//   [50] news
//   [51] staff

// organiser tables
TCEFORM {
  tx_org_cal_all_tables {
    tx_org_cal {
      PAGE_TSCONFIG_IDLIST = 43,44
      PAGE_TSCONFIG_ID     = 44
    }
    tx_org_calentrance < .tx_org_cal
    tx_org_calspecial  < .tx_org_cal
    tx_org_caltype     < .tx_org_cal
    tx_org_downloads {
      PAGE_TSCONFIG_IDLIST = 43,46
      PAGE_TSCONFIG_ID     = 46
    }
    tx_org_downloadscat < .tx_org_downloads
    tx_org_downloadsmedia < .tx_org_downloads
    tx_org_event {
      PAGE_TSCONFIG_IDLIST = 43,47
      PAGE_TSCONFIG_ID     = 47
    }
    tx_org_eventcat < .tx_org_event
    tx_org_headquarters {
      PAGE_TSCONFIG_IDLIST = 43,45
      PAGE_TSCONFIG_ID     = 45
    }
    tx_org_headquarterscat < .tx_org_headquarters
    tx_org_location {
      PAGE_TSCONFIG_IDLIST = 43,49
      PAGE_TSCONFIG_ID     = 49
    }
  }
  tx_org_job {
    PAGE_TSCONFIG_IDLIST = 43,%pageOrgDataJob_title%
    PAGE_TSCONFIG_ID     = %pageOrgDataJob_title%
  }
}
```

```

    }
    tx_org_jobcat < .tx_org_job
    tx_org_news {
        PAGE_TSCONFIG_IDLIST = 43,50
        PAGE_TSCONFIG_ID     = 50
    }
    tx_org_newscat < .tx_org_news
    tx_org_service {
        PAGE_TSCONFIG_IDLIST = 43,52
        PAGE_TSCONFIG_ID     = 52
    }
    tx_org_servicecat < .tx_org_service
    tx_org_staff {
        PAGE_TSCONFIG_IDLIST = 43,51
        PAGE_TSCONFIG_ID     = 51
    }
    tx_org_staffcat < .tx_org_staff
}
tx_org_cal          < .tx_org_cal_all_tables
tx_org_calentrance  < .tx_org_cal_all_tables
tx_org_calspecial   < .tx_org_cal_all_tables
tx_org_caltype      < .tx_org_cal_all_tables
tx_org_downloads    < .tx_org_cal_all_tables
tx_org_downloadscat < .tx_org_cal_all_tables
tx_org_downloadsmedia < .tx_org_cal_all_tables
tx_org_event        < .tx_org_cal_all_tables
tx_org_headquarters < .tx_org_cal_all_tables
tx_org_location     < .tx_org_cal_all_tables
tx_org_job          < .tx_org_cal_all_tables
tx_org_jobcat       < .tx_org_cal_all_tables
tx_org_news         < .tx_org_cal_all_tables
tx_org_newscat      < .tx_org_cal_all_tables
tx_org_service      < .tx_org_cal_all_tables
tx_org_servicecat   < .tx_org_cal_all_tables
tx_org_staff        < .tx_org_cal_all_tables
tx_org_staffcat     < .tx_org_cal_all_tables
}
// organiser tables
// TCEFORM

////////////////////////////////////
//
// TCEMAIN

TCEMAIN {
    clearCacheCmd = pages
    permissions {
        // 1: organiser
        groupid = 1
        group   = show,edit,delete,new,editcontent
    }
}
// TCEMAIN

////////////////////////////////////
//
// MOD

mod {
    web_list {
        // Deny all tables!
        allowedNewTables = xxx
    }
}
// MOD

// Created by ORGANISER INSTALLER at 2014-11-22 10:55:21 -- END

```

Sysfolder Calendar (here: pid 34)

```
// Created by ORGANISER INSTALLER at 2014-11-22 10:55:21 -- BEGIN

mod {
  web_list {
    allowedNewTables (
      tx_org_cal,
      tx_org_calentrance,
      tx_org_calspecial,
      tx_org_caltype,
      tx_org_tax
    )
  }
}

// Created by ORGANISER INSTALLER at 2014-11-22 10:55:21 -- END
```

CSS

Remove the default CSS

The Organiser and the other used TYPO3 extensions are adding a default CSS file to your website. If you don't like it, please configure

```
plugin.tx_browser_pi1._CSS_DEFAULT_STYLE
...
page.includeCSS...      <- Look for EXT:browser/..., EXT:caddy/..., EXT:org/...
```

Add your own CSS

If you like to have an own CSS file, you can upload it in the folder fileadmin for example. You have to add the CSS file like in the snippet below.

```
page.includeCSS.myCss = fileadmin/...
```


SEO and RealUrl

Please refer to the section "Search Engine Optimisation" on page 23 above.

DRS – Development Reporting System

Because the Organiser is based on the Browser – TYPO3 without PHP –, the Organiser is supported by the DRS – the Development Reporting System. You enable the DRS with the extension manager of the Browser. If the DRS is enabled, you will receive a report in the backend. It is supporting you in case of errors or if you like to develop the Organiser.

Reference

It is recommended to use the Constant Editor for managing TypoScript properties!

The Organiser hasn't any own plugin. If you like to configure TypoScript directly please use

```
plugin.tx_browser_pi1 {
    ...
}
```

Completely browser reference

You find an overview with a manual in detail and all tutorials with the Browser – TYPO3 without PHP – here:

- Browser manuals and tutorials
<http://typo3-browser.de/en/browser-tutorials/>

Upgrades

From version < 6.0

Non possible

Bad news: It isn't possible to upgrade from a former version to 6.x. I'm sorry.

Reasons

The relation management is simplified: All relations need one table only, in the past each relation had needed an own table. See details in the section "One table for all relations" on page 50 below.

The Organiser took some new conventions from TYPO3 6.x. In the follow TypoScript templates got another path.

The Organiser has new CSS classes, because of the movement to a responsive Shop.

The table department is removed. See "Departments (tx_org_department) are removed" on page 50 below.

All Organisers fields in fe_users are removed, all relations to fe_users aer removed. See ""Frontend users" (fe_users) are removed" on page 50 below.

Workflow

If you upgrade to version 6.x, please don't remove the former relation tables. Migrate the former relation data to the new relation table.

Include the lost static templates again.

Include the needed static templates for foundation or create your own CSS.

Alternative: Install a new Quick Shop with the Quick Shop Installer. Move your items and categories to the new item folder. Link each item to the proper categories again.

Simplifyer

The names of the property parameters has changed. Please update the simplifyer properties.

- Admin Tools > Extension Manager > Organiser (org) > [simplifyer]

Support

- If you have a need for an upgrade, maybe you have some hundred items, you can get professional support by the developer. See "Professional Support" on page 59 below.

Update your database!

You have to upgrade your database.

Be aware that you can lose data, if you are removing tables and fields.

- Web modul > SYSTEM > Install
- Important actions: [Compare current database with specifications]

Update from < 3.x

Add new Tables and Fields




Illustration 54: Update the Organiser within your Extension Manager

1. Modul: Admin Tools > Extension Manager
2. Edit area: Select the Organiser (org)
3. Select the tab [Configuration]
4. Click [Update]

Sometimes you don't see the list of "Add fields". Please click the [Update]button once: You will see the list "Add fields". If not, there is nothing to do.

Check included static templates!

There was a bug in version below 2.1: the paths to some TypoScript templates were without an ending slash.

This bug is fixed with version 2.1.

Because of this bugfix you must include some static templates again after an update to 2.1.x.

Please check your included templates!

Effected templates:

- static/calendar/201/expired +Org: Calendar +expired
- static/downloads/301 +Org: Downloads
- static/downloads/311 +Org: Downloads – Top 5
- static/downloads/302 +Org: Downloads categories
- static/headquarters/501 +Org: Headquarters
- static/headquarters/511 +Org: Headquarters – margin
- static/location/701 +Org: Locations
- static/location/711 +Org: Locations – margin
- static/news/401 +Org: News
- static/news/411 +Org: News – margin
- static/news/499 +Org: News (RSS)

TYPO3 < 4.7: Include the 4.6 template

If you are run TYPO3 with a version smaller than 4.7, you have to include the static template

- +Org: Basis for TYPO3 < 4.7 (obligate!)

Please include it below (after) all other Organiser templates!

Install cps_tcatree

Organisers news categories are ordered in a tree from version 3.0.

You need the extension

- Record tree for TCA (cps_tcatree)

Maintain the plugins / flexforms

The Organiser from version 3.0.1 doesn't need any own HTML template. See "Any own HTML template for list views and single views" on page 52 below. Up to version 2.1 the Organiser needs for each view two templates.

But you have to need update each plugin with an Organiser template.




Illustration 55: Invalid template value after the update




Illustration 56: Please select the template "Main" or "Margin"

The Browser is provided with the two templates:

- Main and
- Margin

Main is the template for rich content: the plugin is placed in the content area of your website usually. The HTML code supports the styling by jQuery UI themes.

Margin is the template for reduced content: the plugin is placed in the marginal columns of your website usually. The HTML code is small. It doesn't support AJAX, the index browser, the page browser nor jQuery UI themes. The margin HTML template doesn't contain the needed HTML code for a single view.

Move from wt_cart to Caddy

It is recommended to move from the former shopping cart wt_cart to the current shopping cart Caddy.

Please replace all wt_cart plugins with Caddy plugins.

Remove wt_cart templates and include the static templates for Caddy.

Maybe the best is, to install the Organiser with the Organiser Installer, and move the generated Caddy pages near to the former wt_cart pages.

The Quick Shop manual has a section, how to update from wt_cart to Caddy manually. Please refer to

- Quick Shop (quick_shop)
http://typo3.org/extensions/repository/view/quick_shop/

Sorry for missing more detailed information.

Check the Browser-Update-Wizard!

Please check with the Update Wizard of the Browser – TYPO3 without PHP – if your configuration is proper.




Illustration 57: The TYPO3-Browser Update Wizard

1. Modul: Admin Tools > Extension Manager
2. Edit area: Select the Browser – TYPO3 without PHP (browser)
3. Select the tab [Configuration]
4. Select Category [UPDATE WIZARD]
5. Copy your current IP and ...
6. paste it into the field with the list of the allowed IPs
7. Click [UPDATE]

If you reload your page with an Organiser content you will get a report.

+AOE link handler configurator

Please update the link handler configuration.

SEO Dynamic Tag 2

Please update the configuration of SEO Dynamic Tag 2.

What's new?

6.0

Alias for showUid

[6.0.0]

The URL parameter showUid is moved to itemUid. This avoids conflicts, if you are using the TYPO3-frontend-engine Browser – TYPO3 without PHP – for other issues too.

Automatically installation of fixed extensions

[6.0.0]

The Organiser 6.x needs some extensions, that are broken in TYPO3 6.2 and can't update by a download of the TYPO3 Repository unfortunately.

The Organiser installs fixed versions of these extensions automatically. These extensions are:

- cps_devlib
- cps_tcatree
- linkhandler¹

One table for all relations

[6.0.0]

Relation management is simplified:

- tx_quickshop_products_category_mm
- tx_quickshop_products_dimension_mm
- tx_quickshop_products_material_mm

Are replaced by

- tx_quickshop_mm

Departments (tx_org_department) are removed

[6.0.0]

Departments (tx_org_department) are removed.

"Frontend users" (fe_users) are removed

[6.0.0]

Organiser staff was managed by the frontend users table fe_users. The Organiser 6.0 has the new table people (tx_org_staff). All Organiser fields in fe_users and all relations to the fe_users are removed.

Georeferencing automatically

[5.0.0]

The address data of the both tables headquarters and locations can georeferenced automatically.

Jobs

[6.0.0]

New table and templates (TypoScript and HTML) for managing jobs.

Newsletter for Jobs

[5.0.15]

The job table got a newsletter field. The Organiser got a template for a job newsletter. Newsletter is based on Direct Mail.

¹ Sorry, the latest version of the linkhandler has a bug too currently.

People

[6.0.0]

Own table for managing people and staff.

Responsive

[6.0.0]

Quick Shop (display of items) and Caddy (ordering and payment) are responsive. Both are using the responsive framework Foundation.

Services

[6.0.0]

New table and templates (TypoScript and HTML) for managing services.

Teaser fields

[6.0.0]

Teaser fields for list views. If a teaser field contains content, this content will display in list views. If it is empty, the content of the title and short will display.

Type is respected in maps

[5.0.10]

The value of the type field of an record is respected in Browser Maps automatically. Values are: no link, single view, internal page and external URL.

Type No Link

[5.0.10]

All tables are extended with the type "no link". If "no link" is enabled, a record is visible in list views any link neither to a single view, a internal page nor an external URL.

TYPO3 6.2

[6.0.0]

Quick Shop is upgraded for TYPO3 6.2

Unique uid

[6.0.0]

The Quick Shop view got an unique uid. It is moved from 1 to 62037. This avoids conflicts, if you are using the TYPO3-frontend-engine Browser – TYPO3 without PHP – for other issues too.

4.0

Hierarchical Companies

[4.1.0]

You can order companies hierarchical (backend only).

Hierarchical Companies Categories

[4.1.0]

You can order companies categories hierarchical. The

Radial Search Sample (Umkreissuche)

[3.4.0]

Companies has a Radialsearch sample. You have to import the needed postal code data (one click). See:

- TER: <http://typo3.org/extensions/repository/view/radialsearch>
- Manual (PDF): <http://typo3-route.de/typo3conf/ext/radialsearch/doc/manual.pdf>
Look for the section "Import postal code data"

TYPO3 6.1

[4.0.0]

Fit it into TYPO3 6.1

3.0

Any own HTML template for list views and single views

[3.0.1]

The Organiser from version 3.0.1 doesn't need any own HTML template for a list view nor for a single view. Upto version 2.1 the Organisers has needed 15 HTML templates.

Any own HTML template is a big advantage, if you have a need to change something in the HTML code in the Organiser templates or in your templates.

Because of this new feature, unfortunately you have to update each plugin / flexform, which is using the Organiser. See "Maintain the plugins / flexforms" on page 48 above.

Caddy

[3.3.3]

Caddy replaces wt_cart. Variants aren't buggy any longer, you don't need any inofficial fixed wt_cart version. Caddy has some new features like a powerful plugin and PDF attachments among others.

Flip it!

[3.1.0]

The Organiser has TYPO3 Flip it! integrated. You can page flip in PDF files like in real magazines.

jQuery theme support

[3.0.0]

All HTML templates and all TypoScript templates are improved for jQuery themes. You can select one of 23 themes with the plugin / flexform of the TYPO3 browser.

HTML5 support

[3.0.0]

The Organiser supports HTML5 from TYPO3 4.7 in principle. See "People" on page 15 above.

News categories as tree view

[3.0.0]

News categories are ordered in a tree view in the backend and in the frontend.

Powermail version 1.x and 2.x

[3.3.3]

The Organiser can handle Powermail in both versions – 1.x and 2.x.

SEO Dynamic Tag

[3.3.0]

The Organiser has SEO Dynamic Tag 2 integrated.

Smart Extension Manager

[3.0.0]

The extension manager checks your TYPO3 version. Depending on your version you will get helpful prompts.

2.1

Tip: See Change log from 2.0 to 2.1

BrowserMaps and OpenStreetMap

[2.1.7]

The tables companies and companiestcat are ready for use with BrowserMaps. The got some fields in context with georeferencing.

See

- "Companies with categories, icons and offsets" on page 53 below
<http://typo3-browser.de/en/browsermaps/>

Departments with multiple managers

[2.1.5]

A department can get more than one manager. Relation to fe_users is moved from 1:1 to 1:n.

Download Manager

[2.0.15, 2.0.9]

Organiser manages your downloads. Visits and downloads will be counted. Download links are controlled by the fe_user access management. Organiser provides a TOP 5 plugin for the most downloaded documents.

Companies with categories, icons and offsets

[2.1.7, 2.1.4, 2.1.3]

The table companies got a category table and a field for a longitude and a latitude. It is best prepared for use BrowserMaps – the Maps modul of the Browser – TYPO3 without PHP. The companies category table manages icons. The icons are used in the map and in the filter for the map.

jQuery

[2.0.15]

Integration jQuery UI

2.0

fe_groups Relation

[2.0.1]

Relations between

- fe_user.usergroup -> fe_groups.uid
fe_groups.subgroup -> fe_groups.uid

can be configured by the extension manager and page TSconfig. See XXX.

Localisation

[2.0.0]

All Organiser tables are localised.

Record browser

[2.0.0]

All Organiser single views got a record browser.

FAQ

Bugs

I get a SQL-error reported by the Browser – TYPO3 without PHP

If you get this error after an update of the Organiser, please update the Organiser within the Extension Manager.

See

- TYPO3 6.x: "Update your database!" on page 46 above.
- TYPO3 4.x: "Add new Tables and Fields" on page 47 above.

I get an empty page

One possible cause can be less memory. Please increase the memory_limit of your PHP ini.

```
// TYPO3 organiser
php_admin_value memory_limit 60M
```

Enable display errors in the TYPO3 install tool.

Images are rendered without a caption

There are some changes in handling images from TYPO3 4.6 to 4.7. Please refer to ... [Sorry, no hint]

I get an unknown bug

If you get an unknown bug,

- please post a ticket on <http://forge.typo3.org/projects/extension-org>
- or post it at the Organiser forum on <http://forum.typo3-organiser.de/>

Configuration

How do I check the configuration?

You can check the configuration with this tools:

- Modul: Admin Tools > Configuration > \$TCA (Table configuration array)
 - Look for the table, array 'columns', the field, array 'config' and the field 'foreign_table_where' See example \$TCA below
- Modul: Web > Info > page tree: some Organiser directory > edit area: page TSconfig > TCEform.
 - Look for the table, field and , array 'config' and PAGE_TSCONFIG_IDLIST or PAGE_TSCONFIG_ID See example page TSconfig below

Example \$TCA

```
$TCA['tx_org_repertoire']['columns']['actor']['config']['foreign_table_where'] =
'AND fe_users.pid IN (###PAGE_TSCONFIG_IDLIST###) ORDER BY fe_users.name';
```

Example page TSconfig

```
[tx_org_repertoire]
  • [actor]
    • [PAGE_TSCONFIG_IDLIST] = 114,18
```

Has the order of TypoScript templates any effect?

The most of this section is applicable, but it regards to Organiser 4.x and is deprecated!

Yes, it has.

Below you see a default ordering.

1. CSS Styled Content (css_styled_content)
2. Browser (browser)
3. Org: Basis (obligated) (org)
4. +Org: Management (org)
5. +Org: Management – Rand (org)
6. +Org: ...
7. Your Templates
8. +Browser (no cache) (browser)

The rule for ordering is clear:

- If template A should override values in template B, you have to locate A below B.

The rules for ordering in the example above:

- The Browser is able to override properties in CSS Styled Content
- The Organiser basic template is overriding or extending properties in Browser
- The additional Organiser templates (+Org) are extending the Browser and Organiser templates
- You have to locate your templates below all Browser and Organiser templates.
- If you are using the Browser plugin for no caching, you need the template: Browser (no cache). This template has to be the last in every case!

Status

Why is TYPO3 Organiser beta?

The Organiser hasn't any own plugin and hasn't any PHP code for processing frontend data.

But the Organiser has a very complex TCA array. It wasn't possible to test all possibilities in different installations. We can't wave, that there will be errors in the backend like this: you can't link from one Organiser record to another.

If you get any bug, please report it to us. See section "Forum" on page 57 below.

Store record configuration

You can configure the "visibility" of organiser records in backend forms with the extension manager and in dependence on the extension manager in the page TSconfig.

Visibility means:

If you are linking from one Organiser record to another Organiser record, you will see all Organiser records of the current TYPO3 installation.

But if you have a website with different Organiser applications, you don't won't to see all Organiser records: you like to see only Organiser records of the current application.

See

- Controlling by the extension manager on page 28 above

Store fe_groups configuration

You can configure the "visibility" of fe_groups records in backend forms with the extension manager and in dependence on the extension manager in the page TSconfig.

Visibility means:

If you are adding a new fe_user or if you are editing a fe_user, all fe_groups will displayed in the fe_groups field.

But if you have a website with different Organiser applications, you don't won't to see all fe_groups records: you like to see only fe_groups records of the current Organiser application.

See

- Controlling by the extension manager on page 28 above

Helpful suggestions and benefits

Forum

If you have helpful suggestions, feel free to publish any question, bug or code snippet on

- TYPO3 Organiser forum at <http://forum.typo3-organiser.de/>

Posts are welcome in English and German.

Packages for Sponsors

Your donation and sponsoring is welcome.

Please order a package for sponsors at

- English: <http://typo3-organiser.de/en/sponsoring/>
- German: <http://typo3-organiser.de/sponsoring/>



Fun – 50 EUR



You like to treat the TYPO3 Organiser project.
 You don't expect any equivalent. No logo. No service.
 Throw 50 EUR or any other old sum into the cash box.
 You will get a receive. You can set the amount off against tax liability.

Logo – 150 EUR



You are treating the TYPO3 Organiser project and you like to be a guide for others.
 Your logo will appear in the manual, at the website and in the extension manager of the Organiser.
 The period of validity is limited to one year.
 You will get a receive. You can set the amount off against tax liability.
 You can pay more than 150 EUR.

Patron – 500 EUR



You are the patron. You are treating TYPO3 Organiser project and you like to pay the developer more than best for two hours service.
 Your logo will appear in the manual, at the website and in the extension manager of the Organiser.
 You can book the developer of the Organiser for two hours.
 The period of validity for both – the logo and the two hours – is limited to one year. If you don't use the two hours in this period, you will lost it.
 You will get a receive. You can set the amount off against tax liability.
 You can pay more than 500 EUR.

Further Information

Demo website

You find a Organiser demo at

- <http://typo3-organiser.de>

Manual and tutorial in PDF

You find this manual and the tutorial in PDF format at

- [doc/manual.pdf](#)
- [doc/tutorial.pdf](#)

Professional Support

If you need professional support, please contact the Developer:

- Dirk Wildt
<http://wildt.at.die-netzmacher.de/>

E-Mails are welcome in English and German.

Other extensions published by Die Netzmacher

-  +AOE Linkhandler Configurator: Configure the AOE linkhandler supported by userinterfaces. Out-of-the-box templates for cal, org, tt_news and tt_products. Don't edit page TSconfig any longer.
<http://typo3.org/extensions/repository/view/linkhandlerconf/>
-  autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU.
<http://typo3.org/extensions/repository/view/autositemap/>
-  Browser – TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need one line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. <http://typo3.org/extensions/repository/view/browser/>
-  Caddy – the TYPO3 shopping cart. You can use it for your own needs. You need a database with products or any other items only. You can install Caddy out of the box with one mouse click – see Quick Shop below.
<http://typo3.org/extensions/repository/view/caddy/>
-  Deal! – TYPO3 Quick Shop interface for the marketplace ebay. Manage all items with TYPO3 and publish it on ebay. Amazon is under construction.
<http://typo3.org/extensions/repository/view/deal/>
-  Duty – collection of helpful scheduler tasks. Here: remove deprecated files from directories.
<http://typo3.org/extensions/repository/view/duty/>
-  Flip it! offers lovely and smooth page flip transitions. It enables you to run over pages in PDF documents like in a real magazine. It is based on flash. Flipt it! can convert PDF documents to swf files automatically.
<http://typo3.org/extensions/repository/view/flipit/>
-  Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse. Job Market hasn't any PHP code, it should be easy to adapt it to your needs.
http://typo3.org/extensions/repository/view/job_market/
-  Organiser – TYPO3 for the lobby and the organisers. Handle news, events, staff, headquarters, locations, workshops and a calendar with one extension. Sell online tickets! Install the Organiser with one mouse click!
<http://typo3-organiser.de/>
-  Quick Shop – the fastest shop in the history of TYPO3. Install it with one mouse click! Quick Shop is based on the browser (see above) and powermail.
<http://typo3-quick-shop.de/>
-  PDF Controller: Easy to install. Add to your HTML page the PDF-controller-button. Link from the button to the controller. Adjust the controller by mouseclicks. The PDF Controller supports CSS 3.
<http://typo3-pdfcontroller.de/>
-  Radial Search (Umkreissuche) – Enable the browsing through your data by geo location. 'Your data must have a latitude and a longitude. Address data can geocoded automatically by the Browser - TYPO3 without PHP.
<http://typo3.org/extensions/repository/view/radialsearch/>
-  Route – Publish your routes with GoogleMaps or OpenStreetMap. Routes have points of interest (POI). You can categorise and filter both: routes and POI. Address data can geocoded automatically.
<http://typo3.org/extensions/repository/view/route/>
-  seo_dynamic_tag: Search Engine Optimization for the title tag, the canonical tag and the meta tags author, description and keywords. Configuration by a user interface.
http://typo3.org/extensions/repository/view/seo_dynamic_tag/
-  Slick - jQuery Carousel: Fully responsive. Scales with its container. Separate settings per breakpoint. Uses CSS3 when available. Swipe enabled. Desktop mouse dragging. Infinite looping. Fully accessible.
<http://typo3.org/extensions/repository/view/slick/>
-  TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig porperties with the mouse - like page tree uids, activated extended view, activated clipboard, ...
<http://typo3.org/extensions/repository/view/tsconf/>

Known Bugs

AOE Link Handler

ERROR prompt

Oops, an error occurred!
Invalid form/module token detected. Access Denied!

Context

If you are clicking on an item in the page tree of the link wizard.

Details

<https://forge.typo3.org/issues/63088>

Change Log

- 6.0.1 **Feature**
 - * #63111: Categories for locations**Improvements**
 - * #i0029: Optimise all maps for touchscreens
- 6.0.0 **Major Features**
 - * #62019: Staff management by tx_org_staff
 - * Relations to fe_users are replaced
 - * No support for fe_users any longer
 - * #62018: Improve tx_org_downloads
 - * for Browser 6.0
 - * Foundation
 - * #61827: tx_org_caltype: +icons
 - * #61826: + Events
 - * #61819: Improve cal (foundation, TypoScript)
 - * #61793: Improve Companies (Headquarters: Foundation, TypoScript)
 - * #61696: Improve templates
 - * #61248: Compatibility with TYPO3 CMS 6.2.x
 - * #61661: Extension Initialisation**Improvements**
 - * #61856: Move all fields description and keywords to seo_description and seo_keywords
 - * #i0028: graded from beta to alpha
 - * #i0027: tx_org_departments is removed
- 5.0.15 **Feature**
 - * #60527: tx_org_job:
 - * newsletter template / view
 - * #i0026: tx_org_job:
 - * new field: newsletter
- 5.0.14 **Feature**
 - * #i0025: Configuration for the job application form (powermail).
- 5.0.13 **Feature**
 - * #i0024: SEO fields enabled for search: tx_org_job and tx_org_service got seo fields in the select for list views.
- 5.0.12 **Feature**
 - * #i0023: CSS foundation job and service
- 5.0.11 **Feature**
 - * #i0022: Jobs details view
- 5.0.10 **Feature**
 - * #60142: New type: nolink
- 5.0.9 **Feature**
 - * #i0021: Adaptings for the 2nd and 3rd image and url template of the Browser - TYPO3 without PHP (5.0.5)
- 5.0.8 **Improvements**
 - * #i0020: job and service got radialserach distance and radialexsearch class
- 5.0.7 **Feature**
 - * #i0019: Got fields for icons:
 - * tx_org_jobcat
 - * tx_org_jobsector
 - * tx_org_jobworkinghours**Improvements**
 - * #59361: Jobs Typoscript listview
- 5.0.6 **Feature**
 - * #i0018: Adapting template tx_org_service for Browser - TYPO3 without PHP (5.0.3)
- 5.0.5 **Feature**
 - * #i0017: Adapting template tx_org_service for Browser - TYPO3 without PHP (5.0.1)
- 5.0.4 **Feature**
 - * #i0016: Got backend thumbnails:

- * tx_org_job
- * tx_org_service
- * tx_org_staff

5.0.3 Improvements

- * #i0015: ext_tables.sql
 - * NOT NULL without default value is removed
- * #i0014: tx_org_staff: TCA

Bugfix

- * #i0013: tx_org_staff: TCA default_sortby

5.0.2 Improvements

- * #i0012: tx_org_cal
 - * types (updated)
- tx_org_headquarters
 - * New fields
 - * types (new)
- tx_org_jobs
 - * New fields
 - * Removed fields
 - * types (new)
- tx_org_location
 - * types (new)
- tx_org_news
 - * types (updated)
- tx_org_staff
 - * types (new)
- tx_org_service
 - * New fields
 - * Removed fields
 - * types (new)

5.0.1 Major-Features

- * #59362: Services
- Improvement
- * #i0010: tx_org_job: note is removed
- Bugfix
- * #i0011: tx_org_job: TCA for dateofentry

5.0.0 Major-Features

- * #59361: Jobs
- Features**
 - * #59461: TCA Search Fields
 - * #59457 Georeferenced data for locations automatically
 - * #59456 Georeferenced data for headquarters automatically
- Improvement**
 - * #59377: Extension Manager Form: CSS
 - * #59373: Consolidate file structure

4.1.0 Feature

- * #58885: Hierarchic headquarters categories
- * #58884: Hierarchic companies (backend only)

4.0.0 Feature

- * #58346: Fit it into TYPO3 6.1

3.4.1 Bug

- * #53649: addTypoScriptSetup

3.4.0 Feature

- * #53245: Radialsearch sample

3.3.6 Bugfix

- * #52520: List view cal doesn't respect teaser values
- Improvement**
 - * #i0009: tx_browser_pi1[newsUid] > tx_browser_pi1[{\$plugin.tx_browser_pi1.navigation.showUid}]
 - * #i0008: moved from 201/setup.txt to 201/caddy/setup.txt
 - * plugin.tx_browser_pi1.views.single.201.marker.my_form_begin
 - * plugin.tx_browser_pi1.views.single.201.marker.my_form_end

* plugin.tx_browser_pi1.views.single.201.tx_org_calentrance

3.3.5 Features

- * #52475: Improved configuration of links in e-mails
Constant plugin.org.host is removed in constants.txt
Constant \$plugin.org.host is replaced by getIndpEnv:TYPO3_REQUEST_HOST in setup.txt

3.3.4 Improvement

- * #i0005: Update the manual

3.3.3 Features

- * #i0004: template for caddy with flags

Improvements

- * #i0006: remove wt_cart properties
- * #i0005: shopping cart is replaced with caddy

3.3.2 Features

- * #51830: Update for Browser 4.6

3.3.1 Feature

- * #i0003: Integration of seo_dynamic_tag

3.3.0 Feature

- * #50490: Simplify LinkHandlerConfiguration. Integration of linkhandlerconf.
* 01: tsConfig > de || default
 > page.txt is moved to tsConfig > page > tx_linkhandler > de || default
* 02: tt_news isn't removed any longer

3.2.0 Feature

- * #50445: Simplify PAGE_TSCONFIG_IDLIST and PAGE_TSCONFIG_ID
- * #50236: Integration of caddy

Improvements

- * #i0001: Removing dependency of static_info_tables

3.1.8 Feature

- * #49525: Slider for news

3.1.7 Bugfix

- * #48871: Form Download and Ordering

3.1.6 Feature

- * #45712: Handle PDF > 1.3

3.1.5 Feature

- * #45471: Property: Rendering a PDF as a bitmap

3.1.4 Bugfix

- * #i0002: Flip it! TYPO3 < 4.7

3.1.3 Improvemnt

- * #i0001: Adapting template 301.flipit to Organiser < 3.1

3.1.1 Feature

- * #44654: Flip it! Browse in online documents
Flexform evaluation

Bugfix

- * #00000: ERROR: Line 7965: An end brace is in excess.

3.1.0 Feature

- * #44654: Flip it! Browse in online documents
- * #44654: Extend the database and the TCA with fields needed by Flip it!
- * #44657: Flip it! Extend the static template for the needs of Flip it!

3.0.3 Bug

- * #00000: plugin.tx_browser_pi1.views.single.331 is moved from org to org_repertoire

3.0.2 Improvement

- * #00000: ERROR: Line 8145: An end brace is in excess.

3.0.1 Improvement

- * #44136: Remove HTML templates

3.0.0 New Features

- * #43898: HTML5 / CSS Styles Content 4.7

- * #43912: css_styled_content 4.7
- * #43733: Integration of index browser in jQuery UI themes
- * #43641: News categories are ordered in a tree
- * #43636: TypoScript snippets for HTML templates

Improvements

- * #43976: css_styled_content 4.7: improve rendering of download previews
- * #43646: Update wt_cart 1.4.5
- * #43662: Remove jq_fancybox

Bugfixes

- * #43970: img-text: missing div-tag for text
- * #43936: css_styled_content 4.7: caption is missing, because of changed rendering process
- * #43922: Image object alt- and title tag: unproper HTML code

2.1.9

Improvements

- * #00000: Updated dependencies

Manual

- * #00000: Updated

Bugfixes

- * #43507: Invalid argument supplied for foreach()
- #35218: dito
 - Thanks to rbert dalien and Kay Strobach for repoting this bug
 - Effected files:
 - * ext_tables.php
- * #39387: HTML template with wrong name for wt_cart
 - quantity -> qty
 - Thanks to Ulfried Herrmann / Die Netzmacher GbR
 - Effected files:
 - * static/calendar/201
 - * setup.txt
- * #37456: \$size_headquarters is not declared in the tca.php
 - Thanks to Tobias H. for report the bug
 - Effected files:
 - * tca.php

2.1.8

Manual

- * #00000: Updated

2.1.7

New Features

- * #42125: OpenStreetMap: offset for categories
 - New fields
 - * tx_org_headquarterscat.icon_offset_x
 - * tx_org_headquarterscat.icon_offset_y
 - Effected files:
 - * ext_tables.sql
 - * locallang_db.xml
 - * tca.php
 - * static/department/601
 - * constants.txt
 - * setup.txt

2.1.6

Improvement

- * #00000: BrowserMaps
- Effected files:
 - * static/headquarters/501/setup.txt

2.1.5

New Feature (see 0.5.1)

- * #00000: departments are allowed to have more than one manager
 - Effected files:
 - * ext_tables.sql
 - * res/html/department/601/default.tmpl
 - * static/department/601/setup.txt

2.1.4

New Feature

- * #00000: Category image for headquarters
 - Effected files:
 - * ext_tables.sql
 - * locallang_db.xml
 - * tca.php

- * static/headquarters/501/constants.txt
- * static/headquarters/501/setup.txt

2.1.3 New Feature

- * #00000: Categories for headquarters
- Effectuated files:
 - * ext_tables.php
 - * ext_tables.sql
 - * locallang_db.xml
 - * tca.php
 - * res/html/department/601/default.tpl
 - * static/headquarters/501/constants.txt
 - * static/headquarters/501/setup.txt

2.1.2 Improvement

- * #32267: new database fields 'archive date' and 'top news' in news
- Ulfried Herrmann <<http://herrmann.at.die-netzmacher.de>>

2.1.1 Improvement

- * #00000: \$ICON_TYPES -> t3lib_SpriteManager::addTcaTypeIcon(...)
- Effectuated file: ext_tables.php

2.0.20 Update

- * #00000: Update org.css for Browser 3.9.20: enable five tree views

2.0.19 Update

- * #00000: Update to Browser version 3.9.14
- filter.table.first_item.value_stdWrap is moved to cObject
- Effectuated files:
 - * static/calendar/201/expired/setup.txt
 - * static/calendar/201/setup.txt
 - * static/downloads/301/setup.txt
 - * static/headquarters/501/setup.txt
 - * static/news/401/setup.txt
 - * static/staff/101/setup.txt

2.0.18 Improvement

- * #34858: Usage of \$ICON_TYPES is deprecated since 4.4.

2.0.17 Improvements

- * #00000: a-z-browser is renamed as index browser
- Effects
 - * CSS : azSelector -> indexBrowser
 - * HTML templates : AZSELECTOR -> INDEXBROWSER

Bugfix

- * #34988: Buggy competition of thumbnail and download
- * #27642: Calendar without search

2.0.16 Improvement

- * #00000: removed: &###CHASH###, added: useCacheHash = 1

Bugfix

- * #00000: Bugfix localisation for download icon and download label

2.0.15 New Feature

- * #34121: TOP 5 template for downloads
- * #32654: Integration of Open Street Map - Step I
- Effectuated tables:
 - * tx_org_headquarters
 - * tx_org_location
- Effectuated files:
 - * ext_tables.sql
 - * locallang.db
 - * tca.php
- * #28562: Integration jQuery UI
- Effectuated files:
 - * res/html/location/701/default.tpl

Maintenance

- * #31231: Download Manager
- All userFunc = tx_browser_cssstyledcontent->render_uploads

- get the drs property
 - * #00000: static/base/setup.txt: plugin.tx_browser_pi1.general_stdWrap >
- 2.0.14 **Maintenance**
 - * #00000: TypoScript is adapted to Browser version 3.9.6
 - Properties
 - * ... FILTER.first_item.stdWrap is moved to FILTER.first_item.value_stdWrap
 - * ... FILTER..wrap.item.stdWrap is moved to FILTER.wrap.item.wraps.value.stdWrap
 - Effected files
 - * calendar/201/setup.txt
 - * downloads/301/setup.txt
 - * news/401/setup.txt
- Improvement**
 - * #32440: Proper code
 - * #00000: Database field 'datetime end' in calendar is integrated in the TCA
- 2.0.13 **Bugfix**
 - * #00000: Download line contains data about the thumbnail and not the real document
- 2.0.12 **Bugfix**
 - * #32440: Unassigned array key may lead to a PHP Warning
 - Ulfried Herrmann <<http://herrmann.at.die-netzmacher.de>>
- 2.0.10 **Bugfix**
 - * #00000: Configuration for tx_linkhandler has missed
- 2.0.9 **New Feature**
 - * #31231: Download Manager
 - * HTML templates for downloads and the shopping cart
 - * TypoScript templates for downloads and the shopping cart
- 2.0.4 **Improvement**
 - * new database field 'datetime end' in calendar
- 2.0.3 **Improvement**
 - * #00000: fe_users relation to companies is simplified
- 2.0.2 **Improvement**
 - * #00000: TypoScript template is adapted to browser version 3.7
 - * a-z_Browser and pageBrowser are moved to navigation
- 2.0.1 **New Features**
 - * #00000: Relations to fe_groups are configurable by the extension manager and page TSconfig
- Improvements**
 - * #28939: Localization: Relations between tables are localized
- 2.0.0 **New Features**
 - * #27041: Record browser for the single view / Prev-next Switcher in the single view
 - * single views got the marker ###RECORD_BROWSER### in the HTML templates
 - * single views got an ID
 - * #28939: Localization
- 1.0.0 **Initial release**

Illustration index

Illustration 1: TYPO3 Organiser home page	3
Illustration 2: TYPO3 Organiser Calendar	3
Illustration 3: TYPO3 Organiser Caddy with 10 sponsor tickets	3
Illustration 4: Flip pages of PDF files with the TYPO3 Organiser!	3
Illustration 5: Home	4
Illustration 6: Home with open menu	4
Illustration 7: Calendar	4
Illustration 8: Caddy	4
Illustration 9: News (single view)	4
Illustration 10: People (single view)	4
Illustration 11: TYPO3 Organiser home page	5
Illustration 12: Hochschule für Schauspiel "Ernst Busch" Berlin	5
Illustration 13: LEG Thüringen	5
Illustration 14: TYPO3 Usergroup Thuringia	5
Illustration 15: bat Studiotheater	5
Illustration 16: The Organiser has Flip it! integrated.	5
Illustration 17: Result after installing with the Organiser Installer. Here: folder with the calendar data.	6
Illustration 18: The form for a calendar item	6
Illustration 19: You can link to every Organiser record by the link wizard.	7
Illustration 20: Install the Organiser with one click! Installer button (1). Result in the frontend (2) and the backend (3) ...	7
Illustration 21: Calendar on a desktop	10
Illustration 22: ... and on a smartphone	10
Illustration 23: Companies on a desktop	11
Illustration 24: ... and on a smartphone	11
Illustration 25: Documents on a desktop	12
Illustration 26: ... and on a smartphone	12
Illustration 27: Locations on a desktop	13
Illustration 28: ... and on a smartphone	13
Illustration 29: News on a desktop	14
Illustration 30: ... and on a smartphone	14
Illustration 31: People on a desktop	15
Illustration 32: ... and on a smartphone	15
Illustration 33: Caddy on a desktop	16
Illustration 34: ... and on a smartphone	16
Illustration 35: Caddy e-payment (Paymill) in live mode	17
Illustration 36: Caddy e-payment (Paymill) in test mode	17
Illustration 37: Run over pages like in a real magazine. Flip it! application in the fancybox.	18
Illustration 38: Calculate the geocoding data of your address automatically. Here: example with TYPO3 Route.	19
Illustration 39: Radial Search form (1, 2) and hits within the given radius (3) and outside the radius (4)	21
Illustration 40: Flip it! on a smartphone	22
Illustration 41: Map on a smartphone	22
Illustration 42: Link from everywhere to everywhere	24
Illustration 43: Integrated link handler	25
Illustration 44: Install the Organiser with one click! Installer button (1). Result in the frontend (2) and the backend (3) ..	27
Illustration 45: All excluded – the alignment in the extension manager	29
Illustration 46: All are excluded: editor has access to required fields only. Here: table repertoire	29
Illustration 47: Backend user configuration. The administrator can configure a lot.	29
Illustration 48: None excluded – the alignment in the extension manager	30
Illustration 49: None are excluded: editor has access to all fields. Here: table repertoire	30
Illustration 50: Backend user configuration. The administrator can't configure near by nothing.	30
Illustration 51: The Browser plugin	33
Illustration 52: TypoScript Constant Editor	35
Illustration 53: TypoScript Constant Editor	36
Illustration 54: Update the Organiser within your Extension Manager	47
Illustration 55: Invalid template value after the update	48
Illustration 56: Please select the template "Main" or "Margin"	48
Illustration 57: The TYPO3-Browser Update Wizard	49

Alphabetical Index

Demo	59	Powermail	9	package	58
Documentation		E-Payment		Support	59
Browser	9	live mode	17	Versioning	
Caddy	9	test mode	17	non supported	9
Foundation	9	sponsoring	58	Workspaces	
PDF	59	Sponsoring		non supported	9