

Organiser

TYPO3 Organiser, TYPO3 for the lobbies and the organisers. See: <http://typo3-organiser.de/> Manual: <http://typo3-organiser.de/typo3conf/ext/org/doc/manual.pdf>. The Organiser provides a lot of features for handle a simple calendar, companies, contacts, events, jobs, locations, news, people and services. Sell your tickets with the integrated shop. The installer enables you to install the Organiser with one mouse click! Sample data is included.



Version: 7.0.7, 2015-04-11

Extension Key: org

Language: en

Keywords: calendar, events, lobby, locations, news, organiser, people, shop, staff, tickets

Copyright 2010-2015, Dirk Wildt - Die Netzmacher, <<http://wildt.at.die-netzmacher.de>>

Table of Contents

Organiser	1	TypoScript	39
Screen Shots	3	Communicating with Powermail	40
Frontend	3	Page TSconfig	41
Backend	6	Organiser records	41
One-Click-Installation	7	CSS	44
Introduction	8	Remove the default CSS	44
What does it do?	8	Add your own CSS	44
What do you need?	9	SEO and RealUrl	45
Audience	9	DRS – Development Reporting System	46
Non possible TYPO3 core features	9	Reference	47
Further manuals	9	Completely browser reference	47
Upgrades	10	Upgrades	48
Features	11	From version < 6.0	48
Tables	11	Update from < 3.x	49
Caddy	19	SQL Migration	52
E-payment	20	fe_groups, fe_users -> tx_org_staff, tx_org_staffgroup ..	
Flip it!	21	52	
Georeferenced data	22	What's new?	55
Maps (Google Maps, Open Street Map)	23	7.0	55
Radial Search	24	6.0	55
Responsive	25	4.0	57
SEO – Search Engine Optimisation	25	3.0	57
Others	26	2.1	58
Preconditions	28	2.0	58
TYPO3 6.2 is recommended	28	FAQ	60
Latest extensions	28	Bugs	60
Installation	29	Configuration	60
One click with the Organiser Installer	29	Status	61
Adapt some constants to your needs	29	Store record configuration	61
Controlling by the extension manager	30	Store fe_groups configuration	62
Basic	30	Helpful suggestions and benefits	63
Downgrade	30	Forum	63
Geocoding	30	Packages for Sponsors	64
Hide tables	30	Fun – 50 EUR	64
Linkhandler	30	Logo – 150 EUR	64
Simplfyer	31	Patron – 500 EUR	64
Controlling by plugins	34	Further Information	65
Annotation	34	Demo website	65
Plugins in the frontend	34	Manual and tutorial in PDF	65
Plugins in the backend	35	Professional Support	65
Randomised plugins	36	Other extensions published by Die Netzmacher	66
Controlling by TypoScript	37	Removing deprecated Relations	67
Constant Editor	37	Known Bugs	69
TypoScript Object Browser	38	AOE Link Handler	69
Controlling the Caddy	39	Change Log	70
Job	39	Illustration index	76
Plugin	39	Alphabetical Index	77


Screen Shots

Frontend

Current Version

Installed by the Organiser Installer¹

Desktop



Welcome to the TYPO3 Organiser

Responsive and ready-to-use. Installation with one mouse-click.

Responsive The Organiser is optimised for desktops, tablets and smartphones. Test it: go to the ticket shop and vary the size of your browser window.

Ready-to-use You are welcome to install the Organiser with one mouse-click - responsive and ready-to-use. You need: TYPO3, the Organiser and a mouse.

Professional service You don't like to adapt the Organiser to your individual needs by yourself? Take the professional service supported from the developers: Die Netzmaeher.

Organiser: TYPO3 for the lobby and the organisers

The Organiser is easy: easy to use, easy to configure, easy to handle. TYPO3 integrators can install the Organiser with minimum costs. You can manage a calendar, events, companies, documents, news, news categories, flip it! nothing but an internet browser with a flash plugin.

Radial search Look for entries by a radial search.

Install it!

Available on typo3.org The Organiser is 100% Open Source and free of charge. Download it on typo3.org!

Any question?

Visit our homepage or send us your request. Or post your concern in the Organiser Forum.


For Integrators only: Your next steps after the installation

Set up jQuery We recommend to use t3query. Please set it up.

Import postal data A proper radial search needs postal data. Import it. See section "Import Postal Code Data" in the manual.

Install this website with one mouse click! typo3-organiser.de

Illustration 1: TYPO3 Organiser home page



White House Easter Egg Roll

Subjects: society

31 The President and First Lady announced today that this year's White House Easter Egg Roll will be held on Monday, April 25, 2011 with the theme of "Get Up and Go!" promoting health and wellness. [URL](#)

The White House in DC 20500 0003 Washington D.C., United States

TYPO3 Developer Days


Subjects: TYPO3

31 We invite you to this year's Developer Days. This will be a great time to learn more about the powerful system and is your chance to connect yourself with other developers from all around the... [details](#)

Campus Sursee in CH 6210 Sursee

First night: TYPO3 Conference

Illustration 2: TYPO3 Organiser Calendar



Caddy

Caddy: 10 items 2.900,00 €

Amount:	Item	Price	Sum
10	First night: TYPO3 Organiser	200,00 €	2.500,00 €
	Thursday, 19. November 2015, 23:24 Uhr		
	ticket sponsor 290,00 €		
10	Items		2.900,00 €

Shipping and service 0,00 €

Payment method: Cash in advance 0,00 €

Amount (incl. 0,00 € VAT) 2.900,00 €

1. billing address **2. delivery address** **3. contact data** **4. send**


Company:

Location:

Country:

Install this website with one mouse click! typo3-organiser.de

Illustration 3: TYPO3 Organiser Caddy with 10 sponsor tickets



Flyer: TYPO3-Organiser

29. Nov. 2011 - AtemberaubendesTYPO: Du kennst TYPO3 mit Nachrichten, Kalender, Online-Ticketsystem, Personen und Veranstaltungsorten in 15 bis 30 Minuten erwerben. Du kannst danach sofort Deine Daten veröffentlichen.

Dieser Flyer stellt die Extension kurz vor.

Dr. kannst den Flyer herunterladen und auch ein paar Exemplare bestellen - und an Deine Freunde verteilen.

0 Downloads

Download

Ordering

« Back | All Downloads »

Install this website with one mouse click! typo3-organiser.de

Illustration 4: Flip pages of PDF files with the TYPO3 Organiser!

Smartphone

TYPO3 Organiser MENÜ 

Welcome to the TYPO3 Organiser

Responsive. Installation with one mouse-click.

Responsive »

The Organiser is optimised for desktops, tablets and smartphones. Test it: go to the ticket shop and vary the size of your browser window. **Flip it! and maps aren't responsive.**

Installation with one click »

You are welcome to install the Organiser with one mouse-click. But **not all features aren't ready-to-use**. See section "What's not ready?" at the bottom.

Professional service »

Illustration 5: Home

TYPO3 Organiser MENÜ 

- Calendar
- Companies
- Documents
- [Jobs]
- News
- People
- [Services]

Welcome to the TYPO3 Organiser


Responsive. Installation with one mouse-click.

Responsive »

The Organiser is optimised for desktops, tablets and smartphones. Test it: go to the ticket shop and vary the size of your browser window. **Flip it! and maps aren't responsive.**

Illustration 6: Home with open menu

TYPO3 Organiser MENÜ 



Search Word

ZIP or city

Radius 50 Km

Calendar (3)

Subjects

Locations (3)

Illustration 7: Calendar

TYPO3 Organiser MENÜ 

Caddy

Caddy: 5 items	1.450,00
	€
Amount	Item
5	items
First night:	290,00
TYPO3	€
Organiser	€
Saturday, 21.	
November	
2015, 00:39	
Uhr	
ticket	
sponsor	
290,00	€

Illustration 8: Caddy

TYPO3 Organiser MENÜ 



FLOW3 Blogexample

Get into the TYPO3 FLOW!

By Sören Schaffstein

21. Nov. 2014 – Discover FLOW3 with our Getting Started Tutorial.

Just follow the step-by-step instructions for building your first FLOW3 application

Illustration 9: News (single view)

TYPO3 Organiser MENÜ 



Dirk W.

Dirk Wildt

2009	Gesellschafter Die Netzmacher GbR Internetdienstleistungen
2002	Einzelunternehmer think visually! Internetdienstleistungen
2008	
2000	Finanzcontroller g.e.b. Verteidigungsindustrie / Militär
2002	
2000	Finanzcontroller

Illustration 10: People (single view)

Version 4.x

[DEPRECATED!]



Illustration 11: TYPO3 Organiser home page



Illustration 12: Hochschule für Schauspiel "Ernst Busch" Berlin




Illustration 13: LEG Thüringen




Illustration 14: TYPO3 Usergroup Thuringia



Illustration 15: bat Studiotheater



Illustration 16: The Organiser has Flip it! integrated.

- bat-Studiotheater der Hochschule für Schauspiel "Ernst Busch" Berlin
<http://www.bat-berlin.de/>
 - Hochschule für Schauspiel "Ernst Busch" Berlin
<http://www.hfs-berlin.de/>
 - Landesentwicklungs-Gesellschaft Thüringen
<http://www.leg-thueringen.de/downloads/>
 - TYPO3 Organiser
<http://typo3-organiser.de/>
 - TYPO3 Usergroup Thuringia
<http://typo3-thuringen.de/>

Backend

Organiser website

The screenshot shows the TYPO3 Backend interface with the 'Organiser' extension installed. The left sidebar has 'WEB' selected, with 'List' expanded, showing a tree structure of data. The main content area is titled 'Calendar' and displays four sub-tables: 'Calendar (3)', 'Calendar: Subjects (3)', 'Calendar: Entrance Fees (3)', and 'Tax (3)'. Each table lists items with edit, delete, and preview icons.

Illustration 17: Result after installing with the Organiser Installer. Here: folder with the calendar data.

Form for a calendar item

The screenshot shows the TYPO3 Backend form for a calendar item. The form includes fields for Event, Teaser, Marginal, Location, admission, Images, Controlling, and Search Engines. It shows a 'Title of the event' field with 'First night: TYPO3 Organiser', a 'Subheader' field, and a 'Datetime' section with a date and time input. The 'Type of Event' section shows 'TYPO3' selected in the 'Selected Items:' list and 'policy', 'society', and 'TYPO3' in the 'Available Items:' list. The 'Bodytext' section contains rich text editor tools and a 'Topic' section with a bulleted list.

Illustration 18: The form for a calendar item

Link Wizard

NOTE: The AOE Link Handler has a bug in TYPO3 6.2 and doesn't work!¹




Illustration 19: You can link to every Organiser record by the link wizard.

One-Click-Installation

Organiser Installation

Check \$TYPO3_CONF_VARS

✓ \$TYPO3_CONF_VARS[FE][pageNotFoundOnCHashError] is proper.

Check extension dependencies

✓ autoumatiktemplate: "Temp. & Av. to parse," is loaded.

✓ baseorg: "Organiser - Ta-plate" is loaded.

✓ browser: "Browser - TYPO3 will out PHP" is loaded.

✓ caddy: "Caddy - TYPO3 shopping cart" is loaded.

✓ cpe_xatree: "Record tree for TCA" is loaded.

✓ cpe_dox: "Dox" or "literacy" is loaded.

✓ flipflop: "Flipflop TYPO3 for real magazines" is loaded.

✓ linkhandlerconfig: "AOE linkhandler configurator" is loaded.

✓ org: "Organiser - TYPO3 for orgs and organisations" is loaded.

✓ powermail: "Powermail" is loaded.

✓ seo dynamic tag: "SLC dynamic tag" is loaded.

Start the Installation

>Create a backend group

Create a page tree

Create the phone browser caddy and powermail

Create page content

Create TypoScript for the browser, caddy and powermail

Create configuration records for powermail

Create records

Create files and images

Create page content

Console, dating

Start the installation

1

Install it!




Illustration 20: Install the Organiser with one click! Installer button (1). Result in the frontend (2) and the backend (3)

¹ AOE Link Handler 1.1.0. See details at Known Bugs on page 69 below.

Introduction

What does it do?

Organiser: TYPO3 for the lobbies and the organisers

The Organiser is easy: easy to use, easy to configure, easy to handle. TYPO3 integrators can install the Organiser with minimum costs. You can manage a calendar, events, companies, documents, news, jobs and people. You can sell tickets and items.

The Organiser is the solution for a small budget and for small-scale enterprises, which make low demands on e-commerce.

Responsive.

The Organiser is optimised for desktops, tablets and smartphones. Test it: Visit several pages and **vary the size of your browser window.**

Installation with one click.

You are welcome to install the Organiser with one mouse-click. **A lot of features are ready-to-use** like interactive maps or the booking of tickets.

Features

- E-payment
- Georeferenced data
- Image gallery by default
- Localisation
- Maps (Google Maps, Open Street Map)
- Modular
 - Formular management, spam protection: Powermail
 - Interactive map: Leaflet
 - Online catalogues: Flip it! (not responsive)
 - Responsive framework: Foundation
 - Shopping cart: Caddy
 - TYPO3-frontend-engine: Browser – TYPO3 without PHP
- One-Click-Installation
- Optimised for search Engines (SEO)
- PDF attachments
- Radial Search
- Responsive

What's not ready?

Events, Jobs and Services hasn't any sample data and hasn't any prepared TypoScript. Tax rate for tickets can't be configured, the rate is 0%. Documents haven't any field for a price.

TYPO3 Editors can't change this behaviour. TYPO3 Integrators can change it, but they must be familiar with TCA, TypoScript and the Browser – TYPO3 without PHP.

We would like to solve the open issues, but we need contracts.

What do you need?

- If you like to use the Organiser ready-to-use, you don't need nothing, but TYPO3, the Organiser Installer and a mouse.¹
- If you intend to adapt Quick Shop to your needs, you should be familiar with TypoScript and TCA – the TYPO3 table configuration array.

Audience

- TYPO3 agencies
- TYPO3 integrators
- TYPO3 developers

Non possible TYPO3 core features

The Organiser doesn't support

- versioning
- workspaces

Further manuals

This manual doesn't explain

- the Browser – TYPO3 without PHP
- Caddy – the TYPO3 shopping cart
- Flip it!
- Foundation – the responsive framework
- Leaflet
- Powermail
- Radial Search (Umkreissuche)
- SEO Dybamic Tag

in depth.

If you have any question about these extensions and frameworks, please refer to

- Browser – TYPO3 without PHP (browser)
<http://typo3.org/extensions/repository/view/browser/>
- Caddy (caddy)
<http://typo3.org/extensions/repository/view/caddy/>
- Flip it! (flipit)
<http://typo3.org/extensions/repository/view/flipit/>
- Foundation
<http://foundation.zurb.com/>
- Leaflet
<http://leafletjs.com/>
- Powermail (powermail)
<http://typo3.org/extensions/repository/view/powermail/>
- Radialsearch (Umkreissuche) (radialsearch)
<http://typo3.org/extensions/repository/view/radialsearch/>
- SEO Dynamic Tag (seo_dynamic_tag)
http://typo3.org/extensions/repository/view/seo_dynamic_tag/

¹ You should be a TYPO3 integrator!

Upgrades

- Bad news: It isn't possible to upgrade from a former version to 6.x. I'm sorry.
- See reasons and possible support in the section "Upgrades > From version < 6.0" on page 48 below.

Features

Tables

Calendar




Illustration 21: Calendar on a desktop ...




Illustration 22: ... and on a smartphone

- Search Form
 - full text search
 - radial search
 - filter for locations, periods and subjects
- Index browser
- Page-browser / record-browser
- Different CSS for current and expired dates
- Social bookmarks in list and single view
- Ticket ordering
- AJAX supported¹

¹ AJAX isn't recommended!

Map and georeferenced data

The map is based on Google Maps or Open Street Map. You move from the one to the other by a mouse click.

Maps aren't optimised for desktops, tablets and smartphones. They aren't responsive!

Live examples

- <http://typo3-organiser.de>
- <http://www.bat-berlin.de>

Companies




Illustration 23: Companies on a desktop ...

- Search Form
 - full text search
 - radial search
 - filter for business segments
- Index browser
- Page-browser / record-browser
- Social bookmarks in list and single view
- AJAX supported¹

Map and georeferenced data

The map is based on Google Maps or Open Street Map. You move from the one to the other by a mouse click.

Maps aren't optimised for desktops, tablets and smartphones. They aren't responsive!

Live examples

- <http://typo3-organiser.de>






Illustration 24: ... and on a smartphone

¹ AJAX isn't recommended!

Documents



CD: Aus dem Leoparden-Gummistiefel
2009 – Das aktuelle TYPO3 4 funktioniert nicht nur, sondern hört sich auch heiß an. Eine der verschwitztesten Aufnahmen: aus dem Inneren eines Leoparden-Gummistiefels einer TYPO3-Entwicklerin.  [details »](#)

CD: TYPO3 Fluid - Wassermusik
2012 – Das neue TYPO3 wird mit Fluid noch flüssiger. Grund für Nina Hagen, die Grand-Dame des Punk, vor der TYPO3-5-Band ihr Fisch-Lied neu zu interpretieren. Ab Ende 2012 lieferbar.  [details »](#)

CD: TYPO3-Party - Release 1.0


Illustration 25: Documents on a desktop ...

- Search Form
 - full text search
 - filter for categories, media and periods
- Index browser
- Page-browser / record-browser
- Social bookmarks in list and single view
- AJAX supported¹
- Document download
- Document ordering

Flip it!

TYPO3 Flip it! enables you, to page flip in PDF files like in real magazines.

The Organiser has Flip it! integrated. Visitors of your website can page flip in your documents online.

The visitor of your website needs a internet browser with a flash plugin only.

See details at

- TYPO3 Flip it!
<http://typo3-flipit.de/en/>

See screen shot at

- "Screen Shots > Frontend" on page 3 above.

Flip it isn't optimised for desktops, tablets and smartphones. It isn't responsive!

Online examples

- <http://typo3-organiser.de/downloads/>
- <http://www.leg-thueringen.de/en/downloads/> DEPRECATED²

CD: Aus dem Leoparden-Gummistiefel

2009 – Das aktuelle TYPO3 4 funktioniert nicht nur, sondern hört sich auch heiß an. Eine der verschwitztesten Aufnahmen: aus dem Inneren eines Leoparden-Gummistiefels einer TYPO3-Entwicklerin.  [details »](#)

CD: TYPO3 Fluid - Wassermusik

2012 – Das neue TYPO3 wird mit Fluid noch flüssiger. Grund für Nina Hagen, die Grand-Dame des Punk, vor der TYPO3-5-Band ihr Fisch-Lied neu zu interpretieren. Ab Ende 2012 lieferbar.  [details »](#)

CD: TYPO3-Party -

Illustration 26: ... and on a smartphone

Illustration 26: ... and on a smartphone

¹ AJAX isn't recommended!

² Example is with Organiser 4.x

Events


Event is a special type of calendar item. It is a benefit, if you have repeating dates.

Sorry, but there isn't any prepared TypoScript in the current version.

Jobs

Sorry, but there isn't any prepared TypoScript in the current version.

Locations




The screenshot shows a map of the world with a marker for 'The White House' in Washington D.C. A search form is overlaid on the map, featuring fields for 'Search Word', 'ZIP or city', 'Radius 50 Km', and checkboxes for 'Headquarters' and 'Business segments'. Below the map, a list of results is displayed:

- Die Netzmacher**
Business segments: TYPO3
D-94152 Neuhaus am Inn [details](#)
- The White House**
Business segments: policy
DC 20500-0003 Washington D.C., United States [details](#)
- TYPO3 Association**
Business segments: TYPO3
CH-6340 Baar [details](#)

At the bottom, a banner reads: "Install this website with one mouse click! [typo3-organiser.de](#)"

Illustration 27: Locations on a desktop ...



The screenshot shows the same map and search interface as the desktop version, but scaled down for a mobile device. The list of results is identical to Illustration 27.

Illustration 28: ... and on a smartphone

- Search Form
 - full text search
 - radial search
 - filter for business segments
- Index browser
- Page-browser / record-browser
- Social bookmarks in list and single view
- AJAX supported¹

Map and georeferenced data

The map is based on Google Maps or Open Street Map. You move from the one to the other by a mouse click.


Maps aren't optimised for desktops, tablets and smartphones. They aren't responsive!

Live examples

- <http://typo3-organiser.de>

¹ AJAX isn't recommended!

News



slider

TYPO3

TYPO3

TYPO3

TYPO3 Organiser

Calendar | Companies | Documents | [Jobs] | News | People | [Services]

Search Word

All | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | XYZ

Subjects

- policy
- society
- TYPO3

Search

Reset

Search

Get into the TYPO3 FLOW!

20. Nov. 2014 – Discover FLOW3 with our Getting Started Tutorial. Just follow the step-by-step instructions for... [details »](#)



TYPO3-Organiser kommt...

TYPO3: Alles aus einer Hand

01. Apr. 2011 – Der TYPO3-Organiser kommt am 1. April 2011. Das haben heute die Entwickler angekündigt und auch... [URL »](#)



Health Reform

28. Feb. 2011 – Posted by Kalpen Modi on March 22, 2011 at 04:00 PM EDT One year ago tomorrow, President Obama... [details »](#)



Illustration 29: News on a desktop ...

TYPO3 Organiser

MENU 

Get into the TYPO3 FLOW!

21. Nov. 2014 – Discover FLOW3 with our Getting Started Tutorial. Just follow the step-by-step instructions for... [details »](#)

TYPO3-Organiser kommt...

TYPO3: Alles aus einer Hand

01. Apr. 2011 – Der TYPO3-Organiser kommt am 1. April 2011. Das haben heute die Entwickler angekündigt und auch... [URL »](#)

Health Reform

28. Feb. 2011 – Posted by Kalpen Modi on March 22, 2011 at 04:00 PM EDT One year

Illustration 30: ... and on a smartphone

- Search Form
 - full text search
 - radial search
 - filter for subjects
- Index browser
- Page-browser / record-browser
- Social bookmarks in list and single view
- AJAX supported¹

Live examples

- <http://typo3-organiser.de>

¹ AJAX isn't recommended!

People




Illustration 31: People on a desktop ...

- Search Form
 - full text search
 - radial search
 - filter for field of activities
- Index browser
- Page-browser / record-browser
- Social bookmarks in list and single view
- AJAX supported¹

Live examples

- <http://typo3-organiser.de>



Illustration 32: ... and on a smartphone

Barack Obama

Barack H. Obama is the 44th President of the United States. His story is the American story - values from the heartland, a middle-class upbringing in a strong family, hard work and education as the means of getting ahead, and the conviction that a life so blessed should be lived in service to... [details »](#)


Dirk Wildt

2009|GesellschafterDie Netzmacher GbR|Internetdienstleistungen|| 2002 - 2008|Einzelunternehmerhink visually!|Internetdienstleistungen|| 2000 - 2002|Finanzcontrollerg.e.b.b.Verteidigungsindustrie / Militär|| 1999 - 2000|FinanzcontrollerGMZ (Tagesspiegel-Gruppe)Verlagswesen|| 1997 -...
[details »](#)

Illustration 32: ... and on a smartphone

¹ AJAX isn't recommended!

Caddy



Caddy: 10 items **2.900,00 €**

Amount	Item	Price	Sum
10	First night: TYPO3 Organiser Thursday, 19. November 2015, 23:24 Uhr ticket sponsor 290,00 €	290,00 €	2.900,00 € 
10	items		2.900,00 €

Shipping and service **0,00 €**

Payment method: Cash in advance **0,00 €**

Amount (incl. 0,00 € VAT) **2.900,00 €**

1. billing address **2. delivery address** **3. contact data** **4. send**

Company

location

Country

Install this website with one mouse click! typo3-organiser.de »

Illustration 33: Caddy on a desktop ...



Caddy: 5 items **1.450,00 €**

Amount	Item	Price	Sum
1	First night: TYPO3 Organiser Saturday, 21. November 2015, 00:39 Uhr ticket sponsor 290,00 €	290,00 €	1.450,00 €
5	items		1.450,00 €


Illustration 34: ... and on a smartphone

See further information at

- Caddy – responsive Shopping Cart
PDF: <http://typo3-caddy.de/typo3conf/ext/caddy/doc/manual.pdf>
TER: <http://typo3.org/extensions/repository/view/caddy/>

If you are using the Organiser Installer, the Installer take care of all properties.

E-payment



Caddy

Caddy: 10 items 319,90 €

Shipping and service 0,00 €

Payment method: 0,00 €

Cash on pick up

Credit card

Card number: 4111111111111111

Expires: 10/16

Card holder: Alex Schäfer

CVC2: 123

Currency: EUR

Check credit card and select it!

Direct debit


Direct debit (IBAN/BIC)

Amount (incl. 51,06 € VAT) 319,90 €

Please select a payment method

You can edit the footer here: Libraries > Footer. The header: Libraries > Header.

Illustration 35: Caddy e-payment (Paymill) in live mode



Caddy

Caddy: 10 items 199,90 €

Shipping and service 0,00 €

Payment method: 0,00 €

Test mode: Pay with the proposed data! No data? Fetch test data.

Enable live mode. Constant Editor > Category [CADDY - E-PAYMENT - PAYMILL] > Node: live

Cash on pick up

Credit card

Card number: 4111111111111111

Expires: 10/16

Card holder: Alex Schäfer

CVC2: 123

Currency: EUR

Check credit card and select it!

Direct debit

Direct debit (IBAN/BIC)

Amount (incl. 31,92 € VAT) 199,90 €

Please select a payment method

You can edit the footer here: Libraries > Footer. The header: Libraries > Header.

Illustration 36: Caddy e-payment (Paymill) in test mode

You can use the Caddy with an e-payment modul. See further information at

- Caddy – responsive Shopping Cart
- PDF: <http://typo3-caddy.de/typo3conf/ext/caddy/doc/manual.pdf>
- TER: <http://typo3.org/extensions/repository/view/caddy/>

Precondition is a contract with an e-payment provider (here: Paymill)

Flip it!




Illustration 37: Run over pages like in a real magazine. Flip it! application in the fancybox.

Flip it! enables you to run over pages in PDF documents like in a real magazine. Flip it! offers lovely and smooth page flip transitions. The visitor of your website does not need any PDF plugin but a Flash plugin. Flip it! can convert PDF documents to SWF files automatically.


Further information:

- **Flip it!**
Website: <http://typo3-flipit.de/>
PDF: <http://typo3-flipit.de/typo3conf/ext/flipit/doc/manual.pdf>
TER: <http://typo3.org/extensions/repository/view/flipit/>

Flip it! isn't responsive. See section "What isn't responsive?" on page 25 below.

If you are using the Organiser Installer, the Installer take care of all properties.

Georeferenced data



Path: /TYPO3 Route/Routen [8067]

Geocoding by Browser - TYPO3 without PHP
latitude and longitude are updated!

Edit Marker (POI) "Brandenburger Tor" on page "Routen"

Marker (POI) Category Address Contact details Paths Short Terms Images Controlling

Name
Brandenburger Tor

Street
Pariser Platz

Zip
10117

City
Berlin

Administrative area level 2
Mitte

Administrative area level 1
Berlin

Country
Deutschland

Geoupdate prompt
* 2013-09-02 14:54:03 - Browsers - TYPO3 ohne PHP: Breiten- und Längengrad wurden aktualisiert!

Latitude and longitude should not updated automatically

Longitude
13.379365

Latitude
52.5168559

 Marker (POI) [4]

Illustration 38: Calculate the geocoding data of your address automatically. Here: example with TYPO3 Route.

BrowserMaps – the modul of the frontend engine Browser – is able to geocode address data.
Geocoding means: your address data get a latitude and a longitude.

BrowserMaps supports automatic geocoding:

- while you are save a record with address data
- by a cronjob for all address data of one table

BrowserMaps is using the Google Geocoding API.

See further information at

- BrowserMaps Tutorial (en)
PDF: http://typo3-browser.de/typo3conf/ext/browser_tut_map_en/doc/manual.pdf
TER: http://typo3.org/extensions/repository/view/browser_tut_map_en/

If you are using the Organiser Installer, the Installer take care of all properties, but the cron job.

Maps (Google Maps, Open Street Map)

See examples at the sections:

- OpenStreetMap: Companies on page 13 above
- Google Maps: Locations on page 16 above


See further information at

- BrowserMaps Tutorial (en)
PDF: http://typo3-browser.de/typo3conf/ext/browser_tut_map_en/doc/manual.pdf
TER: http://typo3.org/extensions/repository/view/browser_tut_map_en/

If you are using the Organiser Installer, the Installer take care of all properties.


Leaflet

Radial Search



The screenshot shows the TYPO3 Organiser interface with a radial search form. The search bar contains '8000 Zürich' (1) and the radius dropdown is set to 'Radius 500 Km' (2). The results section (3) shows 'Die Netzmacher' and 'The White House' as matches within the specified radius.

Illustration 39: Radial search (1, 2) within the given radius (3)



The screenshot shows the same interface but with the radius dropdown empty (1). The results section (4) shows the same matches as Illustration 39, but the radius information is missing.

Illustration 40: ... and without the given radius (4)

The Radial Search form has both parts:

- An input field for ZIP and city (2) with an auto-complete function.
- A select box with values for a radius (1).

See examples at the sections:

- Companies on page 13 above
- Locations on page 16 above

See further information at

- Radial Search
PDF: <http://typo3-organiser.de/typo3conf/ext/radialsearch/doc/manual.pdf>
TER: <http://typo3.org/extensions/repository/view/radialsearch/>

If you are using the Organiser Installer, the Installer take care of all properties.

Responsive

What's responsive?

The Organiser is responsive in principle but Flip it!

What isn't responsive?

Flip it!

Flip it! isn't responsive, because the size of the area is fixed, which contains the PDF document. It won't adapt to the screen size of the device.



Illustration 41: Flip it! on a smartphone

The area outside of the screen is shaded.

SEO – Search Engine Optimisation

Search Engine Optimisation (SEO) is done by SEO Dynamic Tag and can be extended by RealURL.

See

- SEO Dynamic Tag 2 ([seo_dynamic_tag](#))
PDF: http://typo3-organiser.de/typo3conf/ext/seo_dynamic_tag/doc/manual.pdf
TER: http://typo3.org/extensions/repository/view/seo_dynamic_tag/
- Browser Tutorial RealURL (en)
http://typo3.org/extensions/repository/view/browser_tut_realurl_en/

See Constant Editor [SEO DYNAMIC TAG - *].

If you are using the Organiser Installer, the Installer take care of all properties.

Others

+AOE link handler configurator

The AOE link handler enables to link from every content element with an RTE field to certain records in the database.

You are configuring the AOE link handler with the AOE link handler configurator.

And the Organiser has the AOE link handler configurator integrated (since version 3.3). See

- AOE link handler configurator (linkhandlerconf)
<http://typo3.org/extensions/repository/view/linkhandlerconf/>

Workflow




Illustration 42: Link from everywhere to everywhere

TYPO3 Organiser enables to link from every RTE-field to every TYPO3 Organiser record.

1. RTE field: Click on the link icon
2. The link wizard will be opened in a new window.
3. The link wizard has tabs for every TYPO3 Organiser record. Select the tab like [Org: Staff]
4. The link wizard will display the TYPO3-Organiser page tree. Select the user, you want to link to.

Controlling




Illustration 43: Integrated link handler

You are controlling the AOE link handler by the Extension Manager.

1. Modul Admin Tools Extension Manager
2. Edit area Organiser (org)
3. [Configuration]
4. Category [LINKHANDLER]

The user interface should be self-explained.

If you are using the Organiser Installer, the Installer take care of all properties.

Preconditions

TYPO3 6.2 is recommended

TYPO3 6.2 is recommended. Maybe the Organiser runs in smaller versions proper too.

Latest extensions

You are needing the latest extensions! These are

- browser 7.0
- caddy 6.0
- powermail 2.x is recommended, 1.x is proper too

Installation

One click with the Organiser Installer

Organiser Installation

Check TYPO3_CONF_VARS

✓ `TYPO3_CONF_VARS[FE][pageNotFoundOrClassError]` is proper.

Check extension dependencies

✓ `automaketemplate: "TempalteParser"` is loaded.
 ✓ `baseorg: "Organiser - The plate"` is loaded.
 ✓ `Browser: "Browser - TYPO3 will out PHP"` is loaded.
 ✓ `caddy: "Caddy - TYPO3 shopping cart"` is loaded.
 ✓ `cpe_zabbix: "Record tree for TCA"` is loaded.
 ✓ `cpe_dox: "Dox: open Library"` is loaded.
 ✓ `flipz: "Flipz for TYPO3 for real magazines"` is loaded.
 ✓ `linkhandler: "AOE linkhandler configurator"` is loaded.
 ✓ `org: "Organiser - TYPO3 for organiser and organisers"` is loaded.
 ✓ `powermail: "Powermail"` is loaded.
 ✓ `seo: "Dynamic tag: SCD dynamic tag"` is loaded.



Start the Installation

- ➊ Create a backend group
- ➋ Create a page tree
- ➌ Create Jig-Plugin browser, caddy and powermail
- ➍ Create page content
- ➎ Create TypoScript for the browser, caddy and powermail
- ➏ Create configuration records for powermail
- ➐ Create records
- ➑ Create files and images
- ➒ Create page content
- ➓ Consoling

[Start the Installation](#)



1

2

3

Illustration 44: Install the Organiser with one click! Installer button (1). Result in the frontend (2) and the backend (3)

Install the Organiser with the Organiser Installer (org_installer):

- http://typo3.org/extensions/repository/view/org_installer/

The one-click-installation is recommended.

Adapt some constants to your needs

See "Constant Editor" on page 37 below.

Controlling by the extension manager

Basic

Check TYPO3 version.

Localise special backend labels.

Downgrade

Some downgrade properties for using deprecated fields from Organiser 4.x.

Geocoding

Enable automatically geocoding.

Hide tables

Hide no needed tables, simplify your backend forms.

Linkhandler

Enable tabs for each Organiser table in the form of the klink wizard.

Simplifier

Simplify backend forms.

Localise special backend labels

Language for special backend labels like TypoScript static templates and the link handler.

Exclude Organiser fields

Simplify backend forms! Default: The editor has access to most fields. None excluded: The editor has access to all fields like the administrator. All excluded: the editor has access to required fields only like the title. This option has an effect for editors and it hasn't any effect for administrators.

See examples below.

All excluded

All fields should be excluded

The screenshot shows the TYPO3 Extension Manager interface. In the left sidebar, 'Ext Manager' is selected. In the main content area, there is a configuration section for 'Exclude Organiser fields' with the identifier [TCA_simplify_organiser]. The description states: 'Simplify backend forms! Default: The editor has access to most fields. None excluded: The editor has access to all fields like the administrator. All excluded: the editor has access to required fields only like the title. This option has an effect for editors and it hasn't any effect for administrators.' A dropdown menu labeled 'All excluded: Administrator configures it' is open. Below this, another configuration section for 'Exclude fe_group controlling' with the identifier [TCA_simplify_fegroup_controlling] is partially visible.

Illustration 45: All excluded – the alignment in the extension manager

The screenshot shows the TYPO3 backend. The left sidebar shows 'WEB' and 'FILE' sections. The main area displays a table named 'Repertoire' with several rows. The 'Title of the Repertoire' field for the row 'Repertoire' is filled with the value 'Don Juan'. The other fields in the row, such as 'Management', 'Nachrichten', 'Personaldatenbank', 'Standorte', 'Spielplan', and 'Veranstaltungsorte', are displayed in a grayed-out state, indicating they are excluded.

Illustration 46: All are excluded: editor has access to required fields only. Here: table repertoire

The screenshot shows the TYPO3 backend. The left sidebar shows 'WEB', 'FILE', and 'USER TOOLS' sections. The main area shows the 'Edit Backend usergroup "organiser_account"' configuration. In the 'Modul' section, a red circle highlights a list of backend modules that are checked: 'Web', 'Web > Page', 'Repertoire: Narrator', 'Repertoire: Director', 'Repertoire: Advisor', 'Repertoire: Assistant', 'Repertoire: Stage Design', 'Repertoire: Tailoring', 'Repertoire: Requisite', 'Repertoire: Garment', 'Repertoire: Make Up', 'Repertoire: Stage Manager', and 'Repertoire: Technical Manager'.

Illustration 47: Backend user configuration. The administrator can configure a lot.

The None-Examples

None field should be excluded




Illustration 48: None excluded – the alignment in the extension manager




Illustration 49: None are excluded: editor has access to all fields. Here: table repertoire




Illustration 50: Backend user configuration. The administrator can't configure near by nothing.

Exclude fe_group controlling

Simplify backend forms! If you have a website without a fe_user administration, you don't need the fe_group controlling field in backend forms. This option marks it in organisier tables 'excluded'. This has an effect for editors and it hasn't any

effect for administrators.

Exclude time controlling

Simplify backend forms! If you don't want to control records by time, you don't need the time control field in backend forms. This option marks it in organiser tables 'excluded'. This has an effect for editors and it hasn't any effect for administrators.

Don't exclude fe_users fields

The organiser needs some fe_users fields by default. Organiser makes this fields visible by disabling the 'exclude' property. This has an effect for editors only. For administrators all fields are visible anyway.

Store record configuration

[Easy]: less configuration costs. If you want to link from one record to another, both have to be stored in the same directory. It may be confusing in case of a lot of data.

[Clear presented]: each record group has its own directory. I.e. fe_users are in [staff], events are in [calendar]. Disadvantage: you have to configure page TSconfig and you will have some wizards without an add icon and without an list icon.

[Multi grouped]: Same like [clear presented], but record groups can have more than one directory. It enables sophisticated access rules.

See section "FAQ: Store record configuration" in the manual.

Store fe_groups configuration

[Store it everywhere (TYPO3 default)]: You will see fe_groups of the whole website in a flexform fe_groups field. This is the TYPO3 default.

[Managed by general record storage page (not recommended)]: If you like to see only fe_groups of a special folder, you can configure it in the page properties with the field "general record storage page".

[Managed by page TSconfig (ID)]: If you like to see only fe_groups of a special folder, you can configure it in the page TSconfig with the property PAGE_TSCONFIG_ID.

[Managed by page TSconfig (list)]: If you like to see only fe_groups of a special folder, you can configure it in the page TSconfig with the property PAGE_TSCONFIG_IDLIST.

See section "FAQ: Store fe_groups configuration" in the manual.

Full wizard support

If full wizard support is enabled, main records will have all three icons for their category records: edit, add and list. This is best usability. But you have to store category records in the same directory like the main records. You have to rough it, if there are needs to store categories in other directories. This property has only an effect in case of store records [clear presented] or [multi grouped].

Controlling by plugins

Annotation

You are controlling the TYPO3 Organiser with the Browser plugin. The Browser – TYPO3 without PHP – enables the separation of the database (the backend) and the design / work flow (frontend):

Organiser data (database) <> Browser (plugin) <> Organiser output (design)

A Browser plugin is always available.

A plugin enables to configure a lot of things with the mouse:

- Search form
- A-Z browser
- Page-browser / record browser
- empty page on start
- among others.

The Browser plugin needs a TypoScript template. The TypoScript template controls both:

- the query to the database and the handling of the result
- the connection to an HTML template with so called database markers.

If you like to extend the TYPO3 Organiser or to change queries or templates, it is a good idea to become familiar with the Browser – TYPO3 without PHP. See

- Browser homepage
<http://typo3-browser.de>
- Browser in the TYPO3 repository
<http://typo3.org/extensions/repository/view/browser/>

The Organiser has prepared a lot of TypoScript templates, so there isn't any need to configure a TypoScript template, if you are satisfied with the default views and the default work flow.

Plugins in the frontend

This section regards to Organiser 4.x and is deprecated!



There are two types of plugins:

- main (1) and
- margin (2)

The differences are only, that

- main plugins display the list view and the single view on the same page

- margin plugins display the single view on another page
- usually main plugins are more detailed than margin plugins

Plugins in the backend

The most of this section is applicable, but it regards to Organiser 4.x and is deprecated!

If you are using the Organiser Installer all plugins in the backend are configured.

If you like to change some configurations investigate the illustration below.



Illustration 51: The Browser plugin

1. Tab [Plugin]
2. Plugin [Browser]
3. Tab [Templating]
Select the TypoScript template like calendar or news.
4. Tab [General]
Select the available view. The view depends on the selection in the tab [Templating] (3)
5. Tab [Lists]
Configure your list view
6. Tab [Javascript/AJAX]
Enable AJAX and configure it.
7. Tab [Social Media]
Add social bookmarks to your list views and single views.
8. Tab [Behaviour]
Don't forget to configure the record storage page. Without it, the Browser hasn't any chance to find the Organiser records.

Main

Prepared

- +Org: Calendar
- +Org: +Calendar +Caddy
- +Org: +Calendar expired
- +Org: Companies
- +Org: Downloads
- +Org: +Downloads +Caddy
- +Org: +Downloads +Caddy +Flags
- +Org: +Downloads Flip it!
- +Org: Downloads categories
- +Org: Locations
- +Org: News

- +Org: People

Margin

This section regards to Organiser 4.x and is deprecated!

- +Org: Calendar – margin
- +Org: Department – margin
- +Org: Downloads – TOP 5
- +Org: Headquarters – margin
- +Org: Locations – margin
- +Org: News – margin
- +Org: Shopping cart for tickets – margin
- +Org: Staff – margin (don't cache it)

Randomised plugins

It is possible to randomise the content of plugins. There is one plugin prepared:

- +Org: Staff – margin (don't cache it)

Live examples

- "Personen" in the right column of <http://www.hfs-berlin.de/> DEPRECATED¹
- "TYPO3-Thüringen Mitglieder" in the right column of <http://typo3-thueringen.de/> DEPRECATED²

¹ Example is with Organiser 4.x

² Example is with Organiser 4.x

Controlling by TypoScript

Constant Editor

If you have installed the Organiser with the Organiser Installer, all constants should be proper but [ORGANISER STATIC URL] (see below).




Illustration 52: TypoScript Constant Editor

1. Modul: Web > Template
2. Page tree: root page
3. Edit area: [Constant Editor]
4. Category [ORGANISER STATIC URL]
The Installer will fail in two cases:
 - You aren't using real url
 - You haven't installed the organiser on the top-level

TypoScript Object Browser

The most of this section is applicable, but it regards to Organiser 4.x and is deprecated!

The TypoScript Object Browser is your tool, if you like to change TypoScript.

You need it, if you like to change labelling, to wrap fields in a different way or to use other HTML templates.

This manual doesn't repeat the configuring of the Browser – TYPO3 without PHP –, but it explains where to find the TypoScript of the Organiser in principle.




Illustration 53: TypoScript Constant Editor

1. Modul: Web > Template
2. Page tree: root page
3. Edit area: [TypoScript Object Browser]
Browse: [Setup]
4. Look for plugin.tx_browser_pi1.views.list
5. Investigate the array [101] to [701]

If you like to change the configuration for single views, please take a look on plugin.tx_browser_pi1.views.single.

If you like to configure a randomised plugin, you have to configure plugin.tx_browser_pi4.

Controlling the Caddy

Caddy has its own manual. See further information at

- Caddy – responsive Shopping Cart
PDF: <http://typo3-caddy.de/typo3conf/ext/caddy/doc/manual.pdf>
TER: <http://typo3.org/extensions/repository/view/caddy/>

Job

The job of Caddy is:

- session management for items
- calculating
- storing orders in the Caddy database (usually on the page with the Caddy plugin)

Plugin

You configure the Caddy with its plugin on the pages "Caddy". See

- Organiser
 - Calendar
 - Caddy
 - ...
 - Documents
 - Caddy
 - ...

TypoScript

Constant Editor

1. Modul: Web > Template
2. Page tree: root page
calendar > caddy
documents > caddy
3. Edit area: [Constant Editor]
4. Category [CADDY – ...]

Setup

Please use the Constant Editor in principle.

Caddy

If you like to investigate the TypoScript, please take a look into:

```
plugin.tx_caddy_pi1 {  
    ...  
}
```

Caddy Mini

If you like to investigate the TypoScript, please take a look into:

```
plugin.tx_caddy_pi3 {  
    ...  
}
```

Communicating with Powermail

The extension powermail enables the storing of Powermail e-mails.

powermail has its own plugin on the pages "Caddy". The page contains all forms, fieldsets and fields related to the frontend ordering form.

If you are interested in powermail, please refer to:

- Powermail (powermail)
<http://typo3.org/extensions/repository/view/powermail/>

Page TSconfig

Organiser records

The Organiser Installer configure some page TSconfig in the organiser sysfolders.

The effect is, that a backend user is allowed to add certain Organiser records to certain Organiser sysfolders only. For example:

- People records can added to the people sysfolder only.

You will find the configuration in the page TSconfig of the sysfolder "data" and all subfolders.

Page Tsconfig snippets

Sysfolder Data (here: pid 33)

```
// Created by ORGANISER INSTALLER at 2014-11-22 10:55:21 -- BEGIN

////////////////////////////
//
// INDEX

// TCEFORM
//   organiser tables
// TCEMAIN
//   clearCacheCmd
//   permissions
// MOD
//   web_layout

// PID
// [43] organiser
// [44] calendar
// [46] downloads
// [47] events
// [45] headquarters
// [49] locations
// [50] news
// [51] staff

// organiser tables
TCEFORM {
  tx_org_cal_all_tables {
    tx_org_cal {
      PAGE_TSCONFIG_IDLIST = 43,44
      PAGE_TSCONFIG_ID     = 44
    }
    tx_org_calentrance < .tx_org_cal
    tx_org_calspecial < .tx_org_cal
    tx_org_caltype   < .tx_org_cal
    tx_org_downloads {
      PAGE_TSCONFIG_IDLIST = 43,46
      PAGE_TSCONFIG_ID     = 46
    }
    tx_org_downloadscat < .tx_org_downloads
    tx_org_downloadsmedia < .tx_org_downloads
    tx_org_event {
      PAGE_TSCONFIG_IDLIST = 43,47
      PAGE_TSCONFIG_ID     = 47
    }
    tx_org_eventcat < .tx_org_event
    tx_org_headquarters {
      PAGE_TSCONFIG_IDLIST = 43,45
      PAGE_TSCONFIG_ID     = 45
    }
    tx_org_headquarterscat < .tx_org_headquarters
    tx_org_location {
      PAGE_TSCONFIG_IDLIST = 43,49
      PAGE_TSCONFIG_ID     = 49
    }
    tx_org_job {
      PAGE_TSCONFIG_IDLIST = 43,%pageOrgDataJob_title%
      PAGE_TSCONFIG_ID     = %pageOrgDataJob_title%
    }
  }
}
```

```
        }
        tx_org_jobcat < .tx_org_job
        tx_org_news {
            PAGE_TSCONFIG_IDLIST = 43,50
            PAGE_TSCONFIG_ID      = 50
        }
        tx_org_newscat < .tx_org_news
        tx_org_service {
            PAGE_TSCONFIG_IDLIST = 43,52
            PAGE_TSCONFIG_ID      = 52
        }
        tx_org_servicecat < .tx_org_service
        tx_org_staff {
            PAGE_TSCONFIG_IDLIST = 43,51
            PAGE_TSCONFIG_ID      = 51
        }
        tx_org_staffcat < .tx_org_staff
    }
    tx_org_cal           < .tx_org_cal_all_tables
    tx_org_calentrance  < .tx_org_cal_all_tables
    tx_org_calspecial   < .tx_org_cal_all_tables
    tx_org_caltype      < .tx_org_cal_all_tables
    tx_org_downloads    < .tx_org_cal_all_tables
    tx_org_downloadscat < .tx_org_cal_all_tables
    tx_org_downloadsmedia < .tx_org_cal_all_tables
    tx_org_event         < .tx_org_cal_all_tables
    tx_org_headquarters < .tx_org_cal_all_tables
    tx_org_location      < .tx_org_cal_all_tables
    tx_org_job           < .tx_org_cal_all_tables
    tx_org_jobcat        < .tx_org_cal_all_tables
    tx_org_news          < .tx_org_cal_all_tables
    tx_org_newscat       < .tx_org_cal_all_tables
    tx_org_service        < .tx_org_cal_all_tables
    tx_org_servicecat    < .tx_org_cal_all_tables
    tx_org_staff          < .tx_org_cal_all_tables
    tx_org_staffcat       < .tx_org_cal_all_tables
}
// organiser tables
// TCEFORM

///////////////////////////////
// TCEMAIN

TCEMAIN {
    clearCacheCmd = pages
    permissions {
        // 1: organiser
        groupid = 1
        group    = show,edit,delete,new,editcontent
    }
}
// TCEMAIN

///////////////////////////////
// MOD

mod {
    web_list {
        // Deny all tables!
        allowedNewTables = xxx
    }
}
// MOD

// Created by ORGANISER INSTALLER at 2014-11-22 10:55:21 -- END
```

Sysfolder Calendar (here: pid 34)

```
// Created by ORGANISER INSTALLER at 2014-11-22 10:55:21 -- BEGIN

mod {
    web_list {
        allowedNewTables (
            tx_org_cal,
            tx_org_calentrance,
            tx_org_calspecial,
            tx_org_caltyp,
            tx_org_tax
        )
    }
}

// Created by ORGANISER INSTALLER at 2014-11-22 10:55:21 -- END
```

CSS

Remove the default CSS

The Organiser and the other used TYPO3 extensions are adding a default CSS file to your website. If you don't like it, please configure

```
plugin.tx_browser_pi1._CSS_DEFAULT_STYLE
...
page.includeCSS...           <- Look for EXT:browser/..., EXT:caddy/..., EXT:org/...
```

Add your own CSS

If you like to have an own CSS file, you can upload it in the folder fileadmin for example. You have to add the CSS file like in the snippet below.

```
page.includeCSS.myCss = fileadmin/...
```

SEO and RealUrl

Please refer to the section "SEO – Search Engine Optimisation" on page 25 above.

DRS – Development Reporting System

Because the Organiser is based on the Browser – TYPO3 without PHP –, the Organiser is supported by the DRS – the Development Reporting System. You enable the DRS with the extension manager of the Browser. If the DRS is enabled, you will receive a report in the backend. It is supporting you in case of errors or if you like to develop the Organiser.

Reference

It is recommended to use the Constant Editor for managing TypoScript properties!

The Organiser hasn't any own plugin. If you like to configure TypoScript directly please use

```
plugin.tx_browser_pil {  
    ...  
}
```

Completely browser reference

You find an overview with a manual in detail and all tutorials with the Browser – TYPO3 without PHP – here:

- Browser manuals and tutorials
<http://typo3-browser.de/en/browser-tutorials/>

Upgrades

From version < 6.0

Non possible

Bad news: It isn't possible to upgrade from a former version to 6.x. I'm sorry.

Reasons

The relation management is simplified: All relations need one table only, in the past each relation had needed an own table. See details in the section "One table for all relations" on page 55 below.

The Organiser took some new conventions from TYPO3 6.x. In the follow TypoScript templates got another path.

The Organiser has new CSS classes, because of the movement to a responsive Shop.

The table department is removed. See "Departments (tx_org_department) are removed" on page 55 below.

All Organisers fields in fe_users are removed, all relations to fe_users are removed. See ""Frontend users" (fe_users) are removed" on page 55 below.

Workflow

If you upgrade to version 6.x, please don't remove the former relation tables. Migrate the former relation data to the new relation table.

Include the lost static templates again.

Include the needed static templates for foundation or create your own CSS.

Alternative: Install a new Quick Shop with the Quick Shop Installer. Move your items and categories to the new item folder. Link each item to the proper categories again.

Symplyer

The names of the property parameters has changed. Please update the simplfyer properties.

- Admin Tools > Extension Manager > Organiser (org) > [simplfyer]

Support

- If you have a need for an upgrade, maybe you have some hundred items, you can get professional support by the developer. See "Professional Support" on page 65 below.

Update your database!

You have to upgrade your database.

Be aware that you can lose data, if you are removing tables and fields.

- Web modul > SYSTEM > Install
- Important actions: [Compare current database with specifications]

Update from < 3.x

Add new Tables and Fields




Illustration 54: Update the Organiser within your Extension Manager

1. Modul: Admin Tools > Extension Manager
2. Edit area: Select the Organiser (org)
3. Select the tab [Configuration]
4. Click [Update]

Sometimes you don't see the list of "Add fields". Please click the [Update]button once: You will see the list "Add fields". If not, there is nothing to do.

Check included static templates!

There was a bug in version below 2.1: the paths to some TypoScript templates were without an ending slash.

This bug is fixed with version 2.1.

Because of this bugfix you must include some static templates again after an update to 2.1.x.

Please check your included templates!

Effected templates:

- static/calendar/201/expired +Org: Calendar +expired
- static/downloads/301 +Org: Downloads
- static/downloads/311 +Org: Downloads – Top 5
- static/downloads/302 +Org: Downloads categories
- static/headquarters/501 +Org: Headquarters
- static/headquarters/511 +Org: Headquarters – margin
- static/location/701 +Org: Locations
- static/location/711 +Org: Locations – margin
- static/news/401 +Org: News
- static/news/411 +Org: News – margin
- static/news/499 +Org: News (RSS)

TYPO3 < 4.7: Include the 4.6 template

If you are run TYPO3 with a version smaller than 4.7, you have to include the static template

- +Org: Basis for TYPO3 < 4.7 (obligate!)

Please include it below (after) all other Organiser templates!

Install cps_tcatree

Organisers news categories are ordered in a tree from version 3.0.

You need the extension

- Record tree for TCA (cps_tcatree)

Maintain the plugins / flexforms

The Organiser from version 3.0.1 doesn't need any own HTML template. See "Any own HTML template for list views and single views" on page 57 below. Up to version 2.1 the Organiser needs for each view two templates.

But you have to need update each plugin with an Organiser template.




Illustration 55: Invalid template value after the update




Illustration 56: Please select the template "Main" or "Margin"

The Browser is provided with the two templates:

- Main and
- Margin

Main is the template for rich content: the plugin is placed in the content area of your website usually. The HTML code supports the styling by jQuery UI themes.

Margin is the template for reduced content: the plugin is placed in the marginal columns of your website usually. The HTML code is small. It doesn't support AJAX, the index browser, the page browser nor jQuery UI themes. The margin HTML template doesn't contain the needed HTML code for a single view.

Move from wt_cart to Caddy

It is recommended to move from the former shopping cart wt_cart to the current shopping cart Caddy.

Please replace all wt_cart plugins with Caddy plugins.

Remove wt_cart templates and include the static templates for Caddy.

Maybe the best is, to install the Organiser with the Organiser Installer, and move the generated Caddy pages near to the former wt_cart pages.

The Quick Shop manual has a section, how to update from wt_cart to Caddy manually. Please refer to

- Quick Shop (quick_shop)
http://typo3.org/extensions/repository/view/quick_shop/

Sorry for missing more detailed information.

Check the Browser-Update-Wizard!

Please check with the Update Wizard of the Browser – TYPO3 without PHP – if your configuration is proper.



Illustration 57: The TYPO3-Browser Update Wizard

1. Modul: Admin Tools > Extension Manager
2. Edit area: Select the Browser – TYPO3 without PHP (browser)
3. Select the tab [Configuration]
4. Select Category [UPDATE WIZARD]
5. Copy your current IP and ...
6. paste it into the field with the list of the allowed IPs
7. Click [UPDATE]

If you reload your page with an Organiser content you will get a report.

+AOE link handler configurator

Please update the link handler configuration.

SEO Dynamic Tag 2

Please update the configuration of SEO Dynamic Tag 2.

SQL Migration

This section is relevant only, if you like to migrate data from a deprecated Organiser version¹ into the Organiser 6.x.

This section is under construction.

fe_groups, fe_users -> tx_org_staff, tx_org_staffgroup

The sample below is based on a fe_users table, which contains only Organiser users.²

Remove users and groups

tx_org_staff and tx_org_staffgroup must be empty.

If they aren't empty, the best way is, to remove all records supported by the backend. See the folder "staff". If you are remove all records in this folder, all related files like images will remove too.

After removing please empty the recycler (see modul WEB > Recycler).

A SQL statement (not recommended):

- TRUNCATE tx_org_staff;
- TRUNCATE tx_org_staffgroup;

Remove relations

Check, if relations are removed.

A SQL statement is:

- SELECT * FROM `tx_org_mm_all` WHERE `table_local` LIKE '%staff%' OR `table_foreign` LIKE '%staff%';

If this statement returns records, please remove this records with

- DELETE FROM `tx_org_mm_all` WHERE `table_local` LIKE '%staff%' OR `table_foreign` LIKE '%staff%';

Migrate groups

```
INSERT INTO tx_org_staffgroup (uid, pid, tstamp, crdate, cruser_id, title, hidden, deleted)  
SELECT uid, pid, tstamp, crdate, cruser_id, title, hidden, deleted FROM fe_groups;
```

Migrate users

```
INSERT INTO tx_org_staff (crdate, cruser_id, deleted, hidden, contact_email, endtime, contact_fax, name_first, image,  
name_last, pid, starttime, contact_phone, title, tstamp, tx_org_downloads, tx_org_headquarters, imagecaption, imageseo,  
tx_org_news, bodytext, uid, tx_org_staffgroup, url)
```

```
SELECT crdate, cruser_id, deleted, disable, email, endtime, fax, first_name, image, last_name, pid, starttime, telephone,  
name, tstamp, tx_org_downloads, tx_org_headquarters, tx_org_imagecaption, tx_org_imageseo, tx_org_news,  
tx_org_vita, uid, usergroup, www FROM fe_users;
```

The SQL statement above doesn't copy all data from fe_users to tx_org_staff.

Don't remove fe_users records yet, because we will need it later probably.

Migrate relations

Groups

```
SELECT uid, usergroup FROM fe_users ORDER BY usergroup;
```

Copy the result into a calculator sheet like Excel or Libre Office.

If there is more than one relation per a record, please edit this record like in the sample below:

uid	usergroup
3	4,15

will become

uid	usergroup
3	4

¹ All versions below 6.x are deprecated.

² It's possible, that the fe_users table contains other users to – for example for frontend editing. Take care to not to remove these records.

3 15

Code a SQL statement ,like in the sample below:

```
INSERT INTO tx_org_mm_all (uid_local, uid_foreign, table_local, table_foreign) VALUES
(1, 4, 'tx_org_staff', 'tx_org_staffgroup'),
(4, 4, 'tx_org_staff', 'tx_org_staffgroup'),
...
(204, 25, 'tx_org_staff', 'tx_org_staffgroup');
```

News

Relation is from tx_org_news (local) to tx_org_staff (foreign).

```
INSERT INTO tx_org_mm_all (uid_local, uid_foreign, sorting, sorting_foreign, table_local, table_foreign)
SELECT uid_foreign, uid_local, sorting_foreign, sorting, 'tx_org_news', 'tx_org_staff' FROM fe_users_mm_tx_org_news;
```

Departments

In the sample below

- the former department groups become the parent object of all former departments
- all former department groups and all former departments will move to the companies table
- all former departments haven't any images
- all former companies will hide

Maybe this isn't true in your migration case.

Departmentscat

```
INSERT INTO tx_org_headquarters (migrateduid, migratedtable, pid, tstamp, crdate, cruser_id, sorting, deleted, hidden, title)
SELECT uid, 'tx_org_departmentcat', pid, tstamp, crdate, cruser_id, sorting, deleted, hidden, title FROM
tx_org_departmentcat;
```

Departments

```
INSERT INTO tx_org_headquarters (crdate, cruser_id, deleted, description, documents, documents_from_path,
documentscaption, documentslayout, documentssize, email, embeddedcode, fax, fe_group, fe_users, hidden, image,
image_compression, image_effects, image_frames, image_link, image_noRows, image_zoom, imageborder, imagecaption,
imagecaption_position, imagecols, imageheight, imageorient, imageseo, imagewidth, keywords, l10n_diffsource,
l10n_parent, manager, pages, pid, sorting, sys_language_uid, telephone, title, tstamp, tx_org_cal, tx_org_news,
migrateduid, url, migratedtable)
```

```
SELECT crdate, cruser_id, deleted, description, documents, documents_from_path, documentscaption, documentslayout,
documentssize, email, embeddedcode, fax, fe_group, fe_users, hidden, image, image_compression, image_effects,
image_frames, image_link, image_noRows, image_zoom, imageborder, imagecaption, imagecaption_position, imagecols,
imageheight, imageorient, imageseo, imagewidth, keywords, l10n_diffsource, l10n_parent, manager, pages, pid, sorting,
sys_language_uid, telephone, title, tstamp, tx_org_cal, tx_org_news, uid, url, 'tx_org_department' FROM
tx_org_department;
```

uid_parent

Internal documentation: tx_org_departments.ods > uid_parent

manager

Internal documentation: tx_org_departments.ods > manager

news

Internal documentation: tx_org_departments.ods > news

staff

Internal documentation: tx_org_departments.ods > staff

Migrate images

```
SELECT image FROM fe_users WHERE image <> "" LIMIT 0 , 1000;
```

Copy the image values into a calculator sheet like Excel or Libre Office.

Get the copy statement for all images like in the sample below. The last row is the result of a formula like:

```
=CONCATENATE("cp -a ",B2,A2," ",C2)
```

```
my_image.jpg | uploads/pics/ | uploads/tx_org/ | cp -a uploads/pics/my_image.jpg uploads/tx_org/
```

Copy all formula into the console of your server.

What's new?

7.0

Leaflet

[7.0.0]

Integration of Leaflet, a mobile-friendly interactive map (responsive). See details at

- <http://leafletjs.com/features.html>

RSS feeds

[7.0.6]

- jobs got a RSS feed
- calender got a RSS feed

6.0

Alias for showUid

[6.0.0]

The URL parameter showUid is moved to itemUid. This avoids conflicts, if you are using the TYPO3-frontend-engine Browser – TYPO3 without PHP – for other issues too.

Automatically installation of fixed extensions

[6.0.0]

The Organiser 6.x needs some extensions, that are broken in TYPO3 6.2 and can't update by a download of the TYPO3 Repository unfortunately.

The Organiser installs fixed versions of these extensions automatically. These extensions are:

- cps_devlib
- cps_tcatree
- linkhandler¹

One table for all relations

[6.0.0]

Relation management is simplified:

- tx_quickshop_products_category_mm
- tx_quickshop_products_dimension_mm
- tx_quickshop_products_material_mm

Are replaced by

- tx_quickshop_mm

Departments (tx_org_department) are removed

[6.0.0]

Departments (tx_org_department) are removed.

"Frontend users" (fe_users) are removed

[6.0.0]

Organiser staff was managed by the frontend users table fe_users. The Organiser 6.0 has the new table people

¹ Sorry, the latest version of the linkhandler has a bug too currently.

(tx_org_staff). All Organiser fields in fe_users and all relations to the fe_users are removed.

Georeferencing automatically

[5.0.0]

The address data of the both tables headquarters and locations can georeferenced automatically.

Jobs

[6.0.0]

New table and templates (TypoScript and HTML) for managing jobs.

Newsletter for Jobs

[5.0.15]

The job table got a newsletter field. The Organiser got a template for a job newsletter. Newsletter is based on Direct Mail.

People

[6.0.0]

Own table for managing people and staff.

Responsive

[6.0.0]

Quick Shop (display of items) and Caddy (ordering and payment) are responsive. Both are using the responsive framework Foundation.

Services

[6.0.0]

New table and templates (TypoScript and HTML) for managing services.

Teaser fields

[6.0.0]

Teaser fields for list views. If a teaser field contains content, this content will display in list views. If it is empty, the content of the title and short will display.

Type is respected in maps

[5.0.10]

The value of the type field of an record is respected in Browser Maps automatically.

Values are: no link, single view, internal page and external URL.

Type No Link

[5.0.10]

All tables are extented with the type "no link". If "no link" is enabled, a record is visible in list views any link neither to a single view, a internal page nor an external URL.

TYPO3 6.2

[6.0.0]

Quick Shop is upgraded for TYPO3 6.2

Unique uid

[6.0.0]

The Quick Shop view got an unique uid. It is moved from 1 to 62037. This avoids conflicts, if you are using the TYPO3-frontend-engine Browser – TYPO3 without PHP – for other issues too.

4.0

Hierarchical Companies

[4.1.0]

You can order companies hierarchical (backend only).

Hierarchical Companies Categories

[4.1.0]

You can order companies categories hierarchical. The

Radial Search Sample (Umkreissuche)

[3.4.0]

Companies has a Radialsearch sample. You have to import the needed postal code data (one click). See:

- TER: <http://typo3.org/extensions/repository/view/radialsearch>
- Manual (PDF): <http://typo3-route.de/typo3conf/ext/radialsearch/doc/manual.pdf>
Look for the section "Import postal code data"

TYPO3 6.1

[4.0.0]

Fit it into TYPO3 6.1

3.0

Any own HTML template for list views and single views

[3.0.1]

The Organiser from version 3.0.1 doesn't need any own HTML template for a list view nor for a single view. Upto version 2.1 the Organisers has needed 15 HTML templates.

Any own HTML template is a big advantage, if you have a need to change something in the HTML code in the Organiser templates or in your templates.

Because of this new feature, unfortunately you have to update each plugin / flexform, which is using the Organiser. See "Maintain the plugins / flexforms" on page 50 above.

Caddy

[3.3.3]

Caddy replaces wt_cart. Variants aren't buggy any longer, you don't need any inofficial fixed wt_cart version. Caddy has some new features like a powerful plugin and PDF attachments among others.

Flip it!

[3.1.0]

The Organiser has TYPO3 Flip it! integrated. You can page flip in PDF files like in real magazines.

jQuery theme support

[3.0.0]

All HTML templates and all TypoScript templates are improved for jQuery themes. You can select one of 23 themes with the plugin / flexform of the TYPO3 browser.

HTML5 support

[3.0.0]

The Organiser supports HTML5 from TYPO3 4.7 in principle. See "People" on page 18 above.

News categories as tree view

[3.0.0]

News categories are ordered in a tree view in the backend and in the frontend.

Powermail version 1.x and 2.x

[3.3.3]

The Organiser can handle Powermail in both versions – 1.x and 2.x.

SEO Dynamic Tag

[3.3.0]

The Organiser has SEO Dynamic Tag 2 integrated.

Smart Extension Manager

[3.0.0]

The extension manager checks your TYPO3 version. Depending on your version you will get helpful prompts.

2.1

Tip: See Change log from 2.0 to 2.1

BrowserMaps and OpenStreetMap

[2.1.7]

The tables companies and companiescat are ready for use with BrowserMaps. They got some fields in context with georeferencing.

See

- "Companies with categories, icons and offsets" on page 58 below <http://typo3-browser.de/en/browsermaps/>

Departments with multiple managers

[2.1.5]

A department can get more than one manager. Relation to fe_users is moved from 1:1 to 1:n.

Download Manager

[2.0.15, 2.0.9]

Organiser manages your downloads. Visits and downloads will be counted. Download links are controlled by the fe_user access management. Organiser provides a TOP 5 plugin for the most downloaded documents.

Companies with categories, icons and offsets

[2.1.7, 2.1.4, 2.1.3]

The table companies got a category table and a field for a longitude and a latitude. It is best prepared for use BrowserMaps – the Maps modul of the Browser – TYPO3 without PHP. The companies category table manages icons. The icons are used in the map and in the filter for the map.

jQuery

[2.0.15]

Integration jQuery UI

2.0

fe_groups Relation

[2.0.1]

Relations between

- fe_user.usergroup -> fe_groups.uid
fe_groups.subgroup -> fe_groups.uid

can be configured by the extension manager and page TSconfig. See XXX.

Localisation

[2.0.0]

All Organiser tables are localised.

Record browser

[2.0.0]

All Organiser single views got a record browser.

FAQ

Bugs

I get a SQL-error reported by the Browser – TYPO3 without PHP

If you get this error after an update of the Organiser, please update the Organiser within the Extension Manager.

See

- TYPO3 6.x: "Update your database!" on page 48 above.
- TYPO3 4.x: "Add new Tables and Fields" on page 49 above.

I get an empty page

One possible cause can be less memory. Please increase the memory_limit of your PHP ini.

```
// TYPO3 organiser
php_admin_value memory_limit 60M
```

Enable display errors in the TYPO3 install tool.

Images are rendered without a caption

There are some changes in handling images from TYPO3 4.6 to 4.7. Please refer to ... [Sorry, no hint]

I get an unknown bug

If you get an unknown bug,

- please post a ticket on <http://forge.typo3.org/projects/extension-org>
- or post it at the Organiser forum on <http://forum.typo3-organiser.de/>

Configuration

How do I check the configuration?

You can check the configuration with this tools:

- Modul: Admin Tools > Configuration > \$TCA (Table configuration array)
 - Look for the table, array 'columns', the field, array 'config' and the field 'foreign_table_where'
See example \$TCA below
- Modul: Web > Info > page tree: some Organiser directory > edit area: page TSconfig > TCEform.
 - Look for the table, field and , array 'config' and PAGE_TSconfig_IDLIST or PAGE_TSconfig_ID
See example page TSconfig below

Example \$TCA

```
$TCA['tx_org_repertoire']['columns']['actor']['config']['foreign_table_where'] =
'AND fe_users.pid IN (###PAGE_TSconfig_IDLIST###) ORDER BY fe_users.name';
```

Example page TSconfig

```
[tx_org_repertoire]
  • [actor]
    • [PAGE_TSconfig_IDLIST] = 114,18
```

Has the order of TypoScript templates any effect?

The most of this section is applicable, but it regards to Organiser 4.x and is deprecated!

Yes, it has.

Below you see a default ordering.

1. CSS Styled Content (css_styled_content)
2. Browser (browser)
3. Org: Basis (obligated) (org)
4. +Org: Management (org)
5. +Org: Management – Rand (org)
6. +Org: ...
7. Your Templates
8. +Browser (no cache) (browser)

The rule for ordering is clear:

- If template A should override values in template B, you have to locate A below B.

The rules for ordering in the example above:

- The Browser is able to override properties in CSS Styled Content
- The Organiser basic template is overriding or extending properties in Browser
- The additional Organiser templates (+Org) are extending the Browser and Organiser templates
- You have to locate your templates below all Browser and Organiser templates.
- If you are using the Browser plugin for no caching, you need the template: Browser (no cache). This template has to be the last in every case!

Status

Why is TYPO3 Organiser beta?

The Organiser hasn't any own plugin and hasn't any PHP code for processing frontend data.

But the Organiser has a very complex TCA array. It wasn't possible to test all possibilities in different installations. We can't wave, that there will be errors in the backend like this: you can't link from one Organiser record to another.

If you get any bug, please report it to us. See section "Forum" on page 63 below.

Store record configuration

You can configure the "visibility" of organiser records in backend forms with the extension manager and in dependence on the extension manager in the page TSconfig.

Visibility means:

If you are linking from one Organiser record to another Organiser record, you will see all Organiser records of the current TYPO3 installation.

But if you have a website with different Organiser applications, you don't want to see all Organiser records: you like to see only Organiser records of the current application.

See

- Controlling by the extension manager on page 30 above

Store fe_groups configuration

You can configure the "visibility" of fe_groups records in backend forms with the extension manager and in dependence on the extension manager in the page TSconfig.

Visibility means:

If you are adding a new fe_user or if you are editing a fe_user, all fe_groups will displayed in the fe_groups field.

But if you have a website with different Organiser applications, you don't want to see all fe_groups records: you like to see only fe_groups records of the current Organiser application.

See

- Controlling by the extension manager on page 30 above

Helpful suggestions and benefits

Forum

If you have helpful suggestions, feel free to publish any question, bug or code snippet on

- TYPO3 Organiser forum at
<http://forum.typo3-organiser.de/>

Posts are welcome in English and German.

Packages for Sponsors

Your donation and sponsoring is welcome.

Please order a package for sponsors at

- English: <http://typo3-organiser.de/en/sponsoring/>
- German: <http://typo3-organiser.de/sponsoring/>



Fun – 50 EUR



You like to treat the TYPO3 Organiser project.

You don't expect any equivalent. No logo. No service.

Throw 50 EUR or any other old sum into the cash box.

You will get a receive. You can set the amount off against tax liability.

Logo – 150 EUR



You are treating the TYPO3 Organiser project and you like to be a guide for others.

Your logo will appear in the manual, at the website and in the extension manager of the Organiser.

The period of validity is limited to one year.

You will get a receive. You can set the amount off against tax liability.

You can pay more than 150 EUR.

Patron – 500 EUR



You are the patron. You are treating TYPO3 Organiser project and you like to pay the developer more than best for two hours service.

Your logo will appear in the manual, at the website and in the extension manager of the Organiser.

You can book the developer of the Organiser for two hours.

The period of validity for both – the logo and the two hours – is limited to one year. If you don't use the two hours in this period, you will lost it.

You will get a receive. You can set the amount off against tax liability.

You can pay more than 500 EUR.

Further Information

Demo website

You find a Organiser demo at

- <http://typo3-organiser.de>

Manual and tutorial in PDF

You find this manual and the tutorial in PDF format at

- doc/manual.pdf
- doc/tutorial.pdf

Professional Support

If you need professional support, please contact the Developer:

- Dirk Wildt
<http://wildt.at.die-netzmacher.de/>

E-Mails are welcome in English and German.

Other extensions published by Die Netzmacher

-  +AOE Linkhandler Configurator: Configure the AOE linkhandler supported by userinterfaces. Out-of-the-box templates for cal, org, tt_news and tt_products. Don't edit page TSconfig any longer.
<http://typo3.org/extensions/repository/view/linkhandlerconf/>
-  autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU.
<http://typo3.org/extensions/repository/view/autositemap/>
-  Browser – TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need one line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. <http://typo3.org/extensions/repository/view/browser/>
-  Caddy – the TYPO3 shopping cart. You can use it for your own needs. You need a database with products or any other items only. You can install Caddy out of the box with one mouse click – see Quick Shop below.
<http://typo3.org/extensions/repository/view/caddy/>
-  Deal! – TYPO3 Quick Shop interface for the marketplace ebay. Manage all items with TYPO3 and publish it on ebay. Amazon is under construction.
<http://typo3.org/extensions/repository/view/deal/>
-  Duty – collection of helpful scheduler tasks. Here: remove deprecated files from directories.
<http://typo3.org/extensions/repository/view/duty/>
-  Flipt it! offers lovely and smooth page flip transitions. It enables you to run over pages in PDF documents like in a real magazine. It is based on flash. Flipt it! can convert PDF documents to swf files automatically.
<http://typo3.org/extensions/repository/view/flipt/>
-  Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can be configured by the Browser plugin with the mouse. Job Market hasn't any PHP code, it should be easy to adapt it to your needs.
http://typo3.org/extensions/repository/view/job_market/
-  Organiser – TYPO3 for the lobby and the organisers. Handle news, events, staff, headquarters, locations, workshops and a calendar with one extension. Sell online tickets! Install the Organiser with one mouse click!
<http://typo3-organiser.de/>
-  Quick Shop – the fastest shop in the history of TYPO3. Install it with one mouse click! Quick Shop is based on the browser (see above) and powermail.
<http://typo3-quick-shop.de/>
-  PDF Controller: Easy to install. Add to your HTML page the PDF-controller-button. Link from the button to the controller. Adjust the controller by mouseclicks. The PDF Controller supports CSS 3.
<http://typo3-pdfcontroller.de/>
-  Radial Search (Umkreissuche) – Enable the browsing through your data by geo location. Your data must have a latitude and a longitude. Address data can be geocoded automatically by the Browser - TYPO3 without PHP.
<http://typo3.org/extensions/repository/view/radialsearch/>
-  Route – Publish your routes with GoogleMaps or OpenStreetMap. Routes have points of interest (POI). You can categorise and filter both: routes and POI. Address data can be geocoded automatically.
<http://typo3.org/extensions/repository/view/route/>
-  seo_dynamic_tag: Search Engine Optimization for the title tag, the canonical tag and the meta tags author, description and keywords. Configuration by a user interface.
http://typo3.org/extensions/repository/view/seo_dynamic_tag/
-  Slick - jQuery Carousel: Fully responsive. Scales with its container. Separate settings per breakpoint. Uses CSS3 when available. Swipe enabled. Desktop mouse dragging. Infinite looping. Fully accessible.
<http://typo3.org/extensions/repository/view/slick/>
-  TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig properties with the mouse - like page tree uids, activated extended view, activated clipboard, ...
<http://typo3.org/extensions/repository/view/tsconf/>

Removing deprecated Relations

It is necessary, to remove records in the relation table tx_org_mm_all manually, if you have removed Organiser pages without removing Organiser records before.

Copy tx_org_mm_all

Copy tx_org_mm_all to tx_org_mm_all_source.

You need tx_org_mm_all_source for

- reference table for DELETE
- and as a backup

Get all tables

```
SELECT table_local FROM `tx_org_mm_all` GROUP BY table_local ORDER BY table_local;
```

tx_org_cal

```
SELECT * FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM tx_org_mm_all left_tbl LEFT JOIN tx_org_cal right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE right_tbl.uid IS NULL AND left_tbl.table_local = 'tx_org_cal') AND table_local = 'tx_org_cal' ORDER BY uid_local
```

```
DELETE FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM tx_org_mm_all_source left_tbl LEFT JOIN tx_org_cal right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE right_tbl.uid IS NULL AND left_tbl.table_local = 'tx_org_cal') AND table_local = 'tx_org_cal'
```

tx_org_downloads

```
SELECT * FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM tx_org_mm_all left_tbl LEFT JOIN tx_org_downloads right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE right_tbl.uid IS NULL AND left_tbl.table_local = 'tx_org_downloads') AND table_local = 'tx_org_downloads' ORDER BY uid_local
```

```
DELETE FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM tx_org_mm_all_source left_tbl LEFT JOIN tx_org_downloads right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE right_tbl.uid IS NULL AND left_tbl.table_local = 'tx_org_downloads') AND table_local = 'tx_org_downloads'
```

tx_org_event

```
SELECT * FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM tx_org_mm_all left_tbl LEFT JOIN tx_org_event right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE right_tbl.uid IS NULL AND left_tbl.table_local = 'tx_org_event') AND table_local = 'tx_org_event' ORDER BY uid_local
```

```
DELETE FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM tx_org_mm_all_source left_tbl LEFT JOIN tx_org_event right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE right_tbl.uid IS NULL AND left_tbl.table_local = 'tx_org_event') AND table_local = 'tx_org_event'
```

tx_org_headquarters

```
SELECT * FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM tx_org_mm_all left_tbl LEFT JOIN tx_org_headquarters right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE right_tbl.uid IS NULL AND left_tbl.table_local = 'tx_org_headquarters') AND table_local = 'tx_org_headquarters' ORDER BY uid_local
```

```
DELETE FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM tx_org_mm_all_source left_tbl LEFT JOIN tx_org_headquarters right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE right_tbl.uid IS NULL AND left_tbl.table_local = 'tx_org_headquarters') AND table_local = 'tx_org_headquarters'
```

tx_org_headquarters.manager

```
SELECT * FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM tx_org_mm_all left_tbl LEFT JOIN tx_org_headquarters.manager right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE right_tbl.uid IS NULL AND left_tbl.table_local = 'tx_org_headquarters.manager') AND table_local = 'tx_org_headquarters.manager' ORDER BY uid_local
```

```
DELETE FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM tx_org_mm_all_source left_tbl LEFT JOIN tx_org_headquarters.manager right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE right_tbl.uid IS NULL AND left_tbl.table_local = 'tx_org_headquarters.manager') AND table_local = 'tx_org_headquarters.manager'
```

tx_org_location

```
SELECT * FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM tx_org_mm_all
left_tbl LEFT JOIN tx_org_location right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE right_tbl.uid IS NULL AND
left_tbl.table_local = 'tx_org_location') AND table_local = 'tx_org_location' ORDER BY uid_local
```

```
DELETE FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM
tx_org_mm_all_source left_tbl LEFT JOIN tx_org_location right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE
right_tbl.uid IS NULL AND left_tbl.table_local = 'tx_org_location') AND table_local = 'tx_org_location'
```

tx_org_news

```
SELECT * FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM tx_org_mm_all
left_tbl LEFT JOIN tx_org_news right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE right_tbl.uid IS NULL AND
left_tbl.table_local = 'tx_org_news') AND table_local = 'tx_org_news' ORDER BY uid_local
```

```
DELETE FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM
tx_org_mm_all_source left_tbl LEFT JOIN tx_org_news right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE right_tbl.uid
IS NULL AND left_tbl.table_local = 'tx_org_news') AND table_local = 'tx_org_news'
```

tx_org_staff

```
SELECT * FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM tx_org_mm_all
left_tbl LEFT JOIN tx_org_staff right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE right_tbl.uid IS NULL AND
left_tbl.table_local = 'tx_org_staff') AND table_local = 'tx_org_staff' ORDER BY uid_local
```

```
DELETE FROM tx_org_mm_all WHERE uid_local = ANY (SELECT left_tbl.uid_local AS left_tbl_uid FROM
tx_org_mm_all_source left_tbl LEFT JOIN tx_org_staff right_tbl ON left_tbl.uid_local = right_tbl.uid WHERE right_tbl.uid IS
NULL AND left_tbl.table_local = 'tx_org_staff') AND table_local = 'tx_org_staff'
```

Known Bugs

AOE Link Handler

ERROR prompt

Oops, an error occurred!
Invalid form/module token detected. Access Denied!

Context

If you are clicking on an item in the page tree of the link wizard.

Details

<https://forge.typo3.org/issues/63088>

Change Log

- 7.0.7 **Improvement**
* #i0053: Update the manual
- 7.0.6 **Features**
* #i0052: jobs got a RSS feed
* #i0051: calender got a RSS feed
Improvements
* #i0050: news: RSS feed runs proper
- 7.0.2 **Bugfix**
* #61797: Unproper results depending on search without zip
- 7.0.1 **Improvements**
* #i0049: SQL select of single views: image is extended with all image fields
- 7.0.0 **Major Feature**
* #65185: Integration of Leaflet - responsive map
- 6.0.1 **Feature**
* #63111: Categories for locations
Improvements
* #i0029: Optimise all maps for touchscreens
- 6.0.0 **Major Features**
* #62019: Staff management by tx_org_staff
 * Relations to fe_users are replaced
 * No support for fe_users any longer
* #62018: Improve tx_org_downloads
 * for Browser 6.0
 * Foundation
* #61827: tx_org_caltypes: +icons
* #61826: + Events
* #61819: Improve cal (foundation, TypoScript)
* #61793: Improve Companies (Headquarters: Foundation, TypoScript)
* #61696: Improve templates
* #61248: Compatibility with TYPO3 CMS 6.2.x
* #61661: Extension Initialisation
Improvements
* #61856: Move all fields description and keywords to seo_description and seo_keywords
* #i0028: graded from beta to alpha
* #i0027: tx_org_departments is removed
- 5.0.15 **Feature**
* #60527: tx_org_job:
 * newsletter template / view
* #i0026: tx_org_job:
 * new field: newsletter
- 5.0.14 **Feature**
* #i0025: Configuration for the job application form (powermail).
- 5.0.13 **Feature**
* #i0024: SEO fields enabled for search: tx_org_job and tx_org_service got seo fields in the select for list views.
- 5.0.12 **Feature**
* #i0023: CSS foundation job and service
- 5.0.11 **Feature**
* #i0022: Jobs details view
- 5.0.10 **Feature**
* #60142: New type: nolink
- 5.0.9 **Feature**
* #i0021: Adaptions for the 2nd and 3rd image and url template of the Browser - TYPO3 without PHP (5.0.5)
- 5.0.8 **Improvements**

* #i0020: job and service got radialserach distance and radialssearch class

5.0.7 **Feature**

* #i0019: Got fields for icons:
* tx_org_jobcat
* tx_org_jobsector
* tx_org_jobworkinghours

Improvements

* #59361: Jobs TypoScript listview

5.0.6 **Feature**

* #i0018: Adapting template tx_org_service for Browser - TYPO3 without PHP (5.0.3)

5.0.5 **Feature**

* #i0017: Adapting template tx_org_service for Browser - TYPO3 without PHP (5.0.1)

5.0.4 **Feature**

* #i0016: Got backend thumbnails:
* tx_org_job
* tx_org_service
* tx_org_staff

5.0.3 **Improvements**

* #i0015: ext_tables.sql
* NOT NULL without default value is removed

* #i0014: tx_org_staff: TCA

Bugfix

* #i0013: tx_org_staff: TCA default_sortby

5.0.2 **Improvements**

* #i0012: tx_org_cal
* types (updated)
tx_org_headquarters
* New fields
* types (new)
tx_org_jobs
* New fields
* Removed fields
* types (new)
tx_org_location
* types (new)
tx_org_news
* types (updated)
tx_org_staff
* types (new)
tx_org_service
* New fields
* Removed fields
* types (new)

5.0.1 **Major-Features**

* #59362: Services
Improvement
* #i0010: tx_org_job: note is removed
Bugfix
* #i0011: tx_org_job: TCA for dateofentry

5.0.0 **Major-Features**

* #59361: Jobs
Features
* #59461: TCA Search Fields
* #59457 Georeferenced data for locations automatically
* #59456 Georeferenced data for headquarters automatically

Improvement

* #59377: Extension Manager Form: CSS
* #59373: Consolidate file structure

4.1.0 **Feature**

* #58885: Hierarchic headquarters categories

- * #58884: Hierarchic companies (backend only)
- 4.0.0 **Feature**
 - * #58346: Fit it into TYPO3 6.1
- 3.4.1 **Bug**
 - * #53649: addTypoScriptSetup
- 3.4.0 **Feature**
 - * #53245: Radialsearch sample
- 3.3.6 **Bugfix**
 - * #52520: List view cal doesn't respect teaser values**Improvement**
 - * #i0009: tx_browser_pi1[newsUid] > tx_browser_pi1[{\$plugin.tx_browser_pi1.navigation.showUid}]
 - * #i0008: moved from 201/setup.txt to 201/caddy/setup.txt
 - * plugin.tx_browser_pi1.views.single.201.marker.my_form_begin
 - * plugin.tx_browser_pi1.views.single.201.marker.my_form_end
 - * plugin.tx_browser_pi1.views.single.201.tx_org_calentrance
- 3.3.5 **Features**
 - * #52475: Improved configuration of links in e-mails
 - Constant plugin.org.host is removed in constants.txt
 - Constant \$plugin.org.host is replaced by getIndpEnv:TYPO3_REQUEST_HOST in setup.txt
- 3.3.4 **Improvement**
 - * #i0005: Update the manual
- 3.3.3 **Features**
 - * #i0004: template for caddy with flags**Improvements**
 - * #i0006: remove wt_cart properties
 - * #i0005: shopping cart is replaced with caddy
- 3.3.2 **Features**
 - * #51830: Update for Browser 4.6
- 3.3.1 **Feature**
 - * #i0003: Integration of seo_dynamic_tag
- 3.3.0 **Feature**
 - * #50490: Simplify LinkHandlerConfiguration. Integration of linkhandlerconf.
 - * 01: tsConfig > de || default
 - > page.txt is moved to tsConfig > page > tx_linkhandler > de || default
 - * 02: tt_news isn't removed any longer
- 3.2.0 **Feature**
 - * #50445: Simplify PAGE_TSCONFIG_IDLIST and PAGE_TSCONFIG_ID
 - * #50236: Integration of caddy**Improvements**
 - * #i0001: Removing dependency of static_info_tables
- 3.1.8 **Feature**
 - * #49525: Slider for news
- 3.1.7 **Bugfix**
 - * #48871: Form Download and Ordering
- 3.1.6 **Feature**
 - * #45712: Handle PDF > 1.3
- 3.1.5 **Feature**
 - * #45471: Property: Rendering a PDF as a bitmap
- 3.1.4 **Bugfix**
 - * #i0002: Flip it! TYPO3 < 4.7
- 3.1.3 **Improvement**
 - * #i0001: Adapting template 301.flipit to Organiser < 3.1
- 3.1.1 **Feature**
 - * #44654: Flip it! Browse in online documents
 - Flexform evaluation

Bugfix

- * #00000: ERROR: Line 7965: An end brace is in excess.

3.1.0 Feature

- * #44654: Flip it! Browse in online documents
- * #44654: Extend the database and the TCA with fields needed by Flip it!
- * #44657: Flip it! Extend the static template for the needs of Flip it!

3.0.3 Bug

- * #00000: plugin.tx_browser_pi1.views.single.331 is moved from org to org_repertoire

3.0.2 Improvement

- * #00000: ERROR: Line 8145: An end brace is in excess.

3.0.1 Improvement

- * #44136: Remove HTML templates

3.0.0 New Features

- * #43898: HTML5 / CSS Styles Content 4.7
- * #43912: css_styled_content 4.7
- * #43733: Integration of index browser in jQuery UI themes
- * #43641: News categories are ordered in a tree
- * #43636: TypoScript snippets for HTML templates

Improvements

- * #43976: css_styled_content 4.7: improve rendering of download previews
- * #43646: Update wt_cart 1.4.5
- * #43662: Remove jq_fancybox

Bugfixes

- * #43970: img-text: missing div-tag for text
- * #43936: css_styled_content 4.7: caption is missing, because of changed rendering process
- * #43922: Image object alt- and title tag: unproper HTML code

2.1.9 Improvements

- * #00000: Updated dependencies

Manual

- * #00000: Updated

Bugfixes

- * #43507: Invalid argument supplied for foreach()

#35218: dito

Thanks to rbert dalien and Kay Strobach for reporting this bug

Effected files:

- * ext_tables.php

- * #39387: HTML template with wrong name for wt_cart

quantity -> qty

Thanks to Ulfried Herrmann / Die Netzmacher GbR

Effected files:

- * static/calendar/201

- * setup.txt

- * #37456: \$size_headquarters is not declared in the tca.php

Thanks to Tobias H. for report the bug

Effected files:

- * tca.php

2.1.8 Manual

- * #00000: Updated

2.1.7 New Features

- * #42125: OpenStreetMap: offset for categories

New fields

- * tx_org_headquarterscat.icon_offset_x
- * tx_org_headquarterscat.icon_offset_y

Effected files:

- * ext_tables.sql

- * locallang_db.xml

- * tca.php

- * static/department/601

- * constants.txt

- * setup.txt

- 2.1.6 **Improvement**
* #00000: BrowserMaps
Affected files:
* static/headquarters/501/setup.txt
- 2.1.5 **New Feature** (see 0.5.1)
* #00000: departments are allowed to have more than one manager
Affected files:
* ext_tables.sql
* res/html/department/601/default tmpl
* static/department/601/setup.txt
- 2.1.4 **New Feature**
* #00000: Category image for headquarters
Affected files:
* ext_tables.sql
* locallang_db.xml
* tca.php
* static/headquarters/501/constants.txt
* static/headquarters/501/setup.txt
- 2.1.3 **New Feature**
* #00000: Categories for headquarters
Affected files:
* ext_tables.php
* ext_tables.sql
* locallang_db.xml
* tca.php
* res/html/department/601/default tmpl
* static/headquarters/501/constants.txt
* static/headquarters/501/setup.txt
- 2.1.2 **Improvement**
* #32267: new database fields 'archive date' and 'top news' in news
Ulfried Herrmann <<http://herrmann.at.die-netzmacher.de>>
- 2.1.1 **Improvement**
* #00000: \$ICON_TYPES -> t3lib_SpriteManager::addTcaTypeIcon(...)
Affected file: ext_tables.php
- 2.0.20 **Update**
* #00000: Update org.css for Browser 3.9.20: enable five tree views
- 2.0.19 **Update**
* #00000: Update to Browser version 3.9.14
filter.table.field.first_item.value_stdWrap is moved to cObject
Affected files:
* static/calendar/201/expired/setup.txt
* static/calendar/201/setup.txt
* static/downloads/301/setup.txt
* static/headquarters/501/setup.txt
* static/news/401/setup.txt
* static/staff/101/setup.txt
- 2.0.18 **Improvement**
* #34858: Usage of \$ICON_TYPES is deprecated since 4.4.
- 2.0.17 **Improvements**
* #00000: a-z-browser is renamed as index browser
Effects
* CSS : azSelector -> indexBrowser
* HTML templates : AZSELECTOR -> INDEXBROWSER
- Bugfix**
* #34988: Buggy competition of thumbnail and download
* #27642: Calendar without search
- 2.0.16 **Improvement**
* #00000: removed: &##CHASH##, added: useCacheHash = 1
- Bugfix**
* #00000: Bugfix localisation for download icon and download label

- 2.0.15 **New Feature**
- * #34121: TOP 5 template for downloads
 - * #32654: Integration of Open Street Map - Step I
 - Effected tables:
 - * tx_org_headquarters
 - * tx_org_location
 - Effected files:
 - * ext_tables.sql
 - * locallang.db
 - * tca.php
 - * #28562: Integration jQuery UI
 - Effected files:
 - * res/html/location/701/default tmpl
- Maintenance**
- * #31231: Download Manager
 - All userFunc = tx_browser_cssstyledcontent->render_uploads
 - get the drs property
 - * #00000: static/base/setup.txt: plugin.tx_browser_pi1.general_stdWrap >
- 2.0.14 **Maintenance**
- * #00000: TypoScript is adapted to Browser version 3.9.6
 - Properties
 - * ... FILTER.first_item.stdWrap is moved to FILTER.first_item.value_stdWrap
 - * ... FILTER..wrap.item.stdWrap is moved to FILTER.wrap.item.wraps.value.stdWrap
 - Effected files
 - * calendar/201/setup.txt
 - * downloads/301/setup.txt
 - * news/401/setup.txt
- Improvement**
- * #32440: Proper code
 - * #00000: Database field 'datetime end' in calendar is integrated in the TCA
- 2.0.13 **Bugfix**
- * #00000: Download line contains data about the thumbnail and not the real document
- 2.0.12 **Bugfix**
- * #32440: Unassigned array key may lead to a PHP Warning
 - Ulfried Herrmann <<http://herrmann.at.die-netzmacher.de>>
- 2.0.10 **Bugfix**
- * #00000: Configuration for tx_linkhandler has missed
- 2.0.9 **New Feature**
- * #31231: Download Manager
 - * HTML templates for downloads and the shopping cart
 - * TypoScript templates for downloads and the shopping cart
- 2.0.4 **Improvement**
- * new database field 'datetime end' in calendar
- 2.0.3 **Improvement**
- * #00000: fe_users relation to companies is simplified
- 2.0.2 **Improvement**
- * #00000: TypoScript template is adapted to browser version 3.7
 - * a-z_Browser and pageBrowser are moved to navigation
- 2.0.1 **New Features**
- * #00000: Relations to fe_groups are configurable by the extension manager and page TSconfig Improvements
 - * #28939: Localization: Relations between tables are localized
- 2.0.0 **New Features**
- * #27041: Record browser for the single view / Prev-next Switcher in the single view
 - * single views got the marker ###RECORD_BROWSER### in the HTML templates
 - * single views got an ID
 - * #28939: Localization
- 1.0.0 **Initial release**

Illustration index

Illustration 1: TYPO3 Organiser home page	3
Illustration 2: TYPO3 Organiser Calendar	3
Illustration 3: TYPO3 Organiser Caddy with 10 sponsor tickets	3
Illustration 4: Flip pages of PDF files with the TYPO3 Organiser!	3
Illustration 5: Home	4
Illustration 6: Home with open menu	4
Illustration 7: Calendar	4
Illustration 8: Caddy	4
Illustration 9: News (single view)	4
Illustration 10: People (single view)	4
Illustration 11: TYPO3 Organiser home page	5
Illustration 12: Hochschule für Schauspiel "Ernst Busch" Berlin	5
Illustration 13: LEG Thüringen	5
Illustration 14: TYPO3 Usergroup Thuringia	5
Illustration 15: bat Studiotheater	5
Illustration 16: The Organiser has Flip it! integrated.	5
Illustration 17: Result after installing with the Organiser Installer. Here: folder with the calendar data.	6
Illustration 18: The form for a calendar item	6
Illustration 19: You can link to every Organiser record by the link wizard.	7
Illustration 20: Install the Organiser with one click! Installer button (1). Result in the frontend (2) and the backend (3) ...	7
Illustration 21: Calendar on a desktop	11
Illustration 22: ... and on a smartphone	11
Illustration 23: Companies on a desktop	13
Illustration 24: ... and on a smartphone	13
Illustration 25: Documents on a desktop	14
Illustration 26: ... and on a smartphone	14
Illustration 27: Locations on a desktop	16
Illustration 28: ... and on a smartphone	16
Illustration 29: News on a desktop ...	17
Illustration 30: ... and on a smartphone	17
Illustration 31: People on a desktop ...	18
Illustration 32: ... and on a smartphone	18
Illustration 33: Caddy on a desktop ...	19
Illustration 34: ... and on a smartphone	19
Illustration 35: Caddy e-payment (Paymill) in live mode	20
Illustration 36: Caddy e-payment (Paymill) in test mode	20
Illustration 37: Run over pages like in a real magazine. Flip it! application in the fancybox.	21
Illustration 38: Calculate the geocoding data of your address automatically. Here: example with TYPO3 Route.	22
Illustration 39: Radial search (1, 2) withihn the given radius (3)	24
Illustration 40: ... and without the given radius (4)	24
Illustration 41: Flip it! on a smartphone	25
Illustration 42: Link from everywhere to everywhere	26
Illustration 43: Integrated link handler	27
Illustration 44: Install the Organiser with one click! Installer button (1). Result in the frontend (2) and the backend (3) ..	29
Illustration 45: All excluded – the alignment in the extension manager	31
Illustration 46: All are excluded: editor has access to required fields only. Here: table repertoire	31
Illustration 47: Backend user configuration. The administrator can configure a lot.	31
Illustration 48: None excluded – the alignment in the extension manager	32
Illustration 49: None are excluded: editor has access to all fields. Here: table repertoire	32
Illustration 50: Backend user configuration. The administrator can't configure near by nothing.	32
Illustration 51: The Browser plugin	35
Illustration 52: TypoScript Constant Editor	37
Illustration 53: TypoScript Constant Editor	38
Illustration 54: Update the Organiser within your Extension Manager	49
Illustration 55: Invalid template value after the update	50
Illustration 56: Please select the template "Main" or "Margin"	50
Illustration 57: The TYPO3-Browser Update Wizard	51

Alphabetical Index

Demo	65	Powermail	9	package	64
Documentation		Radialsearch	9	Support	65
Browser	9	SEO Dynamic Tag	9	Versioning	
Caddy	9	E-Payment		non supported	9
Flip it!	9	live mode	20	Workspaces	
Foundation	9	test mode	20	non supported	9
Leaflet	9	sponsoring	64		
PDF	65	Sponsoring			