


Quick Shop Installer

One-click-installation for Quick Shop

The installer installs Quick Shop – responsive and ready-to-use. Quick shop is optimised for desktops, tablets and smartphones. Quick Shop is e-commerce for small budget and small-scale enterprises.



Version: 6.0.0, 2014-10-09

Extension Key: quickshop_installer

Language: en

Keywords: shop, e-commerce, e-payment, responsive, quick

Copyright 2010 - 2014, Dirk Wildt, Die Netzmacher, <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License available from <http://www.opencontent.org/opl.shtml>
 The content of this document is related to TYPO3 - a GNU/GPL CMS/Framework available from www.typo3.org

Table of Contents

Quick Shop Installer	1	Further Information	13
Screenshots	3	Adapt HTML, CSS and TypoScript	14
Frontend	3	Quick Shop Template	14
Backend	3	Whats new?	15
Introduction	4	Version 6	15
What does it do?	4	Packages for Sponsors	16
What do you need?	4	Fun – 50 EUR	16
Audience	4	Logo – 150 EUR	16
Quick Installation	5	Patron – 500 EUR	16
Principles and preconditions	6	Helpful suggestions	17
Principles	6	Forum	17
Preconditions	6	Further Informations	18
Installation	7	Other extensions published by Die Netzmacher	18
Extension manager	7	Manual in PDF	19
Backend: install page	9	About the Author	19
Frontend: Install Quick Shop with one Click	10	Professional Support	19
Finish Installation	10	To-Do List	20
Quick Shop	11	Known Bugs	21
The frontend – ready-to-use	11	Backend: Warnings and Errors	21
Please buy an item	11	Installation in German failes	21
The backend – ready-to-use	12	Frontend: SQL error	21
Make yourself familiar with Quick Shop	13	More known bugs	21
Configure the Shop	13	Change Log	22
Configure Caddy	13	Illustration Index	24
Configure Powermail	13		

Screenshots

Frontend

Quick Shop Installation

Check extension dependencies

- ✓ Template Auto-parser (automakemtemplate) is loaded.
- ✓ Quick Shop - Template (base_quickshop) is loaded.
- ✓ Browser - the TYPO3-Frontend-Engine (browser) is loaded.
- ✓ Powermail (powermail) is loaded.
- ✓ Quick Shop (quick_shop) is loaded.
- ✓ Shopping Cart for TYPO3 (wt_cart) is loaded.

Start the Installation

- 1 Create a backend group
- 1 Create a page tree
- 1 Create the plugins browser, wt_cart and powermail
- 1 Create page content
- 1 Create TypoScript for the browser, wt_cart and powermail
- 1 Create configuration records for powermail
- 1 Create six example products
- 1 Create product images
- 1 Create page content
- 1 Consolidating



Illustration 1: Install the shop – with one click!




Illustration 2: Quick Shop ready-to-use with one click.

Backend




Illustration 3: One-click-installation in the extension manager.




Illustration 4: Backend after the one-click-installation.

Introduction

What does it do?

- The Quick Shop Installer is an installer only.
- The Quick Shop Installer enables you to install the Quick Shop (quick_shop) ready-to-use.
- The Quick Shop Installer supports English and German: you can install the Quick Shop in English or German¹.

What do you need?

- A TYPO3 installation only. The installation can be empty.
- TYPO3 6.2 is recommended. But the installer should run from TYPO3 4.5 too – but this isn't tested.

Audience

- TYPO3 agencies
- TYPO3 integrators
- TYPO3 developers

¹ There is a bug in TYPO3 6.2: German hasn't any effect. Quick Shop will installed in English. Sorry.

Quick Installation

1. Install this Extension – Quick Shop Installer
2. Install the installer page with the extension manager.
3. Configure the plugin Quick Shop Installer: activate the installation in the frontend.
4. Load the page in the frontend.
5. Click "Install it!"
6. Click "Reload!"

Principles and preconditions

Principles

No needs for an empty TYPO3 installation

I'm using a new TYPO3 installation for this manual. The new installation is empty of course.

But there isn't any need to take an empty TYPO3 installation. You are welcome to install the Quick Shop with this installer in every TYPO3 installation you want.

Preconditions

TYPO3 6.2 is recommended

TYPO3 6.2 is recommended. But the installer should run from TYPO3 4.5 too – but this isn't tested.

Latest extensions

You are needing the latest extensions. This are

- automaketemplate (optional: if you like to use the quick-shop template)
- base_quickshop (optional: if you like to use the quick-shop template)
- browser
- caddy
- cps_tcatree – will installed by Quick Shop¹
- linkhandler – will installed by Quick Shop²
- quick_shop
- powermail
- t3_tcpdf
- t3_jquery (optional: if you like to use the quick-shop template with proper JavaScript)

The installer will take care about missing extensions.

¹ The available extension cps_tcatree isn't updated for TYPO3 6.2

² The available extension linkhandler isn't updated for TYPO3 6.2

Installation

Extension manager

Install the Quick Shop Installer

Install this extension: Quick Shop Installer supported by the extension manager.

It needs some seconds

While installation the installer will download some extensions. This need some seconds.

Keep cool, if there are error prompts.

Maybe you will get error prompts like:

The T3X file "http://mirror-typo3.vinehosting.com/ter/t/3/t3_tcpdf_2.3.0.t3x" could not be fetched.
Possible reasons: network problems, allow_url_fopen is off, cURL is not enabled in Install Tool.

Oops, an error occurred!
The package "caddy" depends on "t3_tcpdf" which is not present in the system.

Keep cool!

1. Click ADMIN TOOLS > Extension Manager
2. Click the install icon of the Quick Shop Installer again.
3. If this failes, click first the install icon of the Quick Shop and after this the icon of the installer.

You will get one warning prompt at least and at last:




Illustration 5: Warning prompt: I know, what I'm doing ...

Keep cool!

You'll get this prompt, because TYPO3 Quick Shop takes care of updating the three out-dated extensions:

- cps_devlib,
- cps_tcatree,
- linkhandler

Because they aren't available in the TYPO3 repository, you will get the warning prompt from above.

This prompt is proper.

Please click the button

[I know what I'm doing, install the extension!]

Install the installer page




Illustration 6: Enable the installation




Illustration 7: The extension manager adds an installer page

1. Web modul > Admin Tools > Extension Manager
2. Select "Quick Shop Installer" (not illustrated above)
3. If you like to change the language, please change the language¹
4. Set the field "Installer page" to [Yes]
5. Save the form.
6. The installer adds an installer page to your page tree and reports the page id.

¹ There is a bug in TYPO3 6.2: German hasn't any effect. Quick Shop will installed in English. Sorry.

Backend: install page

Please reload your page tree.

The Quick Shop Installer

- will be placed at the bottom of the page tree
- with the installer plugin and
- a ready TypoScript template

Enable the installation in the frontend

1. Modul Web > List
2. Page tree: select the installer page
3. Open the installer plugin
4. Installation: [Quick Shop with website template]
5. Select a backend user (becomes owner of Quick Shop pages and folders)
6. Enter your e-mail (you will receive the shop orders)

Save the plugin.

Visit the Quick Shop Installer in your frontend.




Illustration 8: Empty TYPO3 installation




Illustration 9: Installer page created by the extension manager




Illustration 10: Installer Plugin

Frontend: Install Quick Shop with one Click

Install the Quick Shop

Quick Shop Installation

Check \$TYPO3_CONF_VARS

✓ \$TYPO3_CONF_VARS[FE][pageNotFoundOnCHashError] is proper.

Check extension dependencies

- ✓ automaketemplate: "Template Auto-parser" is loaded.
- ✓ base_quickshop: "Quick Shop - Template" is loaded.
- ✓ powermail: "Powermail" is loaded. "PHP" is loaded.
- ✓ t3_tocpdf: "TCPDF for TYPO3" is loaded.

Start the Installation

- 1 Create a backend group
- 2 Create a page tree
- 3 Create the plugins browser, caddy and powermail
- 4 Create page content
- 5 Create TypoScript for the browser, caddy and powermail
- 6 Create configuration records for powermail
- 7 Create six example items
- 8 Create product images
- 9 Create page content
- 10 Consolidating

Start the Installation

1

Install it!

Illustration 11: Install Quick Shop with the frontend-form (1)

Quick Shop Installation was successful.

Backend Group "quick_shop"

✓ Quick Shop Installer will give the group "quick_shop" (uid 1) the full access to all pages and directories of the Quick Shop.

Pages and Directories

- ✓ Page "Shop" (uid 2) is created.
- ✓ Page "Caddy" (uid 3) is created.
- ✓ Page "Caddy mini" (uid 4) is created.
- ✓ Former templates on the page "Quick Shop" (uid 2) are hidden.
- ✓ Element "[fade_deliveryorderaddresses.js]" (bodytext, hidden) in page "Caddy" (uid 7) is updated.
- ✓ Element "[Powermail for Caddy]" (pi_flexform) in page "Caddy" (uid 5) is updated.
- ✓ Element "Caddy" (pi_flexform) in page "Caddy" (uid 3) is updated.
- ✓ Element "[Mini Caddy]" (pi_flexform) in page "Caddy" (uid 4) is updated.
- ✓ Element "[page_caddy_003" (config) in page "Caddy" (uid 3) is updated.

Finish the installation

- 1 TYPO3 backend: Please close the edit area and reload the page tree.
- 2 TYPO3 backend: Please delete the Quick Shop Installer, if you don't need it any longer.

Finish the installation

2

Reload this page

Illustration 12: You will get a report. Reload the page (2).

Dependencies and conditions

The installer will check dependencies and conditions.

If the installer expects trouble, you will get a prompt. Try to solve the problem.

Finish Installation

TYPO3 backend:

- Please close the edit area and reload the page tree.
- Please delete the extension Quick Shop Installer, if you don't need it any longer.

Quick Shop

The frontend – ready-to-use




Illustration 13: On a desktop: Quick Shop list view with three of six items




Illustration 14: On a smartphone: list with a closed ...



Illustration 15: ... menu and an opened menu

This is the result in the frontend.

Please buy an item

You will get the order by e-mail to the address you entered in the installer plugin.

You will get some attachments too.

The backend – ready-to-use

The installer has added 16 pages, some plugins, content, Powermail records, Quick Shop records and TypoScript.




Illustration 16: Homepage with TypoScript and content




Illustration 17: Shop with the Browser plugin




Illustration 18: Caddy with TypoScript, plugins, JavaScript and Powermail records




Illustration 19: The item folder with six items and six categories

Make yourself familiar with Quick Shop

Configure the Shop

Please inspect

- the Browser plugin on the page Shop [2] and
- the items in the folder Items [10]

Configure Caddy

Please inspect the Caddy plugin on the page Caddy [3].

Configure Powermail

Please inspect the Powermail plugin on the page Caddy [3].

Further Information

Please refer to the manual of the Quick Shop. See

- http://your-domain.com/typo3conf/ext/quick_shop/doc/manual.pdf

Adapt HTML, CSS and TypoScript

You can adapt the HTML code, the CSS and the TypoScript to your needs.

Quick Shop Template

The Quick Shop Template is an own extension (base_quickshop). See

- Quick Shop Template
http://typo3.org/extensions/repository/view/base_quickshop/
- Manual
http://typo3-quick-shop.de/typo3conf/ext/base_quickshop/doc/manual.pdf

The Manual is a tutorial. If you want to adapt the basic HTML, CSS or TypoScript, you will find some information.

What's new?

Version 6

Responsive Framework Foundation

[6.0.0]

TYPO3 Quick Shop is based on the responsive framework Foundation.¹

The installer takes care of needed static templates and configuration.

Outdated extensions will be updated

[6.0.0]

TYPO3 Quick Shop is using three updated extensions², which aren't available in the TYPO3 repository.

While installing Quick Shop in the backend, you will get a warning prompt. This prompt is proper.

¹ <http://foundation.zurb.com/>

² cps_devlib, cps_tcatree, linkhandler

Packages for Sponsors

Your donation and sponsoring is welcome.

Please order a package for sponsors at

- English: <http://typo3-quick-shop.de/en/sponsoring/>
- German: <http://typo3-quick-shop.de/sponsoring/>



Fun – 50 EUR



You like to treat the TYPO3 Quick Shop project.

You don't expect any equivalent. No logo. No service.

Throw 50 EUR or any other old sum into the cash box.

You will get a receive. You can set the amount off against tax liability.

Logo – 150 EUR



You are treating the TYPO3 Quick Shop project and you like to be a guide for others.

Your logo will appear in the manual, at the website and in the extension manager of the Quick Shop.

The period of validity is limited to one year.

You will get a receive. You can set the amount off against tax liability.

You can pay more than 150 EUR.

Patron – 500 EUR



You are the patron. You are treating TYPO3 Quick Shop project and you like to pay the developer more than best for two hours service.

Your logo will appear in the manual, at the website and in the extension manager of Quick Shop.

You can book the developer of Quick Shop for two hours.

The period of validity for both – the logo and the two hours – is limited to one year. If you don't use the two hours in this period, you will lost it.

You will get a receive. You can set the amount off against tax liability.

You can pay more than 500 EUR.

Helpful suggestions

Forum







If you have helpful suggestions, feel free to publish any question, bug or code snippets on

- Quick Shop forum.
<http://typo3-quick-shop.de/forum/>

Posts are welcome in English and German.

Further Informations

Other extensions published by Die Netzmacher

-  +AOE Linkhandler Configurator: Configure the AOE linkhandler supported by userinterfaces. Out-of-the-box templates for cal, org, tt_news and tt_products. Don't edit page TSconfig any longer.
<http://typo3.org/extensions/repository/view/linkhandlerconf/>
-  autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU.
<http://typo3.org/extensions/repository/view/autositemap/>
-  Browser – TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need one line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. <http://typo3.org/extensions/repository/view/browser/>
-  Caddy – the TYPO3 shopping cart. You can use it for your own needs. You need a database with products or any other items only. You can install Caddy out of the box with one mouse click – see Quick Shop below.
<http://typo3.org/extensions/repository/view/caddy/>
-  Deal! – TYPO3 Quick Shop interface for the marketplace ebay. Manage all items with TYPO3 and publish it on ebay. Amazon is under construction.
<http://typo3.org/extensions/repository/view/deal/>
-  Flip it! offers lovely and smooth page flip transitions. It enables you to run over pages in PDF documents like in a real magazine. It is based on flash. Flipt it! can convert PDF documents to swf files automatically.
<http://typo3.org/extensions/repository/view/flipit/>
-  Green Cars (Grüne Autos) - Database optimized for ecological cars. It is a case study and demonstrates, how to get a complex database with the browser (see above) in three hours only.
http://typo3.org/extensions/repository/view/green_cars/
-  Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse. Job Market hasn't any PHP code, it should be easy to adapt it to your needs.
http://typo3.org/extensions/repository/view/job_market/
-  Majordomo: For subscribing to and unsubscribing from a majordomo mailing list.
<http://typo3.org/extensions/repository/view/majordomo/>
-  Organiser – TYPO3 for the lobby and the organisers. Handle news, events, staff, headquarters, locations, workshops and a calendar with one extension. Sell online tickets! Install the Organiser with one mouse click!
<http://typo3-organiser.de/>
-  Quick Shop – the fastest shop in the history of TYPO3. Install it with one mouse click! Quick Shop is based on the browser (see above) and powermail.
<http://typo3-quick-shop.de/>
-  PDF Controller: Easy to install. Add to your HTML page the PDF-controller-button. Link from the button to the controller. Adjust the controller by mouseclicks. The PDF Controller supports CSS 3.
<http://typo3-pdfcontroller.de/>
-  Radial Search (Umkreissuche) – Enable the browsing through your data by geo location. 'Your data must have a latitude and a longitude. Address data can geocoded automatically by the Browser - TYPO3 without PHP.
<http://typo3.org/extensions/repository/view/radialsearch/>
-  Route – Publish your routes with GoogleMaps or OpenStreetMap. Routes have points of interest (POI). You can categorise and filter both: routes and POI. Address data can geocoded automatically.
<http://typo3.org/extensions/repository/view/route/>
-  seo_dynamic_tag: Search Engine Optimization for the title tag, the canonical tag and the meta tags author, description and keywords. Configuration by a user interface.
http://typo3.org/extensions/repository/view/seo_dynamic_tag/
-  TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig porperties with the mouse - like page tree uids, activated extended view, activated clipboard, ...
<http://typo3.org/extensions/repository/view/tsconf/>



Manual in PDF

You find this manual as PDF file at

- [doc/manual.pdf](#)
- http://typo3-quick-shop.de/typo3conf/ext/quickshop_installer/doc/manual.pdf

About the Author

Dirk Wildt




Illustration 20: The Author - a little bit blurred

Dirk Wildt (* 1963 Hamburg/Germany)

Founder of [Die Netzmacher](#) (Neuhaus am Inn, Bavaria, Germany)

Founder of [TYPO3 Usergroup Thuringia](#)

Member of [TYPO3 Usergroup Leipzig](#)

2003: Founding [think visually!](#) It became [Die Netzmacher](#) in 2009.

2000 - 2002: Financial Controller, [G.E.B.B](#)

1999 - 2000: Financial Controller, [G|M|Z - Tagesspiegel-Gruppe](#)

1997 - 1999: Spokesman, [Senatsverwaltung für Finanzen, Berlin](#)

1989 - 1997: Editor and Financial Controller, [taz, die tageszeitung](#)

1982 - 1989: Freelancing Press Photographer

Professional Support

If you need professional support, please contact me:

- Dirk Wildt
<http://wildt.at.die-netzmacher.de/>

E-Mails are welcome in English and German.

To-Do List

Nothing to do.

Known Bugs

Backend: Warnings and Errors

See "Keep cool, if there are error prompts." on page 7 above.

Installation in German failes

If you select German language for installation, this hasn't any effect since TYPO3 6.2. I don't know the reason.

Effect: You can install Quick Shop in the Englisch version only. Sorry.

Frontend: SQL error

Sometimes you will get an SQL error while installation.

Reason

The cause is usually a deprecated database design of the Quick Shop.

Solution

Please update the database design:

- Modul System > Install Tool > Database Analyser > Compare

More known bugs

Please refer to

- http://forge.typo3.org/projects/extension-quickshop_installer/issues

Change Log

- 6.0.0 Major Features**
- * #62059: teaser fields
 - * #62036: Manage all relations in one table
- Will replaced
- * tx_quickshop_products_category_mm
 - * tx_quickshop_products_dimension_mm
 - * tx_quickshop_products_material_mm
- by
- * tx_quickshop_mm
- * #62029: Upgrade TYPO3 6.2
 - * Browser 6.0
 - * Foundation 5.4
 - * TYPO3 6.2
 - * #i0016: linkhandler fixed for TYPO3 6.2
 - * #i0015: cps_tcatree fixed for TYPO3 6.2
- Improvement**
- * #62037: unique uid for the view: 62037
 - * #i0015: showUid is moved to itemUid
- 4.0.6 Improvement**
- * #i0014: Corporate design: modified icon
- 4.0.5 Improvement**
- * #i0017: noreply@my-domain.de is removed (powermail 2.x)
 - * #i0016: in_stock -> stockquantity
 - * #i0015: Corporate design: modified icon
- Bugfix**
- * #i0014: E-mail to shop owner was sent to the client
- 4.0.4 Improvement**
- * #i0013: Dependency for cps_devlib (is missing in cps_treeview 0.4.1)
- 4.0.3 Feature**
- * #57390: Workaround for &cHash comparison failed
- 4.0.2 Bugfix**
- * #57037: Installation DBAL fatal error: No handler found ... `be_groups`
- 4.0.1 Feature**
- * #i0013: Alternate URL for extension download
- 4.0.0 Feature**
- * #i0012: Dependency t3_tcpdf
 - * #53358: Fit it into TYPO3 6.x
- 3.1.2 Feature**
- * #53155: Powermail e-mail to client with note field
- 3.1.1 Bugfix**
- * #i0011: module page caddy mini
- 3.1.0 Bugfix**
- * #i0010: siteroot
- Features**
- * #i0009: Consolidation, header slider
- 3.0.6 Features**
- * #i0008: no_cache = 1 -> //no_cache = 1
- Bugfix**
- * #i0009: page caddy doesn't include static typoscript files
- 3.0.5 Features**
- * #i0007: * Mini Caddy
- 3.0.4 Features**
- * #i0006: * jQuery fade in for delivery address
- Improvements**

- * #i0005: * Update for Caddy 2.0.8 and Quick Shop 3.0.5
- 3.0.3 **Improvements**
 - * #i0004: Improvements for Quick Shop 3.0.2 - nested categories
 - * #i0003: Improvements for caddy 3.0.3 - mini caddy among others
- 3.0.2 **Improvement**
 - * #i0002: localisation
- 3.0.1 **Feature**
 - * #i0001: Power of Revocation
- 3.0.0 **New Feature**
 - * #46253: Move from wt_cart to caddy**Improvements**
 - * #46270: Consolidate code
- 2.1.2 **Bugfix**
 - * #42526: Empty page, if installer plugin was never saved
- 2.1.1 **Improvement**
 - * 00000: Update for Powermail
 - Effected file: class.tx_quickshopinstaller_pi1.php
 - * Powermail static template default and css basic will included
 - * 00000: Missing recipient in powermail form
 - ###MAIL_DEFAULT_SENDER### -> ###MAIL_DEFAULT_RECIPIENT###
 - * 00000: New value SKU
- 2.1.0 **Improvement**
 - * 00000: Update for Browser version 3.7.9 (record browser)
 - Effected file: class.tx_quickshopinstaller_pi1.php
 - * createPlugins
 - * createTyposcript
- 2.0.0 **Improvement**
 - Individual layout for each product
- 1.0.6 **Bugfixes**
 - 12237: Possible conflict with wasted TypoScript code
 - 12236: Possible conflict with TypoScript constant
- 1.0.5 **Bugfixes**
 - 11900: Powermail update +++ template with changed properties
 - TypoScript line is removed:
 - powermail.template.fieldWrap = EXT:quick_shop/res/tmpl_fieldwrap.html
- 1.0.4 **New Feature**
 - 11856: Installing Quick Shop with enabled AJAX**Bugfixes**
 - 11858: baseURL without an ending slash
 - 11756: Browser plugin/flexform is updated to Browser version 3.6.0
- 1.0.3 **Bugfixes**
 - 9686: Installer uses base_quickshop in any case
 - 9632: Installer PHP Error
- 1.0.2 **Improvements**
 - Powermail: Shop got a sender name in mails
 - Powermail: Labels with an empty value will be hidden
- 1.0.1 **Initial release**

Illustration Index

Illustration 1: Install the shop – with one click!	3	Illustration 12: You will get a report. Reload the page (2).	10
Illustration 2: Quick Shop ready-to-use with one click.	3	Illustration 13: On a desktop: Quick Shop list view with three of six items	11
Illustration 3: One-click-installation in the extension manager.	3	Illustration 14: On a smartphone: list with a closed	11
Illustration 4: Backend after the one-click-installation.	3	Illustration 15: ... menu and an opened menu	11
Illustration 5: Warning prompt: I know, what I'm doing	7	Illustration 16: Homepage with TypoScript and content	12
Illustration 6: Enable the installation	8	Illustration 17: Shop with the Browser plugin	12
Illustration 7: The extension manager adds an installer page	8	Illustration 18: Caddy with TypoScript, plugins, JavaScript and Powermail records	12
Illustration 8: Empty TYPO3 installation	9	Illustration 19: The item folder with six items and six categories	12
Illustration 9: Installer page created by the extension manager	9	Illustration 20: The Author - a little bit blurred	19
Illustration 10: Installer Plugin	9		
Illustration 11: Install Quick Shop with the frontend-form (1)	10		