

Inhalt

1 tx_aovehicles_body	Seite: 2
2 tx_aovehicles_brand	Seite: 3
3 tx_aovehicles_colour	Seite: 4
4 tx_aovehicles_doors	Seite: 5
5 tx_aovehicles_equipment	Seite: 6
6 tx_aovehicles_fuel	Seite: 7
7 tx_aovehicles_gears	Seite: 8
8 tx_aovehicles_gear_shift	Seite: 9
9 tx_aovehicles_seats	Seite: 10
10 tx_aovehicles_type	Seite: 11
11 tx_aovehicles_vehicles	Seite: 12
12 tx_aovehicles_vehicles_equipment_mm	Seite: 13
13 Beziehungsschema	Seite: 14

Tx_avehicles

1 tx_avehicles_body

Erzeugt am: 28. Juni 2004 um 20:34
Aktualisiert am: 28. Juni 2004 um 20:47

Feld	Typ	Attribute	Null	Standard	Extra	Verweise	Kommentare	MIME
uid	int(11)	UNSIGNED	Nein		auto_increment			
pid	int(11)	UNSIGNED	Nein	0				
tstamp	int(11)	UNSIGNED	Nein	0				
crdate	int(11)	UNSIGNED	Nein	0				
cruser_id	int(11)	UNSIGNED	Nein	0				
sorting	int(10)	UNSIGNED	Nein	0				
deleted	tinyint(4)	UNSIGNED	Nein	0				
hidden	tinyint(4)	UNSIGNED	Nein	0				
body	varchar(30)		Nein					

2 tx_avehicles_brand

Erzeugt am: 28. Juni 2004 um 20:34
Aktualisiert am: 28. Juni 2004 um 20:46

Feld	Typ	Attribute	Null	Standard	Extra	Verweise	Kommentare	MIME
uid	int(11)	UNSIGNED	Nein		auto_increment			
pid	int(11)	UNSIGNED	Nein	0				
tstamp	int(11)	UNSIGNED	Nein	0				
crdate	int(11)	UNSIGNED	Nein	0				
cruser_id	int(11)	UNSIGNED	Nein	0				
sorting	int(10)	UNSIGNED	Nein	0				
deleted	tinyint(4)	UNSIGNED	Nein	0				
hidden	tinyint(4)	UNSIGNED	Nein	0				
brand	varchar(50)		Nein					

Tx_avehicles

3 tx_avehicles_colour

Erzeugt am: 28. Juni 2004 um 20:34
Aktualisiert am: 28. Juni 2004 um 20:42
Letzter Check am: 28. Juni 2004 um 20:34

Feld	Typ	Attribute	Null	Standard	Extra	Verweise	Kommentare	MIME
uid	int(11)	UNSIGNED	Nein		auto_increment			
pid	int(11)	UNSIGNED	Nein	0				
tstamp	int(11)	UNSIGNED	Nein	0				
crdate	int(11)	UNSIGNED	Nein	0				
cruser_id	int(11)	UNSIGNED	Nein	0				
sorting	int(10)	UNSIGNED	Nein	0				
deleted	tinyint(4)	UNSIGNED	Nein	0				
hidden	tinyint(4)	UNSIGNED	Nein	0				
colour	varchar(15)		Nein					

4 tx_avehicles_doors

Erzeugt am: 28. Juni 2004 um 18:42
Aktualisiert am: 28. Juni 2004 um 19:33

Feld	Typ	Attribute	Null	Standard	Extra	Verweise	Kommentare	MIME
uid	int(11)	UNSIGNED	Nein		auto_increment			
pid	int(11)	UNSIGNED	Nein	0				
tstamp	int(11)	UNSIGNED	Nein	0				
crdate	int(11)	UNSIGNED	Nein	0				
cruser_id	int(11)	UNSIGNED	Nein	0				
sorting	int(10)	UNSIGNED	Nein	0				
deleted	tinyint(4)	UNSIGNED	Nein	0				
hidden	tinyint(4)	UNSIGNED	Nein	0				
doors	int(11)		Nein	0				

5 tx_avehicles_equipment

Erzeugt am: 28. Juni 2004 um 20:34
Aktualisiert am: 28. Juni 2004 um 20:50

Feld	Typ	Attribute	Null	Standard	Extra	Verweise	Kommentare	MIME
uid	int(11)	UNSIGNED	Nein		auto_increment			
pid	int(11)	UNSIGNED	Nein	0				
tstamp	int(11)	UNSIGNED	Nein	0				
crdate	int(11)	UNSIGNED	Nein	0				
cruser_id	int(11)	UNSIGNED	Nein	0				
sorting	int(10)	UNSIGNED	Nein	0				
deleted	tinyint(4)	UNSIGNED	Nein	0				
hidden	tinyint(4)	UNSIGNED	Nein	0				
equipment	varchar(50)		Nein					

Tx_avehicles

6 tx_avehicles_fuel

Erzeugt am: 28. Juni 2004 um 20:34
Aktualisiert am: 28. Juni 2004 um 20:36

Feld	Typ	Attribute	Null	Standard	Extra	Verweise	Kommentare	MIME
uid	int(11)	UNSIGNED	Nein		auto_increment			
pid	int(11)	UNSIGNED	Nein	0				
tstamp	int(11)	UNSIGNED	Nein	0				
crdate	int(11)	UNSIGNED	Nein	0				
cruser_id	int(11)	UNSIGNED	Nein	0				
sorting	int(10)	UNSIGNED	Nein	0				
deleted	tinyint(4)	UNSIGNED	Nein	0				
hidden	tinyint(4)	UNSIGNED	Nein	0				
fuel	varchar(25)		Nein					

Tx_avehicles

7 tx_avehicles_gears

Erzeugt am: 28. Juni 2004 um 19:25
Aktualisiert am: 28. Juni 2004 um 19:26

Feld	Typ	Attribute	Null	Standard	Extra	Verweise	Kommentare	MIME
uid	int(11)	UNSIGNED	Nein		auto_increment			
pid	int(11)	UNSIGNED	Nein	0				
tstamp	int(11)	UNSIGNED	Nein	0				
crdate	int(11)	UNSIGNED	Nein	0				
cruser_id	int(11)	UNSIGNED	Nein	0				
sorting	int(10)	UNSIGNED	Nein	0				
deleted	tinyint(4)	UNSIGNED	Nein	0				
hidden	tinyint(4)	UNSIGNED	Nein	0				
gears	int(11)		Nein	0				

8 tx_avehicles_gear_shift

Erzeugt am: 28. Juni 2004 um 20:34
Aktualisiert am: 28. Juni 2004 um 20:43
Letzter Check am: 28. Juni 2004 um 20:34

Feld	Typ	Attribute	Null	Standard	Extra	Verweise	Kommentare	MIME
uid	int(11)	UNSIGNED	Nein		auto_increment			
pid	int(11)	UNSIGNED	Nein	0				
tstamp	int(11)	UNSIGNED	Nein	0				
crdate	int(11)	UNSIGNED	Nein	0				
cruser_id	int(11)	UNSIGNED	Nein	0				
sorting	int(10)	UNSIGNED	Nein	0				
deleted	tinyint(4)	UNSIGNED	Nein	0				
hidden	tinyint(4)	UNSIGNED	Nein	0				
gear_shift	varchar(25)		Nein					

Tx_avehicles

9 tx_avehicles_seats

Erzeugt am: 28. Juni 2004 um 18:42
Aktualisiert am: 28. Juni 2004 um 20:37

Feld	Typ	Attribute	Null	Standard	Extra	Verweise	Kommentare	MIME
uid	int(11)	UNSIGNED	Nein		auto_increment			
pid	int(11)	UNSIGNED	Nein	0				
tstamp	int(11)	UNSIGNED	Nein	0				
crdate	int(11)	UNSIGNED	Nein	0				
cruser_id	int(11)	UNSIGNED	Nein	0				
sorting	int(10)	UNSIGNED	Nein	0				
deleted	tinyint(4)	UNSIGNED	Nein	0				
hidden	tinyint(4)	UNSIGNED	Nein	0				
seats	int(11)		Nein	0				

10 tx_avehicles_type

Erzeugt am: 28. Juni 2004 um 20:34
Aktualisiert am: 28. Juni 2004 um 20:46

Feld	Typ	Attribute	Null	Standard	Extra	Verweise	Kommentare	MIME
uid	int(11)	UNSIGNED	Nein		auto_increment			
pid	int(11)	UNSIGNED	Nein	0				
tstamp	int(11)	UNSIGNED	Nein	0				
crdate	int(11)	UNSIGNED	Nein	0				
cruser_id	int(11)	UNSIGNED	Nein	0				
sorting	int(10)	UNSIGNED	Nein	0				
deleted	tinyint(4)	UNSIGNED	Nein	0				
hidden	tinyint(4)	UNSIGNED	Nein	0				
type	varchar(10)		Nein					

Tx_avehicles

11 tx_avehicles_vehicles

Erzeugt am: 28. Juni 2004 um 21:19
Aktualisiert am: 04. Juli 2004 um 18:54

Feld	Typ	Attribute	Null	Standard	Extra	Verweise	Kommentare	MIME
uid	int(11)	UNSIGNED	Nein		auto_increment			
pid	int(11)	UNSIGNED	Nein	0				
tstamp	int(11)	UNSIGNED	Nein	0				
crdate	int(11)	UNSIGNED	Nein	0				
cruser_id	int(11)	UNSIGNED	Nein	0				
sorting	int(10)	UNSIGNED	Nein	0				
deleted	tinyint(4)	UNSIGNED	Nein	0				
hidden	tinyint(4)	UNSIGNED	Nein	0				
starttime	int(11)	UNSIGNED	Nein	0				
endtime	int(11)	UNSIGNED	Nein	0				
fe_group	int(11)		Nein	0				
type	int(11)	UNSIGNED	Nein	0		tx_avehicles_type -> uid		
brand	int(11)	UNSIGNED	Nein	0		tx_avehicles_brand -> uid		
model	varchar(50)		Nein					
body	int(11)	UNSIGNED	Nein	0		tx_avehicles_body -> uid		
price	int(11)		Nein	0				
initial_registration	int(11)		Nein	0				
mileage	int(11)		Nein	0				
gears	int(11)	UNSIGNED	Nein	0		tx_avehicles_gears -> uid		
doors	int(11)	UNSIGNED	Nein	0		tx_avehicles_doors -> uid		
cubic_capacity	int(11)		Nein	0				
colour	int(11)	UNSIGNED	Nein	0		tx_avehicles_colour -> uid		
metallic	tinyint(3)	UNSIGNED	Nein	0				
gear_shift	int(11)	UNSIGNED	Nein	0		tx_avehicles_gear_shift -> uid		
fuel	int(11)	UNSIGNED	Nein	0		tx_avehicles_fuel -> uid		
seats	int(11)	UNSIGNED	Nein	0		tx_avehicles_seats -> uid		
power	int(11)		Nein	0				
notes	text		Nein					
contact	text		Nein					
equipment	int(11)	UNSIGNED	Nein	0				
image	blob		Nein					

12 tx_avehicles_vehicles_equipment_mm
--

Erzeugt am: 28. Juni 2004 um 18:42
Aktualisiert am: 04. Juli 2004 um 18:54
Letzter Check am: 04. Juli 2004 um 18:28

Feld	Typ	Attribute	Null	Standard	Extra	Verweise	Kommentare	MIME
uid_local	int(11)	UNSIGNED	Nein	0		tx_avehicles_vehicles -> uid		
uid_foreign	int(11)	UNSIGNED	Nein	0		tx_avehicles_equipment -> uid		
tablenames	varchar(30)		Nein					
sorting	int(11)	UNSIGNED	Nein	0				

Seite: 14/14

