

EXT: heads list

Extension Key: dg_headslst

Language: en

Keywords: heads list, tooltip

Copyright 2000-2008, DennisGrote, <d.grote@dd-medien.de>

This document is published under the Open Content License
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3
- a GNU/GPL CMS/Framework available from www.typo3.org

Table of Contents

EXT: heads list.....	1	Add the extension to a page.....	5
Introduction.....	3	Configure the options.....	5
What does it do?.....	3	FAQ.....	6
Screenshots.....	3	Configuration.....	7
Users manual.....	4	Template Markers.....	7
Install the extension.....	4	Known problems.....	8
Create the data folder.....	4	To-Do list.....	9
Add categories and data records in the data folder.....	4	ChangeLog.....	10


Introduction

What does it do?

This extension shows a list of pictures (in this case portraits) depending on the selected category with the standard or an alternative image.

Screenshots

Below are an example of the Frontend view.



Users manual

Install the extension

The first step you need to do is to install the extension with the extension manager. You can get it by going to Tools section and choosing "Ext Manager" on the main action menu . Then select "Import extensions" in the dropdown Menu at top. Type "**dg_headslst**" in the search field and click on the "Look up" button. You should find the heads list extension. If you have never installed this, then you will see a red arrow to the left of the extension and you can click on that to install. If it has been installed, you can click on the green arrow to load the newest version if one exists.

Create the data folder

You can now create a new SysFolder. It's possible to create the extension records in normal pages but we recommend to use a new SysFolder because there can be many records and you can keep everything in one place. To create a new SysFolder add a new page to the page tree and change the type to SysFolder.

Add categories and data records in the data folder

Categories and data records are only visible in the list view, so switch to the List view please.

Click on "Create new record" and choose one of the following:



You have to add first your categories, because you need the categories to add them to a new data record. The form fields are self-explanatory. At the bottom you see the fields for the data record, categories only contain a name field.

heads list data record [2] - Peter Mustermann

Language:

Hide:
☐

Name:

Active Images:

GIF JPG JPEG TIF BMP PCX TGA PNG PDF AI dummy_head.jpg

Inactive Images:

GIF JPG JPEG TIF BMP PCX TGA PNG PDF AI dummy_head_1.jpg

Categories:

 heads list categories

Link to detail page:
☐

No tooltip for this record:
☐

Add the extension to a page

Select a page from the page tree in that you want to use the extension. Click on "create new content element" and then at the bottom in the plugins section on "heads list". When you are done with this, you have to configure the options.

Configure the options

After you add the extension to a page, you have to edit the flexform options. We have two tabs, General adjustments and ToolTip.

General adjustments

Plugin Options:

General adjustments | ToolTip

Template:

max. Image width:

max. Image height:

Startingpoint:

Page

Default category:

Show categorylist: ☒


Show inactive images: ☒

Links only on active images: ☐

Own css:

Property:	Description:
Template:	You can add your own template, if you leave it blank the default template will be used. (typo3conf/ext/dg_headlist/res/tmpl/headlist.tmpl)
max. Image width:	If you leave it blank the image will be shown in original width.
max. Image height:	If you leave it blank the image will be shown in original height.
Startingpoint:	Select the Sysfolder with the data records, if you leave it blank the startingpoint will be the current page.
Default category:	Select the category which will be displayed when you enter the page, if you leave it blank all data records will be displayed with the active image.
Show categorylist:	This is selected by default, when you deselect it the category list will not be shown under the images.
Show inactive images:	This is selected by default, when you deselect it the inactive images will not be shown.
Links only on active images:	Just like it sounds, links only on active images.
Own css:	You can add your own css for this extension, if you leave it blank the default css will be used.

ToolTips




Plugin Options:

General adjustments ToolTip

Use ToolTips:
☒

ToolTips only for active images:
☐

Own ToolTips css:
 

Property:	Description:
Use ToolTips:	This is selected by default, when you deselect it the tooltips are disabled.
ToolTips only for active images:	Just like it sounds, tooltips only for active images.
Own ToolTips css:	You can add your own css for tooltips, if you leave it blank no css will be added. The default tooltip css are integrated in the default extension css.

FAQ

- no user FAQ so far

Configuration

The whole configuration is about flexform. See [Configure the options](#) for more information.

Template Markers

Data records

Property:	Description:
###PICTURES###	Pictures
###CATEGORY###	Category Will only be shown if a category exist and the option „show categorylist“ is selected.

Wraps

Property:	Description:
###HEADSLISTWRAP###	Wrap for the whole extension
###MAIN###	Wrap for the content
###HEADSLIST###	Wrap for all data records
###RECORD###	This wrap contains the marker for each data record
###HEADSLISTCAT###	Wrap for all categories
###CATEGORY###	This wrap contains the marker for each category

Known problems

- there are no known problems

To-Do list

- Multilanguage support

ChangeLog

1.0.1

- * added manual
- * added default category
- * added "Show categorylist" check box
- * added "Links only on active images" check box
- * added "ToolTips only on active images" check box

1.0.0

- * First public release