

# **EXT:** heads list

Extension Key: dg\_headslist

Language: en

Keywords: heads list, tooltip

Copyright 2000-2008, DennisGrote, <d.grote@dd-medien.de>

This document is published under the Open Content License available from http://www.opencontent.org/opl.shtml

The content of this document is related to TYPO3

- a GNU/GPL CMS/Framework available from www.typo3.org



# Table of Contents

EXT: heads list	1
Introduction	
What does it do?	3
Screenshots	3
Users manual	4
Install the extension	4
Create the data folder	4
Add categories and data records in the data folder	4

Add the extension to a page	5
Configure the options	5
FAQ	6
Configuration	7
Template Markers	7
Known problems	8
To-Do list	9
Changel og10	n


# Introduction

## What does it do?

This extension shows a list of pictures (in this case portraits) depending on the selected category with the standard or an alternative image.

#### Screenshots

Below are an example of the Frontend view.







# Users manual

#### Install the extension

The first step you need to do is to install the extension with the extension manager. You can get it by going to Tools section and choosing "Ext Manager" on the main action menu . Then select "Import extensions" in the dropdown Menu at top. Type "dg\_headslist" in the search field and click on the "Look up" button. You should find the heads list extension. If you have never installed this, then you will see a red arrow to the left of the extension and you can click on that to install. If it has been installed, you can click on the green arrow to load the newest version if one exists.

### Create the data folder

You can now create a new SysFolder. It's possible to create the extension records in normal pages but we recommend to use a new SysFolder because there can be many records and you can keep everything in one place. To create a new SysFolder add a new page to the page tree and change the type to Sysfolder.

## Add categories and data records in the data folder

Categories and data records are only visible in the list view, so switch to the List view please.

Click on "Create new record" and choose one of the following:



You have to add first your categories, because you need the categories to add them to a new data record. The form fields are self-explanatory. At the bottom you see the fields for the data record, categories only contain a name field.



# EXT: heads list - dg\_headslist


Add the extension to a page

Select a page from the page tree in that you want to use the extension. Click on "create new content element" and then at the bottom in the plugins section on "heads list". When you are done with this, you have to configure the options.

## Configure the options

After you add the extension to a page, you have to edit the flexform options. We have two tabs, General adjustments and ToolTip.

#### **General adjustments**




Property:	Description:
Template:	You can add your own template, if you leave it blank the default template will be used. (typo3conf/ext/dg_headslist/res/tmpl/headlist.tmpl)
max. Image width:	If you leave it blank the image will be shown in original width.
max. Image height:	If you leave it blank the image will be shown in original height.
Startingpoint:	Select the Sysfolder with the data records, if you leave it blank the startingpoint will be the current page.
Default category:	Select the category which will be displayed when you enter the page, if you leave it blank all data records will be displayed with the active image.
Show categorylist:	This is selected by default, when you deselect it the category list will not be shown under the images.
Show inactive images:	This is selected by default, when you deselect it the inactive images will not be shown.
Links only on active images:	Just like it sounds, links only on active images.

EXT: heads list - dg\_headslist

Property:	Description:
Own css:	You can add your own css for this extension, if you leave it blank the default css will be used.
Use language overlay also for data records:	Just like it sounds.

# **ToolTips**



Property:	Description:
Use ToolTips:	This is selected by default, when you deselect it the tooltips are disabled.
ToolTips only for active images:	Just like it sounds, tooltips only for active images.
Own ToolTips css:	You can add your own css for tooltips, if you leave it blank no css will be added. The default tooltip css are integrated in the default extension css.

# FAQ

no user FAQ so far



# Configuration

The whole configuration is about flexform. See Configure the options for more information.

# **Template Markers**

#### **Data records**


Property:	Description:
###PICTURES###	Pictures
###CATEGORY###	Category Will only be shown if a category exist and the option "show categorylist" is selected.

#### **Wraps**

Property:	Description:
###HEADSLISTWRAP###	Wrap for the whole extension
###MAIN###	Wrap for the content
###HEADSLIST###	Wrap for all data records
###RECORD###	This wrap contains the marker for each data record
###HEADSLISTCAT###	Wrap for all categories
###CATEGORY###	This wrap contains the marker for each category



# Known problems - there are no known problems



# To-Do list



# ChangeLog

#### 1.0.2

\* added multilanguage support

#### 1.0.1

- \* added manual
- \* added default category
- \* added "Show categorylist" check box
- \* added "Links only on active images" check box
- \* added "ToolTips only on active images" check box

#### 1.0.0

\* First public release