EXT: 3 Columns (4d f/x)

Extension Key: **fdfx_3cols**

Copyright 2003-2005, Peter Russ, <peter.russ@4many.net>

This document is published under the Open Content License

available from http://www.opencontent.org/opl.shtml

The content of this document is related to TYPO3

- a GNU/GPL CMS/Framework available from www.typo3.com

Table of Contents

Introduction

3 Columns (4D f/x) offers 3 seperate content elements that are rendered based on a template. Header and subheader can either be rendered according to TS settings or directly included in the template.

This extension extends 2 Columns (4D f/x), i.e. you can switch seamlessly between booth extension and keep the content of left element and bodytext.

What does it do?

This extension offers 3 columns for a content element. In this revised version the admin can decide either to use tables or div-elements to render the content. For each solution 3 example layouts are provided.

Screenshots

For Examples checkout http://www.4many.net/fdfx_3cols.html. It will be published there.

Users manual

1. Create a new content element using **Regular text element**.

2. Change **Type** to 3 **Column(4D f/x)**.

3. If using <div>-template the **Column height** will set the height for this content element.

4. With **Layout** you can select upto 3 different layouts depening on the template.

5. With **Order** you can change the display order of left column and bodytext.

6. Save and preview.

The height of the div section can be set with **Column Height**.

Adminstration

To install use the extension manager.

Configuration

To configure check for Template -> Constants Editor -> TX_FDFX3COLS_PI1.

If you decide to use a different marker for the height property of the the div-section you can set it

Example template for tables based rendering is EXT:fdfx_3cols/tpl.3column.html. If you want to use div based rendering select EXT:fdfx_3cols/tpl.3column.div.html. To adjust the css to your need either adjust CSSDEFAULT_STYLE or copy it to your style sheet and fix it there.

That's new in this Version

Version 2.1.0

· Added capability for direct editing in preview

· Added capability that header is either rendered using TS or template.

Howto

Render Header in TS

Add to your page setup:

```
tt_content.fdfx_3cols_pi1 {
        10.stdWrap.dataWrap=<p class="csc-fdfx_3cols_pi1-header csc-fdfx_3cols_pi1-
header-{field:layout}">|</p>
        15.dataWrap = <p class="csc-fdfx_3cols_pi1-subheader csc-fdfx_3cols_pi1-
subheader-{field:layout}">|</p>
}
```

to change the rendering of header (10) and subheader (15). Header and subheader will only be rendered if they are available.

Render Header in Template

1. Disable standard header/subheader rendering:
   ```
   tt_content.fdfx_3cols_pi1.10 >
   tt_content.fdfx_3cols_pi1.15 >
   ```

2. Add the marks ###HEADER### and ###SUBHEADER### to your template.

To-Do

If someone could write a detail manual this support would highly appreciated.