

EXT: GH Random Content

Extension Key: gh_randomcontent

Language: en

Keywords: forEditors, forAdmins

Copyright 2008-2010, Gregor Hermens, <gregor.hermens@a-mazing.de>

This document is published under the Open Content License
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3
- a GNU/GPL CMS/Framework available from www.typo3.org

Table of Contents


EXT: GH Random Content.....	1	Administration.....	5
Introduction.....	3	Configuration.....	6
What does it do?.....	3	Reference.....	6
Screenshots.....	3	Known problems.....	7
Users manual.....	4	To-Do list.....	8
Setting up a random content element and its content repository.....	4	ChangeLog.....	9

Introduction

What does it do?

One or more content elements are chosen by random from one or more selected pages. This can be helpful for applications like random quotes, fortune cookies, ...

Screenshots



Users manual

Setting up a random content element and its content repository

1. Insert a content element of type "General Plugin" into your page.
2. Choose "Random Content" as plugin type.
3. Choose one or more pages as a source for the random content elements.
4. Enter the number of content elements to be shown.
5. Check the "Honor language" box to only use content elements of the current FE language.
6. Check the "Honor Column" box to only use content elements of the same content column as the plugin itself.

Administration

- Install gh_randomcontent via the extension manager.
- Include the extensions static template into your TS template.

Configuration

Reference

Property:	Data type:	Description:	Default:
pages	int+ / list	IDs of the pages, where the content is stored.	0
count	int+	Number of content elements to show.	1
honorLanguage	boolean	If set, only content elements with the actual sys_language_uid are considered.	0
honorColPos	boolean	If set, only content elements with the same column setting like the plugin itself are considered.	0
defaultColPos	int+	Default column if plugin is included in the TypoScript setup.	0

[tsref:plugin.tx_ghrandomcontent_pi1]

You can use the Constant Editor to change these settings.

Example

You can include directly in your TS setup:

```
plugin.tx_ghrandomcontent_pi1 {
    pages = 12,15
    count = 1
    honorLanguage = 1
    honorColPos = 1
    defaultColPos = 0
}
...
page.10 < plugin.tx_ghrandomcontent_pi1
...
```

Known problems

– None

Please report bugs and feature requests on forge: http://forge.typo3.org/projects/extension-gh_randomcontent/issues

To-Do list

Please report bugs and feature requests on forge: http://forge.typo3.org/projects/extension-gh_randomcontent/issues

ChangeLog

See EXT:gh_randomContent/changeLog for details.