



Organiser Installer

The installer installs the TYPO3 Organiser, a template and sample records. Installation is out of the box. It is a one click installation.



Version: 3.3.5 - 2013-09-27

Extension Key: org_installer

Language: en

Keywords: forAdmins, forDevelopers, forAdvanced, organiser

Copyright 2011-2013, Dirk Wildt (Die Netzmacher), <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3
- a GNU/GPL CMS/Framework available from www.typo3.org



Table of Contents

Organiser Installer	1	Test the Caddy: Order a ticket	15
Screenshots	3	FAQ	16
Frontend	3	Does the installer overwrite data like existing pages?	16
Backend	3	May I use the installer in a TYPO3 instance with existing data? .	16
Introduction	4	May I repeat the installation?	16
What does it do?	4	Bugs	17
What do you need?	4	What to do in case of a bug?	17
Audience	4	Helpful suggestions and benefits	18
Principles and preconditions	5	Forum	18
Principles	5	Sponsoring	18
Preconditions	5	To-Do List	19
Quick Installation	6	Further Information	20
Installation	7	Other extensions published by Die Netzmacher	20
Extension manager	7	Manual in PDF	21
Backend: install page	8	About the Author	21
Frontend: install page	10	Credits	21
Result: The Organiser – ready-for-use	12	Change Log	22
Backend	13	Illustration Index	24
Frontend	14		



Screenshots

Frontend

Organiser Installation

Check extension dependencies

- ✓ Browser - the TYPO3-Frontend-Engine (browser) is loaded.
- ✓ AOE link handler (linkhandler) is loaded.
- ✓ Organiser (org) is loaded.
- ✓ Powermail (powermail) is loaded.
- ✓ Shopping Cart for TYPO3 (wt_cart) is loaded.

Start the Installation

- 1 Create a backend group
- 2 Create a page tree
- 3 Create images and files
- 4 Create page content
- 5 Consolidating



Illustration 1: Install the Organiser – with one click!



Illustration 2: Frontend after the one-click-installation

Backend




Illustration 3: Enabling the one-click-installation in the backend.




Illustration 4: Backend after the one-click-installation.



Introduction

What does it do?

- Organiser Installer is an installer only.
- Organiser Installer enables you to install the TYPO3 Organiser (org) out of the box. The TYPO3 Organiser will be installed with a lot of sample records ready-for-use.
- Organiser Installer supports English and German. It's your decision, to install the TYPO3 Organiser in English or German.

What do you need?

- A TYPO3 installation only. The installation can be empty.

Audience

- TYPO3 agencies
- TYPO3 integrators
- TYPO3 developers



Principles and preconditions

Principles

No needs for an empty TYPO3 installation

We are using a new TYPO3 installation for this manual. The new installation is empty of course.

But there isn't any need to take an empty TYPO3 installation. You are welcome to install the Organiser with this installer in every TYPO3 installation you want – and so often you want!

Preconditions

TYPO3 from 4.5 to 4.7 is recommended, 6.x should be proper too.

TYPO3 from 4.5 to 4.7 is recommended. All used extensions are tested in versions from 4.5 to 4.7 but not in versions older than 4.5.

You can use the Organiser in older and newer TYPO3 versions too. But maybe some details won't be running proper.

Latest extensions

You are needing the latest extensions! This are

- browser 4.6.2
- caddy 2.1.1
- org 3.3.3
- org_installer 3.3.4
- powermail 2.x is recommended, 1.x is proper too.



Quick Installation

1. Install this Extension – Organiser Installer
2. Install the installer page by the extension manager. The page will have all needed configuration and content.
3. Configure the plugin Organiser Installer: activate the installation in the frontend.
4. Load the page in the frontend.
5. Click "Install it!"
6. Click "Reload!"



Installation

Extension manager

Install the Organiser Installer

Install this extension: Organiser Installer.

Install the installer page out of the box




Illustration 5: Extension Manager with loaded extensions

- | | |
|----------------------|------------------------------------|
| 1. Modul Admin Tools | Extension Manager |
| 2. Edit area | Extension [Organiser Installer] |
| 3. | Tab [Configuration] |
| 4. | Language [Your preferred language] |
| 5. | Installer page [Yes] |
| 6. | [Update] |

You will get a prompt.



Backend: install page

Enable the installation page in the frontend




Illustration 6: The installer page after reloading the page tree

- | | |
|--------------|--|
| 1. Modul Web | List |
| 2. Page tree | Reload the page tree |
| 3. | Select the page "Organiser: 1 click" here: [1]) |
| 4. Edit area | Content (plugin) generated by the installer |
| 5. | Configuration (TypoScript template) generated by the installer |



Configure the installer plugin




Illustration 7: The installer plugin

1. Page tree Current page is the Organiser Installer¹
2. Edit area Select the plugin
3. Select the tab [Plugin]
4. Installation [Organiser with website template]²
5. Backend-user [you]
6. Subject of confirmation mails
7. E-mail address of the website provider (your e-mail-address)

Save your changes.

Visit the Organiser Installer in your frontend.

¹ If you install the Organiser within a ready website, you can move the installer page to any other position.

² If you install the Organiser within a ready website, you can select [Organiser only].



Frontend: install page

Install the Organiser

Organiser Installation

Check extension dependencies

- ✔ automaketemplate: "Template Auto-parser" is loaded.
- ✔ baseorg: "Organiser - Template" is loaded.
- ✔ browser: "Browser - TYPO3 without PHP" is loaded.
- ✔ caddy: "Caddy - TYPO3 shopping cart" is loaded.
- ✔ cps_tcatree: "Record tree for TCA" is loaded.
- ✔ flipit: "Flip it! TYPO3 for real magazines" is loaded.
- ✔ linkhandlerconf: "+AOE linkhandler configurator" is loaded.
- ✔ org: "Organiser - TYPO3 for lobby and organisers" is loaded.
- ✔ powermail: "Powermail" is loaded.
- ✔ seo_dynamic_tag: "SEO Dynamic Tag" is loaded.

Start the Installation

- ❗ Create a backend group
- ❗ Create a page tree
- ❗ Create the plugins browser, caddy and powermail
- ❗ Create page content
- ❗ Create TypoScript for the browser, caddy and powermail
- ❗ Create configuration records for powermail
- ❗ Create records
- ❗ Create files and images
- ❗ Create page content
- ❗ Consolidating

Start the Installation

Install it!

Illustration 8: The installer page after reloading the frontend

The illustration above on the left displays the frontend of an empty TYPO3 installation before installing the installer page. Reload the page in the frontend. You will receive the installer page (in the illustration on the right).

Dependencies and conditions

The installer will check requirements. If troubles are expected, you will get a prompt. Try to solve the problem.

Install it!

Install the Organiser:

- Klick [Install it!]



Report

Organiser Installation was successful.

Backend Group "organiser"

- ✓ Organiser Installer will give the group "organiser" (uid 1) the full access to all pages and directories of the Organiser.

Pages and Directories

- ✓ Page "Data" (uid 2) is created.
- ✓ Page "Calendar" (uid 3) is created.
- ✓ Page "Documents" (uid 4) is created.
- ✓ Page "Events" (uid 5) is created.
- ✓ Page "Headquarters" (uid 6) is created.
- ✓ Page "Locations" (uid 7) is created.
- ✓ Page "Caddy" (uid 3) is updated.
- ✓ Page "News" (uid 8) is created.
- ✓ Page "Staff" (uid 9) is created.
- ✓ Page "Deliveryorderaddress.js" (uid 2) (TSconfig) is updated.
- ✓ Page "Staff" (uid 9) is created.
- ✓ Page "Deliveryorderaddress.js" (uid 2) (bodytext) in page "Caddy" (uid 18) is updated.
- ✓ Element "[Powermail for Caddy]" (pi_flexform) in page "Caddy" (uid 13) is updated.
- ✓ Element "Caddy" (pi_flexform) in page "Caddy" (uid 10) is updated.
- ✓ Element "+page_caddy_005" (constants, config) in page "Caddy" (uid 5) is updated.
- ✓ Element "[Logo]" (image_link, image_zoom) in page "pageOrgLibraryHeaderLogo_title" (uid 23) is updated.

Finish the installation

- ! TYPO3 backend: Please close the edit area and reload the page tree.
- ! TYPO3 backend: Please delete the Organiser Installer, if you don't need it any longer.

Finish the installation

Reload this page

Illustration 9: The installer page after reloading the page tree

You will receive an installation report. Read it or leave it.

Reload the page with the button at the bottom. See the result below.



Result: The Organiser – ready-for-use

This is a short profile only. If you are interested in the manual of the organiser, please visit:

- TYPO3 Repository
<http://typo3.org/extensions/repository/view/org/>
- TYPO3 Organiser
<http://typo3-organiser.de/>



Backend




Illustration 10: TYPO3 Organiser in the backend

Amazing – the Organiser Installer has installed a page tree with

- a data [2] folder, which contains seven folders with data
- 17 pages with content
- a library [26], which contains five folders

Every page and every sysfolder contains content like plugins, TypoScript and records. You see the calendar items in the sysfolder calendar.

And please investigate the page properties. You will find some page configurations (tsConfig pages).



Frontend




Illustration 11: Organiser after the installation

1. Navigation
 - Home (calender)
 - News
 - Documents
 - Staff
 - Headquarters
 - Locations
 - Caddy
 - Legal Info
2. Content
 - 3 events¹
3.
 - A form for filtering and searching
4.
 - If an event is expired, it will get a different CSS class. And it isn't possible to order tickets.

¹ All other pages have content too.



Test the Caddy: Order a ticket

- Select an event.
- The form for ordering is at the bottom of an event, if the event isn't expired!



Illustration 12: Event in the detailed view (single view)

- Select a ticket (1) and order it (2).



Illustration 13: Event in the detailed view (single view)

- Fill up your data (3) and send (4) the form
- You will get a confirmation mail.



FAQ

Does the installer overwrite data like existing pages?

No, it doesn't. All pages and records get a new and unique id while runtime.

May I use the installer in a TYPO3 instance with existing data?

Yes, the installer adds data and doesn't overwrite any data.

May I repeat the installation?

You may repeat the installation unlimited.



Bugs

There isn't any known bug in context with the Organiser installer.

What to do in case of a bug?

Forum

Maybe you can get help in the Forum. Please visit

- the Organiser forum on
<http://typo3-organiser.de/forum/>

Posts are welcome in English and German.

If you get an unknown bug

If you get an unknown bug,

- please post a ticket on
<http://forge.typo3.org/projects/extension-org>
- or post it at the Organiser forum on
<http://typo3-organiser.de/forum/>



Helpful suggestions and benefits

Forum

If you have helpful suggestions, feel free to publish any question, bug or code snippet on

- TYPO3 Organiser forum at
<http://typo3-organiser.de/forum/>

Posts are welcome in English and German.

Sponsoring

Do you like to subsidise the TYPO3 Organiser project? Please visit

- TYPO3 Organiser Sponsoring
<http://typo3-organiser.de/sponsoring/>

I would be very happy.


















To-Do List

Nothing to do.



Further Information

Other extensions published by Die Netzmacher

-  +AOE Linkhandler Configurator: Configure the AOE linkhandler supported by userinterfaces. Out-of-the-box templates for cal, org, tt_news and tt_products. Don't edit page TSconfig any longer.
<http://typo3.org/extensions/repository/view/linkhandlerconf/>
-  autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU.
<http://typo3.org/extensions/repository/view/autositemap/>
-  Browser – TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need one line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. <http://typo3.org/extensions/repository/view/browser/>
-  Caddy – the TYPO3 shopping cart. You can use it for your own needs. You need a database with products or any other items only. You can install Caddy out of the box with one mouse click – see Quick Shop below.
<http://typo3.org/extensions/repository/view/caddy/>
-  Flip it! offers lovely and smooth page flip transitions. It enables you to run over pages in PDF documents like in a real magazine. It is based on flash. Flipt it! can convert PDF documents to swf files automatically.
<http://typo3.org/extensions/repository/view/flipit/>
-  Green Cars (Grüne Autos) - Database optimized for ecological cars. It is a case study and demonstrates, how to get a complex database with the browser (see above) in three hours only.
http://typo3.org/extensions/repository/view/green_cars/
-  Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse.
http://typo3.org/extensions/repository/view/job_market/
-  Majordomo: For subscribing to and unsubscribing from a majordomo mailing list.
<http://typo3.org/extensions/repository/view/majordomo/>
-  Organiser – TYPO3 for the lobby and the organisers. Handle news, events, staff, headquarters, locations, workshops and a calendar with one extension. Sell online tickets! Install the Organiser with one mouse click!
<http://typo3-organiser.de/>
-  Quick Shop – the fastest shop in the history of TYPO3. Install it with one mouse click! Quick Shop is based on the browser (see above) and powermail.
<http://typo3-quick-shop.de/>
-  PDF Controller: Easy to install. Add to your HTML page the PDF-controller-button. Link from the button to the controller. Adjust the controller by mouseclicks. The PDF Controller supports CSS 3.
<http://typo3-pdfcontroller.de/>
-  Route – Publish your routes with GoogleMaps or OpenStreetMap. Routes have points of interest (POI). You can categorise and filter both: routes and POI. Address data can geocoded automatically.
<http://typo3.org/extensions/repository/view/route/>
-  seo_dynamic_tag: Search Engine Optimization for the title tag, the canonical tag and the meta tags author, description and keywords. Configuration by a user interface.
http://typo3.org/extensions/repository/view/seo_dynamic_tag/
-  TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig porperties with the mouse - like page tree uids, activated extended view, activated clipboard, ...
<http://typo3.org/extensions/repository/view/tsconf/>
-  tt_news select configuration (extkey: ttnews_selectconf) enables to select tt_news by any SQL clause. The extension adds an andWhere clause to the SQL query of the tt_news plugin.
http://typo3.org/extensions/repository/view/ttnews_selectconf/
-  Wine Catalogue provides a data base for wine with regions, wineries, styles, variety and ageing among others. It is localized. English, German and Spanish ist of the box. Wine based on the extension browser (see above).
<http://typo3.org/extensions/repository/view/wine/>



Manual in PDF

You find this manual as PDF file at

- [doc/manual.pdf](#)

About the Author

Dirk Wildt




Illustration 14: The Author - a little bit blurred

Dirk Wildt (* 1963 Hamburg/Germany)

Founder of [Die Netzmacher GbR](#) (Erfurt/Weimar)

Founder of [TYPO3 Usergroup Thuringia](#)

Member of [TYPO3 Usergroup Leipzig](#)

2003: Founding [think visually!](#) It is [Die Netzmacher](#) since 2009.

2000 - 2002: Financial Controller, [G.E.B.B](#)

1999 - 2000: Financial Controller, [G|M|Z - Tagesspiegel-Gruppe](#)

1997 - 1999: Spokesman, [Senatsverwaltung für Finanzen, Berlin](#)

1989 - 1997: Editor and Financial Controller, [taz, die tageszeitung](#)

1982 - 1989: Freelancing Press Photographer

Credits

Thanks to my wife and son for their backing.



Change Log

- 3.3.5 **Update**
 - * #i0012: manual**Bugfix**
 - * #i0011: siteroot
 - * #i0010: locallang.xml
- 3.3.4 **Improvement**
 - * #i0008: Page news should have an disabled AJAX because of tree-view filter**Bugfix**
 - * #i0009: Powermail 1x fieldsets where linked with plugin powermail caddy only
- 3.3.3 **Improvement**
 - * #i0007: lat and lon added to headquarter records
 - * #i0006: extension check: seo_dynamic_tag
- 3.3.2 **Feature**
 - * #i0005: Simplify SEO. Integration of seo_dynamic_tag 2.0.
 - * #i0004: Simplify LinkHandlerConfiguration. Integration of linkhandlerconf.
- 3.3.1 **Improvement**
 - * #i0003: imgaes need click_enlarge in case of a link and realUrl
- 3.3.0 **Improvement**
 - * #i0002: Version is set to the corresponding version of the Organiser (org)
- 3.2.0 **Feature**
 - * #50490: Simplify LinkHandlerConfiguration
mod.tx_linkhandler is removed completely
- 3.1.0 **Feature**
 - * i0001: Exchange wt_cart into caddy
- 3.0.1 **Improvement**
 - * #44137: Update for Organiser 3.0.1 +++ Removed Org HTML templates
- 3.0.0 **Improvement**
 - * #43690: Update for TYPO3 4.7, Browser 4.2 and Organiser 3.0
 - * #00000: page is wrapped with <div id="content">|</div>**Bugfix**
 - * #34952: Powermail buggy constant
- 2.1.2 **Improvement**
 - * 00000: Update for Organiser 2.1.7
Update for the download module
- 2.1.1 **Improvement**
 - * 00000: Ext-Manager reads \$_POST['data']
Effected file: lib/class.tx_org_installer_extmanager.php
 - * 00000: \$ICON_TYPES -> t3lib_SpriteManager::addTcaTypeIcon(...)
Effected file: ext_tables.php
- 2.1.0 **Improvement**
 - * 00000: Update for Browser version 3.7.9 (record browser)
Effected file:
class.tx_orginstaller_pi1.php
 - * createPlugins
 - * createTyposcript
- 2.0.11 **Improvement**
 - * #00000: Bugfix: If flexform wasn't saved, init flexform value
- 2.0.10 **Improvement**
 - * #00000: Bugfix: Records of downloads categories didn't have any type
- 2.0.9 **Improvement**
 - * #32167: Update for Organiser version 2.1
Data and configuration for download module are added



2.0.1

New Feature

- * page TSconfig with configuration for fe_groups relations. Needed for Organiser 2.0.1

Bugfixes

- * Staff
- * Obama got the Wildt vita
- * Wildt hasn't any vita
- * Tax:
 - * tax localization has wrong values
 - * Changing:0.07 -> 7.00; 0.19 -> 19.00
 - * tax values allocated tax titles

1.0.0

Initial release



Illustration Index

Illustration 1: Install the Organiser – with one click!.....	3
Illustration 2: Frontend after the one-click-installation.....	3
Illustration 3: Enabling the one-click-installation in the backend.....	3
Illustration 4: Backend after the one-click-installation.....	3
Illustration 5: Extension Manager with loaded extensions.....	7
Illustration 6: The installer page after reloading the page tree.....	8
Illustration 7: The installer plugin.....	9
Illustration 8: The installer page after reloading the frontend.....	10
Illustration 9: The installer page after reloading the page tree.....	11
Illustration 10: TYPO3 Organiser in the backend.....	13
Illustration 11: Organiser after the installation.....	14
Illustration 12: Event in the detailed view (single view).....	15
Illustration 13: Event in the detailed view (single view).....	15
Illustration 14: The Author - a little bit blurred.....	21