


Organiser Installer

This is the installer for the Organiser, TYPO3 for the lobbies and the organisers. The Organiser provides a lot of features for handle calendar, companies, events, locations, news and people among others. Sell your tickets with the integrated shop. The installer enables you to install the Organiser with one mouse click! Sample data is included. See: <http://typo3-organiser.de/>



Version: 6.0.2 - 2014-11-25

Extension Key: org_installer

Language: en

Keywords: calendar, events, lobby, locations, news, organiser, people, shop, staff, tickets

Copyright 2011-2014, Dirk Wildt (Die Netzmacher), <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3 - a GNU/GPL CMS/Framework available from www.typo3.org

Table of Contents

Organiser Installer	1	Test the Caddy: Order a ticket	13
Screenshots	3	Next steps	13
Introduction	4	FAQ	14
What does it do?	4	Does the installer overwrite data like existing pages?	14
What do you need?	4	May I use the installer in a TYPO3 instance with existing data? .	14
Audience	4	May I repeat the installation?	14
Principles and preconditions	5	Bugs	15
Principles	5	What to do in case of a bug?	15
Preconditions	5	Helpful suggestions and benefits	16
Quick Installation	6	Forum	16
Installation	7	Sponsoring	16
Extension manager	7	Further Information	17
Backend: install page	8	Other extensions published by Die Netzmacher	17
Frontend: install page	9	Change Log	18
Result: The Organiser – ready-for-use	11	Illustration Index	20
Backend	11	Alphabetical Index	21
Frontend	12		

Screenshots

Organiser Installation

Check \$TYPO3_CONF_VARS

✓ \$TYPO3_CONF_VARS[pageNotFoundOnFlashError] is proper.

Check extension dependencies

- ✓ autumakeTemplate: "Template Autoparse" is loaded.
- ✓ baseorg: "Organiser - Template" is loaded.
- ✓ browser: "Browser - TYPO3 without PHP" is loaded.
- ✓ caddy: "Caddy - TYPO3 shopping cart" is loaded.
- ✓ cpe_calendar: "Record tree for TCA" is loaded.
- ✓ cpe_devlib: "Developer Library" is loaded.
- ✓ flip: "Flip it! TYPO3 for real magazines" is loaded.
- ✓ linkhandlerorg: "4AOE linkhandler configurator" is loaded.
- ✓ org: "Organiser - TYPO3 for .oby and organisers" is loaded.
- ✓ powermail: "Powermail" is loaded.
- ✓ seo_dynamic_tag: "SEO Dynamic Tag" is loaded.


Start the Installation

- Create a backend group
- Create a page tree
- Create the plugin browser, caddy and powermail
- Create page content
- Create TypoScript for the browser, caddy and powermail
- Create configuration records for powermail
- Create records
- Create files and images
- Create page content
- Consolidating


Start the Installation



1



2



3

Illustration 1: Install the Organiser with one click! Installer button (1). Result in the frontend (2) and the backend (3)

Introduction

What does it do?

- Organiser Installer is an installer only.
- Organiser Installer enables you to install the TYPO3 Organiser (org) ready-to-use. The TYPO3 Organiser will be installed with a lot of sample records.
- Organiser Installer supports an installation with English or German content.

What do you need?

- A TYPO3 installation only. The installation can be empty.

TYPO3 Versions

TYPO3 Organiser Installer ist tested in

- TYPO3 6.2

Audience

- TYPO3 agencies
- TYPO3 integrators
- TYPO3 developers

Principles and preconditions

Principles

No needs for an empty TYPO3 installation

I'm using a new TYPO3 installation for this manual. The new installation is empty of course.

But there isn't any need to take an empty TYPO3 installation. You are welcome to install the Organiser with this installer in every TYPO3 installation you want – and so often you want!

Preconditions

TYPO3 6.2 is recommended

Maybe the Installer runs in TYPO3 6.0 and 6.1 too.

Latest extensions

You are needing the latest extensions:

- browser 6.0.0
- caddy 6.0.0
- flipit 6.0.0
- linkhandlerconf 6.0.0
- org 6.0.0
- org_installer 6.0.0
- powermail 2.x is recommended, 1.x is proper too.
- seo_dynamic_tag 6.0.0

Quick Installation

1. Install this Extension – Organiser Installer
2. Install the installer page by the extension manager. The page will have all needed configuration and content.
3. Configure the plugin Organiser Installer: activate the installation in the frontend.
4. Load the page in the frontend.
5. Click "Install it!"
6. Click "Reload!"

Installation

Extension manager

Install the Organiser Installer

Install this extension: Organiser Installer.

Install the installer page out of the box




Illustration 2: Extension Manager with loaded extensions

- | | | |
|----|-------------------|------------------------------------|
| 1. | Modul Admin Tools | Extension Manager |
| 2. | Edit area | Extension [Organiser Installer] |
| 3. | | Language [Your preferred language] |
| 4. | | Installer page [Yes] |
| 5. | | [Save] |

You will get a prompt.

Backend: install page

Enable the installation form for the frontend




Illustration 3: The installer page after reloading the page tree

- | | |
|--------------|--|
| 1. Modul Web | List |
| 2. Page tree | Reload the page tree
Select the page "Organiser: 1 click" |
| 3. Edit area | Edit the plugin [Organiser: 1-click-installation]
Enable Plugin > Installation > Installation [Organiser with website template] |
| 4. | Enter your e-mail address ¹ |
| 5. | [Save] |

Visit the Organiser Installer in your frontend.

¹ Your e-mail address is needed for the shops: you will receive all orders. You can change your e-mail address later.

Frontend: install page

Install the Organiser


Organiser Installation

Check \$TYPO3_CONF_VARS

✓ \$TYPO3_CONF_VARS[FE][pageNotFoundOnCHashError] is proper.

Check extension dependencies

- ✓ automaketemplate: "Template Auto-parser" is loaded.
- ✓ baseorg: "Organiser - Template" is loaded.
- ✓ browser: "Browser - TYPO3 without PHP" is loaded.
- ✓ caddy: "Caddy - TYPO3 shopping cart" is loaded.
- ✓ cps_tcatree: "Record tree for TCA" is loaded.
- ✓ cps_devlib: "Developer Library" is loaded.
- ✓ flipit: "Flip it! TYPO3 for real magazines" is loaded.
- ✓ linkhandlerconf: "+AOE linkhandler configurator" is loaded.
- ✓ org: "Organiser - TYPO3 for lobby and organisers" is loaded.
- ✓ powermail: "Powermail" is loaded.
- ✓ seo_dynamic_tag: "SEO Dynamic Tag" is loaded.



Start the Installation

- ❗ Create a backend group
- ❗ Create a page tree
- ❗ Create the plugins browser, caddy and powermail
- ❗ Create page content
- ❗ Create TypoScript for the browser, caddy and powermail
- ❗ Create configuration records for powermail
- ❗ Create records
- ❗ Create files and images
- ❗ Create page content
- ❗ Consolidating

Start the Installation

Install it!

Illustration 4: The installer form in the frontend

Reload the page in the frontend. You will receive the installer form.

Dependencies and conditions

The installer will check requirements. If troubles are expected, you will get a prompt. Try to solve the problem.

Install it!

Install the Organiser:

- Klick [Install it!]

Report

Organiser Installation was successful.

Backend Group "organiser"

- ✓ Organiser Installer will give the group "organiser" (uid 1) the full access to all pages and directories of the Organiser.

Pages and Directories

- ✓ Page "Data" (uid 2) is created.
- ✓ Page "Calendar" (uid 3) is created.
- ✓ Page "Companies" (uid 4) is created.
- ✓ Page "Documents" (uid 5) is created.
- ✓ Page "Events" (uid 6) is created.
- ✓ Page "Jobs" (uid 7) is created.
- ✓ Page "Locations" (uid 8) is created.
- ✓ Page "News" (uid 9) is created.
- ✓ Page "People" (uid 10) is created.
- ✓ Page "Service" (uid 11) is created.
- ✓ File "campus_sursee_04_1416871815.jpg" is created at "uploads/tx_org/".
- ✓ File "campus_sursee_05_1416871815.jpg" is created at "uploads/tx_org/".
- ✓ File "situationsplan_neu_1416871815.pdf" is created at "uploads/tx_org/".
- ✓ File "BlogExampleWithAnnotation-320px_02_1416871815.png" is created at "uploads/tx_org/".
- ✓ File "t3n_1416871815.png" is created at "uploads/tx_org/".

Consolidating

- ✓ Page "Organiser: 1 click" (uid 1) (nav_title, title, nav_hide, is_siteroot, module, TSconfig) is updated.
- ✓ Element "[Organiser: 1-click-installation]" (hidden) in page "Organiser: 1 click" (uid 1) is updated.
- ✓ Former templates on the page "Organiser: 1 click" (uid 2) are hidden.
- ✓ Element "[fade_deliveryorderaddress.jss]" (bodytext, hidden) in page "Caddy" (uid 20) is updated.
- ✓ Element "[Powermail for Caddy]" (pi_flexform) in page "Caddy" (uid 16) is updated.
- ✓ Element "Caddy" (pi_flexform) in page "Caddy" (uid 12) is updated.
- ✓ Element "+page_caddy_003" (constants, config) in page "Caddy" (uid 3) is updated.
- ✓ Page "pageOrgData_title" (uid 2) (TSconfig) is updated.
- ✓ Element "[fade_deliveryorderaddress.jss]" (bodytext, hidden) in page "Caddy" (uid 25) is updated.
- ✓ Element "[Powermail for Caddy]" (pi_flexform) in page "Caddy" (uid 17) is updated.
- ✓ Element "Caddy" (pi_flexform) in page "Caddy" (uid 14) is updated.
- ✓ Element "+page_caddy_008" (constants, config) in page "Caddy" (uid 8) is updated.
- ✓ Element "[Logo]" (image_link, image_zoom) in page "pageOrgLibraryHeaderLogo_title" (uid 31) is updated.

Finish the installation

- ! TYPO3 backend: Please close the edit area and reload the page tree.
- ! TYPO3 backend: Please delete the Organiser Installer, if you don't need it any longer.

Finish the installation

Reload this page

Illustration 5: The installer page after reloading the page tree

You will receive an installation report. Read it or leave it.


Reload the page with the button at the bottom: [Reload this page]

Result: The Organiser – ready-for-use

This is a short profile only. If you are interested in the manual of the organiser, please visit:

- TYPO3 Repository
<http://typo3.org/extensions/repository/view/org/>
- TYPO3 Organiser
Web: <http://typo3-organiser.de/>
PDF: <http://typo3-organiser.de/typo3conf/ext/org/doc/manual.pdf>

Backend



The screenshot shows the TYPO3 Backend interface. On the left is the 'WEB' sidebar with a 'List' menu. The main area displays a page tree starting with '[0] TYPO3 for Lobbies and Organisers', followed by '[1] TYPO3 Organiser', and then '[2] Data'. Under '[2] Data', there are several folders: '[3] Calendar', '[4] Companies', '[5] Documents', '[6] Events', '[7] Jobs', '[8] Locations', '[9] News', '[10] People', '[11] Service', '[12] Calendar', '[13] Calendar', '[14] [Events]', '[15] Locations', '[16] Caddy', '[17] Caddy mini', '[18] Shipping', '[19] Revocation', '[20] Terms', '[21] Companies', '[22] Documents', '[23] Documents', '[24] Caddy', '[25] Caddy mini', '[26] Shipping', '[27] Revocation', '[28] Terms', '[29] [Jobs]', '[30] Application', '[31] News', '[32] People', '[33] [Services]', '[34] Legal info', and '[35] Libraries'. The right sidebar shows the 'Calendar' module configuration with sections for 'Datetime', 'Calendar: Subjects (3)', 'Calendar: Entrance Fees (3)', and 'Tax (3)'. The 'Datetime' section lists events like '25-11-15 00:30, First night: TYPO3 Organiser'. The 'Calendar: Subjects (3)' section lists subjects like 'policy', 'society', and 'TYPO3'. The 'Calendar: Entrance Fees (3)' section lists fees like 'entrance free, 0.00', 'mere mortals, 490.00', and 'sponsor, 290.00'. The 'Tax (3)' section lists tax rates like '0.00, 0% (without tax)', '19.00, 19% (mere mortals tax rate)', and '7.00, 007% (James Bonds tax rate)'. There is also a 'Localization view' checkbox at the bottom.

Illustration 6: TYPO3 Organiser in the backend. Here: calendar folder with items

Amazing – the Organiser Installer has installed a page tree with

- a data [2] folder, which contains nine folders with data
- 23 pages with content
- a library [35], which contains four folders

Some of the pages and folders contains content like plugins, TypoScript and records.

And please investigate the page properties. You will find some page configurations (tsConfig pages).

Frontend

Desktop




Illustration 7: TYPO3 Organiser home page




Illustration 8: TYPO3 Organiser Calendar

The home page and the calendar.

Smartphone




Illustration 9: Home




Illustration 10: Home with open menu



Illustration 11: Calendar

The home page and the calendar.

Test the Caddy: Order a ticket

You can order a ticket immediately:

- Go to [Calendar]
- Select the event "First night: TYPO3 Organiser"
- Order a ticket.

You will get an e-mail with some PDF attachments after confirmation the order.

Next steps

Please refer to the manual of the Organiser. See

- Organiser – TYPO3 for the lobbies and the organisers
PDF: <http://typo3-organiser.de/typo3conf/ext/org/doc/manual.pdf>
TER: <http://typo3.org/extensions/repository/view/browser/>

FAQ

Does the installer overwrite data like existing pages?

No, it doesn't. All pages and records get a new and unique id while runtime.

May I use the installer in a TYPO3 instance with existing data?

Yes, the installer adds data and doesn't overwrite any data.

May I repeat the installation?

You may repeat the installation unlimited.

Bugs

There isn't any known bug in context with the Organiser installer.

What to do in case of a bug?

Forum

Maybe you can get help in the Forum. Please visit

- the Organiser forum on <http://forum.typo3-organiser.de/>

Posts are welcome in English and German.

If you get an unknown bug

If you get an unknown bug,

- please post a ticket on <http://forge.typo3.org/projects/extension-org>
- or post it at the Organiser forum on <http://forum.typo3-organiser.de/>

Helpful suggestions and benefits

Forum

If you have helpful suggestions, feel free to publish any question, bug or code snippet on

- TYPO3 Organiser forum at
<http://forum.typo3-organiser.de/>

Posts are welcome in English and German.

Sponsoring

Do you like to subsidise the TYPO3 Organiser project? Please visit

- TYPO3 Organiser Sponsoring
<http://typo3-organiser.de/sponsoring/>

I would be very happy.



Further Information

Other extensions published by Die Netzmacher

-  +AOE Linkhandler Configurator: Configure the AOE linkhandler supported by userinterfaces. Out-of-the-box templates for cal, org, tt_news and tt_products. Don't edit page TSconfig any longer.
<http://typo3.org/extensions/repository/view/linkhandlerconf/>
-  autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU.
<http://typo3.org/extensions/repository/view/autositemap/>
-  Browser – TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need one line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. <http://typo3.org/extensions/repository/view/browser/>
-  Caddy – the TYPO3 shopping cart. You can use it for your own needs. You need a database with products or any other items only. You can install Caddy out of the box with one mouse click – see Quick Shop below.
<http://typo3.org/extensions/repository/view/caddy/>
-  Deal! – TYPO3 Quick Shop interface for the marketplace ebay. Manage all items with TYPO3 and publish it on ebay. Amazon is under construction.
<http://typo3.org/extensions/repository/view/deal/>
-  Duty – collection of helpful scheduler tasks. Here: remove deprecated files from directories.
<http://typo3.org/extensions/repository/view/duty/>
-  Flip it! offers lovely and smooth page flip transitions. It enables you to run over pages in PDF documents like in a real magazine. It is based on flash. Flipt it! can convert PDF documents to swf files automatically.
<http://typo3.org/extensions/repository/view/flipit/>
-  Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse. Job Market hasn't any PHP code, it should be easy to adapt it to your needs.
http://typo3.org/extensions/repository/view/job_market/
-  Organiser – TYPO3 for the lobby and the organisers. Handle news, events, staff, headquarters, locations, workshops and a calendar with one extension. Sell online tickets! Install the Organiser with one mouse click!
<http://typo3-organiser.de/>
-  Quick Shop – the fastest shop in the history of TYPO3. Install it with one mouse click! Quick Shop is based on the browser (see above) and powermail.
<http://typo3-quick-shop.de/>
-  PDF Controller: Easy to install. Add to your HTML page the PDF-controller-button. Link from the button to the controller. Adjust the controller by mouseclicks. The PDF Controller supports CSS 3.
<http://typo3-pdfcontroller.de/>
-  Radial Search (Umkreissuche) – Enable the browsing through your data by geo location. 'Your data must have a latitude and a longitude. Address data can geocoded automatically by the Browser - TYPO3 without PHP.
<http://typo3.org/extensions/repository/view/radialsearch/>
-  Route – Publish your routes with GoogleMaps or OpenStreetMap. Routes have points of interest (POI). You can categorise and filter both: routes and POI. Address data can geocoded automatically.
<http://typo3.org/extensions/repository/view/route/>
-  seo_dynamic_tag: Search Engine Optimization for the title tag, the canonical tag and the meta tags author, description and keywords. Configuration by a user interface.
http://typo3.org/extensions/repository/view/seo_dynamic_tag/
-  Slick - jQuery Carousel: Fully responsive. Scales with its container. Separate settings per breakpoint. Uses CSS3 when available. Swipe enabled. Desktop mouse dragging. Infinite looping. Fully accessible.
<http://typo3.org/extensions/repository/view/slick/>
-  TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig porperties with the mouse - like page tree uids, activated extended view, activated clipboard, ...
<http://typo3.org/extensions/repository/view/tsconf/>

Change Log

- 6.0.2 **Improvements**
 - * #63111: Categories for location
- 6.0.1 **Improvements**
 - * #i0018: Content elements for pages jobs and services
- 6.0.0 **Major Features**
 - * #i0017: responsive site structure
 - * #62018: * removed:
 - * tx_org_downloads_mm_tx_org_downloadscat
 - * tx_org_downloads_mm_tx_org_downloadsmedia
 - * #61867: Caddy + Foundation 5.x
 - * #61838: + Cal page
 - ./. TYPO3integrators page
 - * #61825: +Events
 - * #61779: +Job, +Service
 - * #61710: Remove import for department table
 - * #61703: Integrate jobs, services, staff
 - * #61693: Integration of Foundation Top Bar
 - * #61624: Upgrade TYPO3 6.2
 - * #61663/#61664: &cHash comparison failed / cHashExcludedParameters / pageNotFoundOnCHashError
 - * #61666: SQL-ERROR: pages 'perms_userid' cannot be null

Bugfix

 - * #i0016: powermail plugin got the wrong receiver e-mail address
 - Is fixed for Powermail 2x only!
- 4.0.4 **Bugfix**
 - * Bug #59856: cHash comparison failed
- 4.0.3 **Bugfix**
 - * #59519: Files can't installed, if directory uploads/tx_org is missing
 - * #i0015: SQL-ERROR tx_org_news_mm_tx_org_newscat. Column 'uid_local' cannot be null.
 - * #i0014: SQL-ERROR pages. Column 'perms_userid' cannot be null.
- 4.0.2 **Bugfix**
 - * #59512: Extension Manager Form: Took params from quickshop installer
- 4.0.1 **Bugfix**
 - * #i0013: mod.web_list.allowedNewTables.tx_org_headquarterscat was missing
- 4.0.0 **Improvement**
 - * #58340: Fit it into TYPO3 6.1
- 3.3.5 **Update**
 - * #i0012: manual

Bugfix

 - * #i0011: siteroot
 - * #i0010: locallang.xml
- 3.3.4 **Improvement**
 - * #i0008: Page news should have an disabled AJAX because of tree-view filter

Bugfix

 - * #i0009: Powermail 1x fieldsets where linked with plugin powermail caddy only
- 3.3.3 **Improvement**
 - * #i0007: lat and lon added to headquarter records
 - * #i0006: extension check: seo_dynamic_tag
- 3.3.2 **Feature**
 - * #i0005: Simplify SEO. Integration of seo_dynamic_tag 2.0.
 - * #i0004: Simplify LinkHandlerConfiguration. Integration of linkhandlerconf.
- 3.3.1 **Improvement**
 - * #i0003: imgaes need click_enlarge in case of a link and realUrl
- 3.3.0 **Improvement**
 - * #i0002: Version is set to the corresponding version of the Organiser (org)

- 3.2.0 **Feature**
 - * #50490: Simplify LinkHandlerConfiguration
mod.tx_linkhandler is removed completely
- 3.1.0 **Feature**
 - * i0001: Exchange wt_cart into caddy
- 3.0.1 **Improvement**
 - * #44137: Update for Organiser 3.0.1 +++ Removed Org HTML templates
- 3.0.0 **Improvement**
 - * #43690: Update for TYPO3 4.7, Browser 4.2 and Organiser 3.0
 - * #00000: page is wrapped with <div id="content">|</div>**Bugfix**
 - * #34952: Powermail buggy constant
- 2.1.2 **Improvement**
 - * 00000: Update for Organiser 2.1.7
Update for the download module
- 2.1.1 **Improvement**
 - * 00000: Ext-Manager reads \$_POST['data']
Effected file: lib/class.tx_org_installer_extmanager.php
 - * 00000: \$ICON_TYPES -> t3lib_SpriteManager::addTcaTypeIcon(...)
Effected file: ext_tables.php
- 2.1.0 **Improvement**
 - * 00000: Update for Browser version 3.7.9 (record browser)
Effected file:
class.tx_orginstaller_pi1.php
 - * createPlugins
 - * createTyposcript
- 2.0.11 **Improvement**
 - * #00000: Bugfix: If flexform wasn't saved, init flexform value
- 2.0.10 **Improvement**
 - * #00000: Bugfix: Records of downloads categories didn't have any type
- 2.0.9 **Improvement**
 - * #32167: Update for Organiser version 2.1
Data and configuration for download module are added
- 2.0.1 **New Feature**
 - * page TSconfig with configuration for fe_groups relations. Needed for Organiser 2.0.1**Bugfixes**
 - * Staff
 - * Obama got the Wildt vita
 - * Wildt hasn't any vita
 - * Tax:
 - * tax localization has wrong values
 - * Changing:0.07 -> 7.00; 0.19 -> 19.00
 - * tax values allocated tax titles
- 1.0.0 **Initial release**

Illustration Index

Illustration 1: Install the Organiser with one click! Installer button (1). Result in the frontend (2) and the backend (3).....	3
Illustration 2: Extension Manager with loaded extensions.....	7
Illustration 3: The installer page after reloading the page tree.....	8
Illustration 4: The installer form in the frontend.....	9
Illustration 5: The installer page after reloading the page tree.....	10
Illustration 6: TYPO3 Organiser in the backend. Here: calendar folder with items.....	11
Illustration 7: TYPO3 Organiser home page.....	12
Illustration 8: TYPO3 Organiser Calendar.....	12
Illustration 9: Home.....	12
Illustration 10: Home with open menu.....	12
Illustration 11: Calendar.....	12

Alphabetical Index