# Organiser Installer

The installer installs the TYPO3 Organiser, a template and sample records. Installation is out of the box. It is a one click installation.



Version: 3.0.0 - 2012-12-14

Extension Key: org_installer

Language: en

Keywords: forAdmins, forDevelopers, forAdvanced, organiser

Copyright 2011-2012, Dirk Wildt (Die Netzmacher), <http://wildt.at.die-netzmacher.de>


This document is published under the Open Content License

available from http://www.opencontent.org/opl.shtml


The content of this document is related to TYPO3

- a GNU/GPL CMS/Framework available from www.typo3.org

# Table of Contents

# Screenshots

## Frontend



Illustration 1: Install the Organiser – with one click!



Illustration 2: The start page after one click

## Backend



Illustration 3: Generate the installation page supported by the extension manager



Illustration 4: Backend after the click in the frontend.

# Introduction

## What does it do?

- Organiser Installer is an installer only.

- Organiser Installer enables you to install the TYPO3 Organiser (org) out of the box. TYPO3 Organiser will be installed with a lot of sample records and AJAX automatically.

- Organiser Installer supports English and German. It's your decision, to install the TYPO3 Organiser in English or German.

## What do you need?

- A TYPO3 installation only. The installation can be empty.

## Audience

- TYPO3 integrators

- Professional TYPO3 developers and TYPO3 agencies, who doesn't want waste any time for manual installation.

# Principles and preconditions

## Principles

### No needs for an empty TYPO3 installation

We are using a new TYPO3 installation for this manual. The new installation is empty of course.

But there isn't any need to take an empty TYPO3 installation. You are welcome to install the Organiser with this installer in every TYPO3 installation you want.

## Preconditions

### TYPO3 from 4.5 to 4.7 is recommended

TYPO3 from 4.5 to 4.7 is recommended. All used extensions are tested in versions from 4.5 to 4.7 but not in versions older than 4.5.

You can use the Organiser in older TYPO3 versions too. But maybe some details won't be running proper. We don't know any problem in TYPO3 4.4.7.

### Latest extensions

You are needing the latest extensions! This are

- browser            4.2.0
- org                3.0.0
- org_installer      3.0.0
- powermail          1.6.9 (don't use 2.x!)
- wt_cart            1.4.6 fixed

# Quick Installation

1. Install this Extension - Organiser Installer

2. Install the installer page by the extension manager. The page will have all needed configuration and content.

3. Configure the plugin Organiser Installer: activate the installation in the frontend.

4. Load the page in the frontend.

5. Click "Install it!"

6. Click "Reload!"

7. Install the bugfixed version of wt_cart.

# Installation

## Extension manager

### Install the bugfixed version of wt_cart

See "Bugfixed version of wt_cart" on page 14 below.

### Install the Organiser

Install this extension: Organiser Installer supported by the extension manager.

### Install the installer page out of the box



Illustration 5: Extension Manager with loaded extensions

- If you like to change the language, please change the language (1) and update (2) the form.
- After saving the language enable the installation of the installer page (3) and update the form (2) again.

You will get a prompt with some information.

# Backend: install page

## Enable the installation page in the frontend



Illustration 6: Example with an empty TYPO3 installation



Illustration 7: The installer page after reloading the page tree

Please reload your page tree.

The Organiser Installer

- will be placed at the bottom of the tree (1)
- with the installer plugin and
- a ready TypoScript template

## Configure the installer plugin



Illustration 8: The installer plugin

1. Current page is the Organiser Installer
2. Select the plugin
3. Select the tab [Plugin]
4. Set "Installation" to [enabled]
5. Select the backend-user, who will be the owner of all generated pages and sysfolders.
6. Edit the subjects for mails (you can change it later)
7. Edit the sender address for mails (you can change it later)
8. Save the form / plugin.

Visit the Organiser Installer in your frontend.

**Language**

The language of the installation process and the result depends on your current backend language.

# Frontend: install page

## Install the Organiser



Illustration 9: Example with an empty TYPO3 installation          Illustration 10: The installer page after reloading the frontend

The illustration above on the left displays the frontend of an empty TYPO3 installation before installing the installer page.

Reload the page in the frontend. You will receive the installer page (in the illustration on the right).

**Dependencies and conditions**

The installer will check requirements. If troubles are expected, you will get a prompt. Try to solve the problem.

**Install it!**

Install the Organiser:

• Klick [Install it!] (1)

## Report



Illustration 11: The installer page after reloading the page tree

You will receive an installation report. Read it or leave it.

Reload the page with the button at the bottom (1). See the result below.

# The Organiser – short profile

This is a short profile only. If you are interested in the manual of the organiser, please visit:

- TYPO3 Repository
  http://typo3.org/extensions/repository/view/org/

- TYPO3 Organiser
  http://typo3-organiser.de/

## Start page



Illustration 12: Organiser after the installation

1. Sample content
   Three events in the calendar.

2. A form for filtering and searching.

3. A navigation with all pages:

   - calender
   - news
   - staff
   - headquarters
   - locations
   - downloads
   - shop for tickets
   - shop for downloads
   - terms and conditions for tickets
   - terms and conditions for downloads

1. Smart:
   If an event is expired, it will get a different CSS class. And it isn't possible to order tickets.

The navigation (3) will be only added, if your are install the organiser on the top level.

# Order a ticket

- Select an event.

- The form for ordering is at the bottom of an event, if the event isn't expired!

- Select a ticket (1) and order it (2).



Illustration 13: Event in the detailed view (single view)

- Fill up your data (3) and send the form



Illustration 14: Event in the detailed view (single view)



Illustration 15: Event in the detailed view (single view)

- You will get a confirmation mail.

# Backend



Amazing – the Organiser Installer has installed a page tree with

- 9 pages (1) and
- 9 sysfolders (2)

Every page and every sysfolder contains content like plugins, TypoScript and records. You see the calendar items in the sysfolder calendar.

And if you will investigate it, you will find a lot of page configurations (tsConfig pages).

# Repeat the installation

You may repeat the installation unlimited.

# Bugfixed version of wt_cart

wt_cart has some trouble with SQL queries, if you are using variants.

The download module of the Organiser is using variants and doesn't work proper with wt_cart 1.4.4.

Please download the fixed wt_cart version here:

- http://forge.typo3.org/issues/43474 (latest post!) or
- http://typo3-browser-forum.de/wt_cart-1_4_6_fixed.t3x

# Bugs

There isn't any known bug in context with the Organiser installer.

## What to do in case of a bug?

### Forum

Maybe you can get help in the Forum. Please visit

- the Organiser forum on
  http://typo3-browser-forum.de

### If you get an unknown bug

If you get an unknown bug,

- please post a ticket on
  http://forge.typo3.org/projects/extension-org

- or post it at the Organiser forum on
  http://typo3-browser-forum.de

# Helpful suggestions and benefits

## Forum

If you have helpful suggestions, feel free to publish any question, bug or code snippet on

- TYPO3 Organiser forum at
  http://typo3-browser-forum.de/

Posts are welcome in English and German.

## Sponsoring

Do you like to subsidise the TYPO3 Organiser project? Please visit

- TYPO3 Organiser Sponsoring
  http://typo3-organiser.de/sponsoring/

We would be very happy.

# To-Do List

Nothing to do.

# Further Information

## Other extensions published by Die Netzmacher

- autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU.
  http://typo3.org/extensions/repository/view/autositemap

- Browser – TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need 1 line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. http://typo3.org/extensions/repository/view/browser/current/

- Green Cars (Grüne Autos) - Database optimized for ecological cars. It is a case study and demonstrates, how to get a complex database with the browser (see above) in three hours only.
  http://typo3.org/extensions/repository/view/green_cars/current/

- Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse. Job Market hasn't any PHP code,  it should be easy to adapt it to your needs.
  http://typo3.org/extensions/repository/view/job_market/current/

- Majordomo: For subcribing to and unsubscribing from a majordomo mailing list.
  http://typo3.org/extensions/repository/view/majordomo/current/

- Organiser provides a lot of features for handle news, events, staff, headquarters, locations, repertoire, workshops  and a calendar. Sell your online tickets! Available from April of 2011
  http://typo3-organiser.de/

- Quick Shop (extkey: quick_shop): The fastest shop in the history of TYPO3. Install it with one mouse click only! Quick Shop is based on the browser (see above) and powermail.
  http://typo3.org/extensions/repository/view/quick_shop/current/

- PDF Controller: Easy to install. Add to your HTML page the PDF-controller-button. Link from the button to the controller. Adjust the controller by mouseclicks. The PDF Controller supports CSS 3.
  http://typo3-pdfcontroller.de/

- seo_dynamic_tag: Search Engine Optimisation. You can generate values dynamically with this extension especially for the <title>-tag, for the <meta>-tag description and the <meta>-tag keywords.
  http://typo3.org/extensions/repository/view/seo_dynamic_tag/current/

- TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig  porperties with the mouse - like page tree uids, activated extended view, activated clipboard, ...
  http://typo3.org/extensions/repository/view/tsconf/current/

- tt_news select configuration (extkey: ttnews_selectconf) enables to select tt_news by any SQL clause. The extension adds an andWhere clause to the SQL query of the tt_news plugin. I. e. it is possible to display tt_news items in dependence on the ownership of a fe_user.
  http://typo3.org/extensions/repository/view/ttnews_selectconf/current/

- Wine Catalogue provides a data base for wine with regions, wineries, styles, variety and ageing among others. It is localized. English, German and Spanish ist of the box. Wine based on the extension browser (see above).
  http://typo3.org/extensions/repository/view/wine/current/

# Manual in PDF

You find this manual as PDF file at

- doc/manual.pdf

# About the Author

### Dirk Wildt

Dirk Wildt (* 1963 Hamburg/Germany)

Founder of Die Netzmacher GbR (Erfurt/Weimar)

Founder of TYPO3 Usergroup Thuringia

Member of TYPO3 Usergroup Leipzig

2003: Founding think visually! It is Die Netzmacher since 2009.

2000 - 2002: Financial Controller, G.E.B.B

1999 - 2000: Financial Controller, G|M|Z - Tagesspiegel-Gruppe

Illustration 16: The Author - a little bit blurred

1997 - 1999: Spokesman, Senatsverwaltung für Finanzen, Berlin

1989 - 1997: Editor and Financial Controller, taz, die tageszeitung

1982 - 1989: Freelancing Press Photographer

# Credits

Thanks to my wife and son for their backing.

# Change Log

| | |
|---|---|
| 3.0.0 | **Improvement** |
| | * #43690: Update for TYPo3 4.7, Browser 4.2 and Organiser 3.0 |
| | * #00000: page is wrpped with <div id="content">|</div> |
| | **Bugfix** |
| | * #34952: Powermail buggy constant |

2.1.2      **Improvement**
    * 00000: Update for Organiser 2.1.7
        Update for the download module

2.1.1      **Improvement**
    * 00000: Ext-Manager reads $_POST['data']
        Effected file: lib/class.tx_org_installer_extmanager.php
    * 00000: $ICON_TYPES -> t3lib_SpriteManager::addTcaTypeIcon( ... )
        Effected file: ext_tables.php

2.1.0      **Improvement**
    * 00000: Update for Browser version 3.7.9 (record browser)
        Effected file:
        class.tx_orginstaller_pi1.php
        * createPlugins
        * createTyposcript

2.0.11      **Improvement**
    * #00000: Bugfix: If flexform wasn't saved, init flexform value

2.0.10      **Improvement**
    * #00000: Bugfix: Records of downloads categories didn't have any type

2.0.9      **Improvement**
    * #32167: Update for Organiser version 2.1
        Data and configuration for download module are added

2.0.1      **New Feature**
    * page TSconfig with configuration for fe_groups relations. Needed for Organiser 2.0.1
    **Bugfixes**
    * Staff
    * Obama got the Wildt vita
    * Wildt hasn't any vita
    * Tax:
        * tax localization has wrong values
        * Changing:0.07 -> 7.00; 0.19 -> 19.00
        * tax values allocated tax titles

1.0.0      **Initial release**

# Illustration Index