

# Organiser +Repertoire

Publish your repertoire with Org +Repertoire. Org +Repertoire extends the Organiser (org) with a database for repertoire and all needed templates. The Organiser provides a calendar, locations, online-tickets and staff-management out of the box.



Version: 6.0.7, 2014-12-15

Extension Key: org\_repertoire

Language: en

Keywords: lobby, organiser, repertoire

Copyright 2011-2014, Dirk Wildt - Die Netzmacher, <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License available from <http://www.opencontent.org/opl.shtml>  
The content of this document is related to TYPO3 a GNU/GPL CMS/Framework available from [www.typo3.org](http://www.typo3.org)

## Table of Contents

Organiser +Repertoire .....	1	What's new? .....	11
Screenshots .....	3	Version 3.0 .....	11
Frontend .....	3	Helpful suggestions and benefits .....	12
Backend .....	5	Forum .....	12
Introduction .....	7	TYPO3 Forge .....	12
What does it do? .....	7	Sponsoring .....	12
What do you need? .....	7	Further Information .....	13
Audience .....	7	Other extensions published by Die Netzmacher .....	13
Quick Installation .....	8	Manual in PDF .....	14
Installation .....	9	Change Log .....	15
Upgrade .....	10	Illustration index .....	16
From < 6.x .....	10	Alphabetical Index .....	17
From < 3.x .....	10		

# Screenshots

## Frontend




Illustration 1: Repertoire list view

Live example: <http://www.bat-berlin.de/repertoire/>

1. Search form
2. Select box for categories. You can extend the categories i.e. with producers or types among others.
3. A-Z-Browser

Some properties are configurable in the backend user interface with a mouse click.



Illustration 2: Repertoire single view

Live example: <http://www.bat-berlin.de/repertoire/stueck/leonce-und-lena/>

1. Calendar items  
Expired dates get another CSS class

You can design each record – each repertoire item – individually.




Illustration 3: Calendar with repertoire items (list view)

Live example: <http://www.bat-berlin.de/>

1. Search form
2. Category menu. You can extend the categorie menu i.e. with producers or types among others.
3. Select boxes with categories. You can extend it with more select boxes.




Illustration 4: Calendar with repertoire item (single view)

Live example: <http://www.bat-berlin.de/termin/leonce-und-lena-2/>

1. Form for ordering a reservation (online ticket).
2. Link to the shopping cart.

## Backend




Illustration 5: Repertoire list view




Illustration 6: Repertoire single view

- Repertoire is based on a very complex database. You can take in a lot of data (see the amount of tabs!)
- The current tab (Images) demonstrates the design possibilities: there are 10 layouts.




Illustration 7: Calendar list view with repertoire items among others.

- Org +Repertoire extends the Organiser (org) with a database and a lot of properties for repertoire.




Illustration 8: Calendar single view. You can link to a repertoire item directly

1. Org +Repertoire extends the Organiser (org). After installation there is the new event data type "Take it from repertoire"
2. If you have selected the event data type "Take it from repertoire", the select box with the repertoire items will appear.



# Introduction

## What does it do?

Organiser +Repertoire extends with a database and properties for managing a repertoire.

A repertoire item is a special type of a calendar item like an event.

But it has additional appropriate fields like subject, requirements and actors.

It is connected with the fe\_user table.

Workshops blends in the calendar items both in the back-end and in the front-end. For that Organiser +Repertoire is distributed with default templates for HTML and TypoScript.

Organiser +Repertoire isn't localised.

Organiser +Repertoire supports HTML5.

## What do you need?

- A TYPO3 installation with an entire installation.

## Audience

- TYPO3 integrators
- Professional TYPO3 developers, TYPO3 agencies
- Actors, producers, organisers, theatres

## Quick Installation

1. Install Org +Repertoire and configure some options in the Extension Manager.
2. Add and configure a sysfolder in the page tree.
3. Complement your TypoScript configuration.
4. Add a page in the page tree and insert the needed plugin "browser".
5. Insert your workshop data.



## Installation

There is another extension Org +Workshops, which is similar to Organiser +Repertoire.

Please refer to that manual. See:

- [http://typo3.org/extensions/repository/view/org\\_workshops/current/](http://typo3.org/extensions/repository/view/org_workshops/current/)

Thank you for your understanding, that we can save a lot of work.

# Upgrade

## From < 6.x

### Migrate relations

#### Cal

Relation is from tx\_org\_cal (local) to tx\_org\_repertoire (foreign).

```
INSERT INTO tx_org_mm_all (uid_local, uid_foreign, sorting, sorting_foreign, table_local, table_foreign)
SELECT uid_foreign, uid_local, sorting_foreign, sorting, 'tx_org_cal', 'tx_org_repertoire' FROM
tx_org_repertoire_mm_tx_org_cal;
```

## From < 3.x

### Maintain the plugins / flexforms

Organiser +Repertoire needs from version 3.0 any own HTML template. See "Any own HTML any longer" on page 11 below.

Because of this new feature, you have to need update each plugin with an Organiser template.




Illustration 9: Invalid template value after the update




Illustration 10: Please select the template "Default" or "Margin"

The Organiser has the two templates:

- Default
- Margin

Default is the template for rich content: the plugin is placed in the content area of your website usually.

Margin is the template for reduced content: the plugin is placed in the marginal columns of your website usually.

### TYPO3 < 4.7: Include the 4.6 template

If you are run TYPO3 with a version smaller than 4.7, you have to include the static template

- +Org-Repertoire: Basis for TYPO3 < 4.7 (obligate!)

Please include it below (after) all other Organiser templates!

# What's new?

## Version 3.0

### HTML5 support

[3.0.0]

Organiser +Repertoire supports HTML5 from TYPO3 4.7 in principle.

### Any own HTML any longer

[3.0.0]

Organiser +Repertoire from version 3.0 doesn't need any longer an own HTML template. It is using the Organiser HTML templates.

This a big advantage, if you have a need to change anything in the HTML code.

Because of this new feature, unfortunately you have to update each plugin / flexform, which is using Organiser +Repertoire.

### jQuery theme support

[3.0.0]

All HTML templates and all TypoScript templates are improved for jQuery themes. You can select one of 23 themes with the plugin / flexform of the TYPO3 browser.

# Helpful suggestions and benefits

## Forum

If you have helpful suggestions, feel free to publish any question or code snippet on

- TYPO3 Organiser forum at <http://typo3-browser-forum.de/>

Posts are welcome in English and German.

## TYPO3 Forge

Bugs and Feature requests can be posted on TYPO3 Forge too:

- [http://forge.typo3.org/projects/show/extension-org\\_repertoire](http://forge.typo3.org/projects/show/extension-org_repertoire)

## Sponsoring
















Do you like to subsidise the TYPO3 Organsier project? Please visit

- TYPO3 Organiser Sponsoring <http://typo3-organiser.de/sponsoring/>

We would be very happy.

## Further Information

### Other extensions published by Die Netzmacher

-  +AOE Linkhandler Configurator: Configure the AOE linkhandler supported by userinterfaces. Out-of-the-box templates for cal, org, tt\_news and tt\_products. Don't edit page TSconfig any longer.  
<http://typo3.org/extensions/repository/view/linkhandlerconf/>
-  autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU.  
<http://typo3.org/extensions/repository/view/autositemap/>
-  Browser – TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need one line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. <http://typo3-browser.de/>
-  Caddy – the TYPO3 shopping cart. You can use it for your own needs. You need a database with products or any other items only. You can install Caddy out of the box with one mouse click – see Quick Shop below.  
<http://typo3-caddy.de/>
-  Deal! – TYPO3 Quick Shop interface for the marketplace ebay. Manage all items with TYPO3 and publish it on ebay. Amazon is under construction.  
<http://typo3-deal.de/>
-  Duty – collection of helpful scheduler tasks. Here: remove deprecated files from directories.  
<http://typo3.org/extensions/repository/view/duty/>
-  Flip it! offers lovely and smooth page flip transitions. It enables you to run over pages in PDF documents like in a real magazine. It is based on flash. Flipt it! can convert PDF documents to swf files automatically.  
<http://typo3.org/extensions/repository/view/flipit/>
-  Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse.  
<http://typo3-job-market.de/>
-  Organiser – TYPO3 for the lobby and the organisers. Handle news, events, staff, headquarters, locations, workshops and a calendar with one extension. Sell online tickets! Install the Organiser with one mouse click!  
<http://typo3-organiser.de/>
-  Quick Shop – the fastest shop in the history of TYPO3. Install it with one mouse click! Quick Shop is based on the browser (see above) and powermail.  
<http://typo3-quick-shop.de/>
-  PDF Controller: Offer a TYPO3 page for PDF download. Individual layout with background PDF file. TYPO3 sessions are supported. Handling of responsive backend layouts and grid elements possible. PDF engine is TCPDF.  
<http://typo3-pdfcontroller.de/>
-  Radial Search (Umkreissuche) – Enable the browsing through your data by geo location. 'Your data must have a latitude and a longitude. Address data can geocoded automatically by the Browser - TYPO3 without PHP.  
<http://typo3.org/extensions/repository/view/radialsearch/>
-  Route – Publish your routes with GoogleMaps or OpenStreetMap. Routes have points of interest (POI). You can categorise and filter both: routes and POI. Address data can geocoded automatically.  
<http://typo3-route.de/>
-  seo\_dynamic\_tag: Search Engine Optimization for the title tag, the canonical tag and the meta tags author, description and keywords. Configuration by a user interface.  
[http://typo3.org/extensions/repository/view/seo\\_dynamic\\_tag/](http://typo3.org/extensions/repository/view/seo_dynamic_tag/)
-  Slick - jQuery Carousel: Fully responsive. Scales with its container. Separate settings per breakpoint. Uses CSS3 when available. Swipe enabled. Desktop mouse dragging. Infinite looping. Fully accessible.  
<http://typo3-slick.de/>
-  Start is installing and managing a responsive TYPO3. Provides a dozen ready-to-use backend layouts and some grid-layouts. Template is included for a responsive newsletter. Based on the responsive framework Foundation (Zurb). <http://start-typo3-responsive.de/>
-  TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig porperties with the mouse - like page tree uids, activated extended view, activated clipboard, ...  
<http://typo3.org/extensions/repository/view/tsconf/>

## Manual in PDF

You find this manual as PDF file at

- [doc/manual.pdf](#)

# Change Log

- 3.0.0 **Features**
- \* #44024: Backwards compatibility < TYPO3 4.7
  - \* #43982: tt\_content.image: improve fields with ...orient
  - \* #43981: TypoScript snippets for HTML templates
  - \* #43980: tt\_content.image: improve text property
  - \* #43979: tt\_content.image: improve caption property
- Improvement
- \* #43978: tt\_content.image: improve enable property
- Bug
- \* #44004: TYPO3 4.7: page icon is missing
  - \* #43983: tt\_content.image: alt- and title tags aren't rendered proper
- Effected Files:
- \* static/calendar/201/setup.txt
  - \* static/repertoire/331/setup.txt
- 1.0.1 **Improvement**
- \* \$ICON\_TYPES replaced by SpriteManager method
- Thanks to Ulfried Herrmann
- 1.0.0 **Documentation and first publication**
- 0.5.0 **Improvement**
- css\_style\_content style like for
  - \* documents
  - \* images
- 0.4.5 **New Feature**
- Extending calendar: expired dates only
  - \* TypoScript affected
- 0.4.4 **Improvement**
- Extension Manager
  - Consolidation
  - \* Calendar
- 0.4.3 **Bugfixes**
- Several Bugfixes
- 0.4.2 **Initial Release**
- Dirk Wildt <<http://wildt.at.die-netzmacher.de>>



## Illustration index

Illustration 1: Repertoire list view .....	3
Illustration 2: Repertoire single view .....	3
Illustration 3: Calendar with repertoire items (list view) .....	4
Illustration 4: Calendar with repertoire item (single view) .....	4
Illustration 5: Repertoire list view .....	5
Illustration 6: Repertoire single view .....	5
Illustration 7: Calendar list view with repertoire items among others. ....	6
Illustration 8: Calendar single view. You can link to a repertoire item directly .....	6
Illustration 9: Invalid template value after the update .....	10
Illustration 10: Please select the template "Default" or "Margin" .....	10

# Alphabetical Index