

## EXT: piwikintegration

Extension Key: piwikintegration

Language: en

Keywords: keywords comma-separated

Copyright 2000-2010, Kay Strobach, <typo3@kay-strobach.de>

This document is published under the Open Content License  
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3  
- a GNU/GPL CMS/Framework available from [www.typo3.org](http://www.typo3.org)

# Table of Contents

EXT: Readable name of your extension.....	1	From 0.x to 1.x.....	9
<b>What does it do.....</b>	<b>3</b>	From 1.x to 2.0.....	9
Screenshots.....	3	From 2.0.x to 2.2.x.....	9
Administrative functions in backendmodule.....	4	<b>Settings in Extension manager.....</b>	<b>10</b>
Scheduler integration.....	5	<b>How does the integration work?.....</b>	<b>11</b>
Supported languages for BE module.....	5	<b>Statistics on your Desktop.....</b>	<b>12</b>
<b>Installation.....</b>	<b>6</b>	Piwik API Code / token_auth / API Key.....	12
Automated Installation (recommend).....	6	Piwik API URL.....	12
Manual installation (draft may not be complete, not recommend).....	6	Applications.....	12
<b>Use in TYPO3 frontend.....</b>	<b>7</b>	<b>FAQ.....</b>	<b>13</b>
Prerequisites.....	7	<b>Appendix.....</b>	<b>14</b>
Add Content Element.....	7	Changelog.....	14
Example for integration into a TYPO3 website.....	8	Roadmap.....	14
<b>Upgrade.....</b>	<b>9</b>	Todo.....	14
		Known Problems.....	14

# What does it do



This extension implements Piwik tracking in TYPO3-based websites.


Piwik is a new open source (GPL license) web analytics product. It gives interesting reports on your website visitors, your popular pages, the search engines keywords they used, the language they speak... and so much more. To learn more about Piwik, go to <http://www.piwik.org>.

This extension is a addon to the extension of EXT:piwik which provides a Backendmodule and integration functionality to TYPO3


## Screenshots

### Piwik in Backend


#### Module without the skin extension




#### Module with Piwik skin extension TYPO3Menu (default in automatic installation)



## EXT:templavoila with preview



## Piwik widget in TYPO3 frontend



## Administrative functions in backendmodule

The Backendmodule is divided into 3 parts:

**Overview:** I would call it dashboard, it's simply a page which shows the most important statistics: Visitors, Frequency, Pages and Keywords.


**Direct Statistics Access:** Takes you to the original Piwik control panel, where you can find all statistics gathered by Piwik and also access the Admin section. This part can be skinned with the Piwik plugin [TYPO3Menu](#) (found in Admin page on Plugin tab).

**Data for API use:** Here you find your API Code (key) and your local Piwik URL along with the , JavaScriptTrackingCode display for use in external tools.

**Administrative functions(not included yet):** Here you can download GeoIPDatabase Download and Refresh the Piwik API Key

## Scheduler integration

In TYPO3 4.3 there is a new extension called Scheduler (found in Admin tools / Scheduler). With that extension installed you can [what does the Piwik Archive Cron Job do and why should I use it?]. Use it like this:



1. Create a new task by clicking on the New icon
2. Setup an interval like daily (=86400 seconds)

If you select the Piwik task and hit Execute selected tasks, you do not need to wait to see the statistics.

Have a look on <http://piwik.org/docs/setup-auto-archiving/> to get more information on speeding up piwik. (ignore the cronjob, as this is executed by the Scheduler).

Please have a look on these options in the Piwik configuration, with the following setting you force piwik to create the statistics with the cronjob and not while opening Piwik in the browser, that will speedup using piwik.

```
[General]
time_before_today_archive_considered_outdated = 3600
enable_browser_archiving_triggering = false
```

## Supported languages for BE module

Currently the Piwik integration BE module supports the following languages. You can translate this extension yourself via normal TYPO3 translation system (II-XML translation). Please provide your translations to the EXT:piwikintegration developer team.

- English as default
- German

To get the full list of available languages for the original Piwik application, please look into the official piwik blog at <http://piwik.org/translations/>.

# Installation

## Automated Installation (recommend)

To integrate piwikintegration into your TYPO3 installation follow these steps:

1. Install the extension via TER, piwik is not included!
2. Also install and enable the EXT:piwik which is suggested, to get the trackingcode automatically. You do **not** need to configure EXT:piwik since it is already configured with the static template of EXT:piwikintegration (see below). Have a look in <http://typo3.org/extensions/repository/view/piwik/current/> for setting up advanced options of EXT:piwik. You do not need to do this here.
3. Enable the extension EXT:piwikintegration.
4. Add the static template of EXT:piwikintegration (choose Web -> Template -> [page where you have your template] -> Info/Modify -> Edit whole template record -> Includes) This will enable a single idsite and add the needed ts-configuration for EXT:piwik, as described above.
5. Open the statistik module (Web -> Statistics ) and click on the page, or a subpage, where you added the static template:
  1. The backendmodule now recognizes, that Piwik is not installed (by checking, if the config file exists).
  2. The backendmodule will now download, extract and install the latest Piwik release into typo3conf/piwik. This could take a while.
  3. The backendmodule will now reload and you will now able to use Piwik via the Direct Statistics Access dropdown box.
6. (If you like to use GeoIPDatabase use the admin functions of the module and download the database from maxmind.)[This function is currently not available.]

That's all you need to start tracking your visitors. See EXT:piwik manual for more config options and description of it's parameters.

## Manual installation (draft may not be complete, not recommend)

To integrate piwikintegration into your TYPO3 installation follow these steps:

1. Install the extension via TER, piwik is not included!
2. Install and enable the EXT:piwik which is suggested, to get the Trackingcode automatically. You do not need to configure EXT:piwik it's configured with the static template of EXT:piwikintegration (see below). Have a look in <http://typo3.org/extensions/repository/view/piwik/current/> for setting up advanced options of EXT:piwik. You do not need to do this here. You do not need to install EXT:piwik, if you integrate the trackingcode on your own. But you need to setup up the siteid like described in <http://typo3.org/extensions/repository/view/piwik/current/> in the EXT:piwik manual. This is needed, because EXT:piwikintegration uses the same setup as EXT:piwik
3. Install and enable the plugin EXT:piwikintegration.
4. Copy Piwik in typo3conf/piwik/piwik so that the index.php is accessible via typo3conf/piwik/piwik/index.php
5. Setup Piwik with the same database parameters as you use for your TYPO3 installation. You need to set the prefix to "tx\_piwikintegration\_" as this is required for EXT:piwikintegration.
6. Open the statistik module, click on the page, or a subpage, where you have added the static template. The backendmodule should now recognize that Piwik is correctly installed (by checking if the config file exists). This will show the overview page.
7. Don't forget to install the TYPO3\* plugins in Piwik application (Web -> Statistics -> Direct Statistics Access -> Admin -> Plugins), especially the TYPO3Auth plugin is mandatory for authentication against the TYPO3 session. If this works you can disable the Login plugin.
8. If you like to use GeoIPDatabase use the admin functions of the module and download the database from maxmind.

That's all you need to start tracking your visitors. See EXT:piwik manual for more config options and description of it's parameters.

# Use in TYPO3 frontend

## Prerequisites

Before you can add a Piwik widget to your TYPO3 Frontend you need to allow anonymous access to the site you want to publish.

## Add Content Element

### General

To add a Piwik widget simply add it like every content element in TYPO3.

### Options

The first one is the site id of piwik.

The second one lets you select the widget you want to display.

The third one set up the period.

The fourth one lets you select how you want to display the data.


And last but not least you can set up the height of the div for the Piwik widget in your frontend.

The width is determined automatically by the browser of the user.


You can obtain these settings from your Piwik dashboard. On the Piwik dashboard you also have the chance to generate the code to integration Piwik widgets into other websites.

### templavoila

In the templavoila backend module you will see a preview of the generated content element.



Example for integration into a TYPO3 website.





# Upgrade

## From 0.x to 1.x

No upgrade path

## From 1.x to 2.0

Simply upgrade via TER, update the TS Setup with the new Option, after opening the BE Module piwik gets installed and you're done.

Don't forget to install EXT:piwik for automated adding of the trackingcode. → Please check your page for the trackingcode as non logged in BE user, as EXT:piwik from version 2.x won't log authenticated BE Users.

## From 2.0.x to 2.2.x

There is a new Piwik Plugin called TYPO3Menu which is shipped with version 2.1.0.

This plugin switches the gui of piwik into a more TYPO3 like style. You need to activate it manually, as EXT:piwikintegration tries to not touch your config if not really needed. The shipped Extensions have the same Version as EXT:piwikintegration by architecture. That makes it easy for you to find the correct plugins.

# Settings in Extension manager

From the Extension manager you can choose to enable a few features:

## EXPERIMENTAL independent mode [enableIndependentMode]

EXT:piwikintegration contains a basic tracking JS; please don't enable this mode in EM if you have installed EXT:piwik, it will result in doubled Trackingcode in the Frontend.

## EXPERIMENTAL scheduler task [enableSchedulerTask]

This option installs a Scheduler task that speeds up rendering of Piwik, as the statistics are build before viewing them in the browser. See related chapter of this document to get more information how to use this feature

## Debugging of scheduler task [enableSchedulerLogging]

As described in the extension manager this flag enables detailed logging for the piwik cronjob in the sys\_log table.

Enable heavy logging for the piwik cronjob, should be off in production environments as this can result in very large tables. Please use this function for debugging only.

Administration log

Users: [Any] Max: 100 Workspace: [Any]

Time: Last week YYYY-MM-DD Action: [Any] Group by page:

Log from 2009-12-07 00:00:00 to 2009-12-14 00:00:00

13.12.09

Time	User	Type	Error	Action	Details
22:28:12	admin@LIVE	[4]		[4_0]	EXT:piwikintegration cronjob ended
.	.	.	.	.	EXT:piwikintegration period month (150) Customer 150 (0.557s)
.	.	.	.	.	EXT:piwikintegration period month (140) Customer 140 (0.549s)
.	.	.	.	.	EXT:piwikintegration period month (26) Customer 0 (0.589s)
.	.	.	.	.	EXT:piwikintegration period month (25) Customer 0 (0.85s)
.	.	.	.	.	EXT:piwikintegration period month (24) Customer 24 (0.576s)
.	.	.	.	.	EXT:piwikintegration period month (23) (0.579s)
.	.	.	.	.	EXT:piwikintegration period month (22) (0.602s)
.	.	.	.	.	EXT:piwikintegration period month (21) (0.552s)
.	.	.	.	.	EXT:piwikintegration period month (20) (1.014s)
.	.	.	.	.	EXT:piwikintegration period month (19) (0.615s)
.	.	.	.	.	EXT:piwikintegration period month (16) (0.618s)
.	.	.	.	.	EXT:piwikintegration period month (14) (0.583s)
.	.	.	.	.	EXT:piwikintegration period month (12) (0.573s)
.	.	.	.	.	EXT:piwikintegration period month (11) (1.007s)
.	.	.	.	.	EXT:piwikintegration period month (25) (0.988s)
.	.	.	.	.	EXT:piwikintegration period month (21) (6.079s)
.	.	.	.	.	EXT:piwikintegration period month (20) (6.585s)
.	.	.	.	.	EXT:piwikintegration period month (19) (6.139s)
.	.	.	.	.	EXT:piwikintegration period month (16) (6.392s)
.	.	.	.	.	EXT:piwikintegration period month (14) (6.704s)
.	.	.	.	.	EXT:piwikintegration period month (12) (6.56s)
.	.	.	.	.	EXT:piwikintegration period month (11) (6.091s)
.	.	.	.	.	EXT:piwikintegration period month (10) (25.867s)
.	.	.	.	.	EXT:piwikintegration period month (9)
.	.	.	.	.	EXT:piwikintegration period month (8)
.	.	.	.	.	EXT:piwikintegration period month (7)
.	.	.	.	.	(743.141s)
.	.	.	.	.	EXT:piwikintegration period month (6)
.	.	.	.	.	(186.837s)
.	.	.	.	.	EXT:piwikintegration period month (5)
.	.	.	.	.	(272.381s)
.	.	.	.	.	EXT:piwikintegration period month (4)
.	.	.	.	.	(255.046s)
.	.	.	.	.	EXT:piwikintegration period month (3)
.	.	.	.	.	EXT:piwikintegration period month (2)

## How does the integration work?

1. User opens statistik module for a specific page → TYPO3 checks access → Module inserts access records to piwik tables automatically (admin as superuser, normal user with view rights)
2. load piwik in iframe / object tag
3. Authenticate user against TYPO3 be\_users table with the user of the be cookie. For that step the plugin TYPO3Login is needed in piwik.
4. That's all.


# Statistics on your Desktop

In this chapter you will learn how to setup the Piwik API and how to get all the needed configuration variables. With that API you can use Piwik on your Desktop or in other Webapplications. In the last subsection of this chapter you will find someusefull tools for your desktop.

## Piwik API Code / token\_auth / API Key

Is supported, currently you need to set up the API key manually. You do that in the be\_users form.


1. Admin tools -> User Admin
2. select the Admin user
3. Extended
4. Just click in the litte recycle icon to get a new API Code generated.




Currently there is also the way to set a key via the backend module statistics, but this is deprecated.

1.  Statistics

2. Select Page

3. 

4. 

## Piwik API URL

Please take a look into the Statistics BE module to get the URL for Piwik API. Normally it should be:

DOMAIN/typo3conf/piwik/piwik/

## Applications

There are 2 Adobe Air Applications, which enable you to see the statistics on your desk, without login into piwik.

- Desktop Web Analytics - For Piwik  
<http://www.desktop-web-analytics.com/>
- Piwik Connector  
<http://www.piwik-connector.com/en/>

## FAQ

**What do I have to do if the installation fails with:**

**There is no valid unzip wrapper, i need either the class ZipArchiv from php or a \*nix system with unset path set.**

You have 3 opinions:

1. Manual setup → hard
2. Install Zip Extension for PHP
3. Do not use Microsoft Windows and disable `$GLOBALS['TYPO3_CONF_VARS']['BE']['disable_exec_function']` in the TYPO3 Install tool.

**Use with ks\_sitemgr (currently not published in TER)**

Use the customer id constant to setup the trackingcode – example will be provided later.

**What to do if Piwik can't update?**

There are 2 possible solutions

1. Manually unpack the archive into `typo3conf/piwik`
2. Make a list of installed plugins and settings, delete the `typo3conf/piwik` directory, make a clean install and reconfigure Piwik

# Appendix

## Changelog

See <http://forge.typo3.org/projects/activity/extension-piwikintegration> for the current Activity and Changelog

## Roadmap

See <http://forge.typo3.org/projects/roadmap/extension-piwikintegration> for the current Roadmap

## Todo

See <http://forge.typo3.org/projects/extension-piwikintegration/issues> for more details.

## Known Problems

FIXED There is a know incompatibility with t3editor in TYPO3 4.2, it works in TYPO3 4.3RC1.

See <http://forge.typo3.org/projects/extension-piwikintegration/issues> for more details.