


Quick Shop

Quick Shop - the fastest shop in the history of TYPO3. Install the shop ready-to-use with one mouse click! Quick Shop is a team play with the Browser - TYPO3 without PHP -, Caddy - the TYPO3 shopping cart - and Powermail. Quick Shop itself hasn't any line PHP code.



Version: 3.0.8 - 2013-09-26

Extension Key: quick_shop

Language: en

Keywords: forAdmins, forDevelopers, forBeginners, forIntermediates, forAdvanced, shop

Copyright 2010 - 2013, Dirk Wildt (Die Netzmacher), <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3
- a GNU/GPL CMS/Framework available from <http://www.typo3.org/>

Table of Contents

Quick Shop	1	TypoScript	20
Screen Shots	3	HTML Template	21
Frontend	3	Localisation	22
Shop	3	Extension Manager	22
Caddy	4	Backend	22
Attachments	4	Configure languages in TYPO3	22
Backend	5	RealUrl	23
List view with Categories and Items	5	Sample Configuration	23
Individual layout for each product	5	Workflow	23
Browser plugin	6	What's new?	24
Caddy plugin	6	In version 3.0	24
Installation	7	Caddy	24
Introduction	8	Field SKU in tab [Product]	24
What does it do?	8	Invoice and packing list as PDF file	24
What does it not do?	8	Powermail version 1.x and 2.x	24
What do you need?	9	Support for Quick Shop 1.x is closed	24
Audience	9	Tab [Controlling]	24
Non possible TYPO3 core features	9	Tab [Price & Quantity]	24
Beforehand	9	Tab [Search engines]	24
Quick Installation	10	In version 2.0	25
With the Quick Shop Installer	10	Individual layout for each product	25
Without the Quick Shop Installer	10	Page tree icon	25
Installation	11	HTML templates are CSS controlled	25
One mouse click – the Quick Shop Installer	11	Updates	26
Advantages	11	From version < 3.0	26
Manually	11	Workflow	26
Controlling	12	This properties are changed	29
Beforehand	12	Packages for Sponsors	30
Page Quick Shop	12	Fun – 50 EUR	30
Page properties	12	Logo – 150 EUR	30
Content	12	Patron – 500 EUR	30
TypoScript	13	Credits	31
Page Caddy	15	made-in-nature.de	31
Content	15	Helpful suggestions	32
TypoScript	15	Forum	32
Items	15	Quick Shop on TYPO3 forge	32
RSS Feed and XML	16	Latest versions	32
Browser Tutorial RSS/XML	16	To-Do List	33
Integration in Facebook	17	Search Box	33
Screenshots	17	Further Information	34
Facebook wide Application	17	Other extensions published by Die Netzmacher	34
The tab [Quick Shop] in Your Facebook-Account	17	Demo website	35
Tutorial	17	Manual and tutorial in PDF	35
Ordering of Products	18	Change Log	36
Default Order	18	Illustration Index	38
Order manually – by the field sorting	19		

Screen Shots

Frontend

Shop



Illustration 1: Quick Shop integrated in the Quick Shop Template

The example will be the result, if you are installing the Quick Shop with the Quick Shop Installer with the basic template option.

See Quick Shop live on <http://typo3-quick-shop.de>

Caddy

Warenkorb

Menge	Art.-Nr.	Artikel	MWST.	Preis	Gesamt	Entfernen
3	typo3-book-de	Geheime Bilder	7%	29.99 €	89.97 €	X
# Summe Artikel (netto)					84,08 €	
+ Service- und Versandkosten (netto)					0,00 €	
+ Mehrwertsteuer					5,89 €	
zusätzlich 19% MWST.					0,00 €	
zusätzlich 7% MWST.					5,89 €	
# Gesamtsumme (brutto)					89,97 €	

Rechnungsadresse

Firma: Die Netzmacher
 Vorname*: Dirk
 Nachname*: Wildt
 Straße und Hausnummer: Bornalweg 4
 Postleitzahl: 99092
 Ort: Erfurt
 Land:

Lieferadresse

Maß*: wildt@die-netzmacher.de
 Telefon:
 Fax:

Bestellung

AGB*: ☒ Ich akzeptiere die AGB.
 Widerrufsbelehrung*: ☒ Ich habe die Widerrufsbelehrung gelesen.
 Quick Shop unverbindlich testen!

Bestellsomme **89,97 €**

Illustration 2: Caddy and the order form

Attachments

Die Netzmacher
 Dirk Wildt
 Bornalweg 4
 D-99092 Erfurt
 Tel: +49 363 74789004
 Fax: +49 3643 402096
 wildt@die-netzmacher.de
 http://die-netzmacher.de

Kundennummer Ihr Zeichen Unser Zeichen

AGB

Widerrufsrecht

Gut zu wissen

Hilfreiche Links

- BGB § 312d - Widerrufsrecht
- Vorlage von ebay für eine
- BGB § 312d in englischer

Lieferscheinnummer 232
 Bestellnummer 3988 | Rechnungsnummer 99

Menge	Art.-Nr.	Artikel	MWST.	Preis	Gesamt
3	typo3-book-de	Geheime Bilder	7%	29.99 €	89.97 €
# Summe Artikel (netto)					84,08 €
+ Service- und Versandkosten (netto)					0,00 €
Versand: DHL Standard (0 €)					0,00 €
Zahlung per: Vorkasse (0 €)					0,00 €
Weitere Optionen:					
+ zusätzlich 19% MWST.					0,00 €
+ zusätzlich 7% MWST.					5,89 €
# Gesamtsumme (brutto)					89,97 €

Rechnungsnummer 99
 Bestellnummer 3988 | Lieferscheinnummer 232

Quick-Shop

Zahlen Sie bitte bis spätestens 05. Okt. 2013 **89.97 €** mit dem Vermerk "Rechnungsnummer 99" auf das unten angegebene Konto.

Wir würden uns freuen, wenn Sie uns weiterempfehlen.

100% Open-Source. 100% kostenlos.

Danke

an alle, die TYPO3 und Quick Shop möglich machen oder möglich gemacht haben: Alex Keller (powermail), et cetera, Alexander Grein (powermail), Björn Jacob (et cetera), Daniel Lorenz (et cetera), Daniel Pätzsch (et cetera), Dirk Wildt (base, quickshop, browser, caddy, quick, quickshop, installer, et cetera), Fabrizio Branca (et cetera), Frank Sander (browser, Jürgen Kusmann (et cetera), Inhaber: Martin Tupper (et cetera), Michael Klapper (et cetera), Nicole Cordes (et cetera), powermail, Ralf Zimmermann (et cetera), Sebastian Wagner (et cetera), Stefan Bueemann (powermail), Stefano Cecere (et cetera), Tobias Kietz (et cetera), Inhaber: Ulfried Herrmann (browser, quickshop, quickshop_stock ... und das TYPO3-Core-Entwicklerteam.

Illustration 3: E-mail attachments in your corporate design

Backend

List view with Categories and Items




Illustration 4: Quick Shop – categories and items

Individual layout for each product




Illustration 5: Quick Shop – Individual layout for each item


Browser plugin



The screenshot shows the 'Plugin' tab of the Quick Shop configuration. The 'Selected Plugin' is 'Browser - TYPO3 without PHP'. Under 'Plugin Options', the 'List View' tab is active. The configuration includes fields for 'Title' (set to 'Quick Shop'), 'Title Wrap', 'Group Title Wrap', 'Limit: start/offset', 'Limit: records per page' (set to 3), 'Display: Navigation' (with 'Index Browser' and 'Page Browser' checked), 'Display: Records' (with 'Empty List at Start' unchecked), 'Display: Empty values and empty records' (with 'Don't handle empty records in list views and don't handle empty fields in single' checked), 'Search' (set to 'Default'), 'Filter: display items' (set to 'Controlled by selected filters'), 'CSV export' (set to 'Disabled (default)'), and 'Rotate views' (set to 'Disabled (recommended)').

Illustration 6: Controlling Quick Shop with the Browser plugin

Caddy plugin



The screenshot shows the 'Plugin' tab of the Quick Shop configuration for the 'Caddy' plugin. The 'Selected Plugin' is 'Caddy'. Under 'Plugin Options', the 'Check it!' tab is active. The configuration includes a section for 'Enable the Check-it-report' (checked), a message 'You have an internal annotation at the tab [Notes]. Please attend it!', a warning 'Please disable the check-it-report. It costs performance!', a section for 'DRS: You will get a report in the Developer Log' (unchecked), a section for 'Update Wizard: You will get a frontend report, if your IP match the list of allowed IP' (unchecked), a section for 'Your current IP: 93.210.21.120', and a section for 'List of allowed IP: Please add your current IP, if you like to see a result in the frontend.' with a text input field containing '127.0.0.1, 127.0.0.2'.

Illustration 7: Controlling Caddy with the Caddy plugin

Installation

Quick Shop Installation

Check extension dependencies

- ✓ automaketemplate: "Template Auto-parser" is loaded.
- ✓ base_quickshop: "Quick Shop - Template" is loaded.
- ✓ browser: "Browser - TYPO3 without PHP" is loaded.
- ✓ caddy: "Caddy - your shopping cart" is loaded.
- ✓ cps_toatree: "Record tree for TCA" is loaded.
- ✓ powermail: "Powermail" is loaded.
- ✓ quick_shop: "Quick Shop" is loaded.

Start the Installation

- 1 Create a backend group
- 2 Create a page tree
- 3 Create the plugins browser, caddy and powermail
- 4 Create page content
- 5 Create TypoScript for the browser, caddy and powermail
- 6 Create configuration records for powermail
- 7 Create six example items
- 8 Create product images
- 9 Create page content
- 10 Consolidating

Start the Installation



Illustration 8: Installation with one click: Installer (1), the result in the backend (2) and in the frontend (3)

Introduction

What does it do?

- Quick Shop is a shop extension for TYPO3.
- Quick Shop is easy to install: you can install Quick Shop with one click by the Quick Shop Installer (recommended). Quick Shop is ready-to-use, if you are using the installer.
- If you want to use Quick Shop as a single website, Quick Shop offers a template ready-to-use. See "Quick Shop - Template" (base_quickshop). If you like, the Quick Shop Installer will install this template.
- Quick Shop items have properties for
 - Search Engines
 - Minimum and maximum order quantities
- You can layout items differently for example with different image dimensions and different image positions for each item.
- Quick Shop will send
 - a confirmation mail to the client
 - an order mail to the shop provider with attached
 - invoice
 - delivery order
 - power of revocation
 - terms & conditions
 - Shop providers can use their own PDF draft with their own corporate design.
- Quick Shop is based on the extensions Browser, Caddy and Powermail.
- The Quick Shop frontend is controlled by the plugin "Browser". You enable a lot of stuff by clicking the mouse: search form, page browser, index browser (A-Z), empty list at start and social bookmarks among others.
- The Browser plugin of the Quick Shop enables realUrl.
- Quick Shop is localised. You can publish all items in any language.¹
- You are controlling the order form and e-mails by Powermail.
- You are controlling the shopping cart by Caddy.
- Quick Shop hasn't any own PHP code. This has three big advantages:
 - The extension is stable.
 - It is easy to extend the shop database with tables and fields for your needs.
 - You can use your own TypoScript and your own HTML templates. It is easy to adapt it to your needs.
- Quick Shop has a forum.
- Quick Shop has a tutorial. The tutorial teach you, how to develop your own shop.
- Quick Shop is useful, if you need a simple shop. For example if you like to provide a couple of products only.

What does it not do?

- Quick Shop isn't useful, if you need things like cross selling or if you have a lot of products with a lot of attributes like colours and sizes.
- Quick Shop hasn't any interface for online payment.
- The shop isn't contend with shops like Oxyd or Magento.

¹ But Quick Shop is optimised for German selling rules.

What do you need?

- If you want to adapt the extension, you need experience in TypoScript. You should know the TCA – the TYPO3 table configuration array.

Audience

- TYPO3 agencies
- TYPO3 integrators
- TYPO3 developers

Non possible TYPO3 core features

- Quick Shop doesn't support versioning.
- Quick Shop doesn't support different workspaces.

Beforehand

- This manual doesn't explain the Browser – TYPO3 without PHP –, Caddy and Powermail in depth. If you have any question about Caddy or Powermail, please refer to the manuals of this extensions:
 - Browser – TYPO3 without PHP (browser)
<http://typo3.org/extensions/repository/view/browser/>
 - Caddy (caddy)
<http://typo3.org/extensions/repository/view/caddy/>
 - Powermail (powermail)
<http://typo3.org/extensions/repository/view/powermail/>

Quick Installation

With the Quick Shop Installer

- Install the Quick Shop Installer (quickshop_installer)
http://typo3.org/extensions/repository/view/quickshop_installer/
- Add the plugin Quick Shop Installer to a page and configure it.
- Load the page in the frontend.
- Click "Install it!"

Without the Quick Shop Installer

- Install the extensions browser, caddy and powermail.
- Add two pages "shop" and "caddy" and the sysfolder "items".
- Add to the sysfolder "items" some products or items.
- Add to the page "shop"
 - a template
 - Include the "browser" template
 - Include the "quick shop" template
 - the plugin "browser"
 - Link the startingpoint to the folder with the items
 - Configure TypoScript
- Add to the page "caddy"
 - a template and include the "caddy" templates
 - the plugin "caddy"
 - the plugin "powermail" and configure it (sorry, this isn't documented below)
 - configure TypoScript
 - add powermail fieldsets and fields (sorry, this isn't documented below)

Installation

One mouse click – the Quick Shop Installer

The one-click-installation is recommended.

Advantages

The advantages of the one-click-installation is:

- You will have a minimum of costs for the installation and the configuration:
You will need
 - the first time 30 minutes over all and
 - all next times 15 minutes over all.
- You will get a running sample with caddy and without
 - any improper configuration and
 - any costs for debugging.
- A running sample is the best for understanding.
- You can test all features of the Quick Shop, Caddy and Powermail immediately. Play with all!
- If something goes wrong and you can't cancel it, it doesn't matter.
 - Waste your installation.

Repeat the one-click-installation.

See

- Quick Shop Installer (quickshop_installer)
http://typo3.org/extensions/repository/view/quickshop_installer/

Manually

Not recommended – because of a missing manual only.

The manually installation of Quick Shop is complex and isn't recommended. The cause is:

- Quick Shop is a team-play of a lot of extensions – especially of
 - the Browser – TYPO3 without PHP
 - Caddy, the TYPO3 Shopping Cart and
 - Powermail.

A manually installation has a lot of possibilities for an improper configuration.

And the manual for a manually installation has a lot of possibilities for improper or missing statements too.

I would be happy, if you are appreciative of a missing documentation for a manually installation.

Controlling

Beforehand

All code snippets and properties are from a Quick Shop installation, which was installed by the Quick Shop Installer.

See the page tree in the illustration on the right hand.

The code snippets are examples. Feel free, to adapt it to your needs.

Page Quick Shop

Page tree: [1] Quick Shop

Page properties

[Ressources] TypoScript

```
// QUICK SHOP INSTALLER at 2013-09-26 3:39:19
-- BEGIN

TCEMAIN {
    permissions {
        // 3: quick_shop
        groupid = 3
        group   = show,edit,delete,new,editcontent
    }
}

// QUICK SHOP INSTALLER at 2013-09-26 3:39:19 -- END
```




Illustration 9: Page tree

Content

Plugin [Browser for Quick Shop]

This is the plugin of the Browser – TYPO3 without PHP.

You are controlling the properties of the Quick Shop in your frontend.

See the detailed manual at

- PDF: http://typo3-browser.de/typo3conf/ext/browser_manual_en/doc/manual.pdf
- HTML: http://typo3.org/extensions/repository/view/browser_manual_en/

TypoScript

page_quickshop_002

Please edit the constants with the Constant Editor.

[General] Constants:

```

////////////////////////////////////////
//
// INDEX
//
// plugin.base_quickshop
// plugin.caddy
// plugin.quick_shop
// plugin.tx_powermail

// base_quickshop
plugin.base_quickshop {
    basic {
        // for baseURL
        host = http://01.die-netzmacher.de/
    }
    pages {
        root = 1
        root {
            libraries {
                footer = 13
                //header = 10
                header {
                    logo = 11
                    slider {
                        content = 12
                    }
                }
                menu {
                    bottom = 14
                }
            }
        }
    }
}
// base_quickshop

// caddy
plugin.caddy {
    pages {
        caddy          = 2
        caddymini       = 3
        revocation      = 5
        shop            = 1
        terms           = 6
    }
}
// caddy

// quick_shop
plugin.quick_shop {
    pages {
        caddy          = 2
        shipping       = 4
        shop           = 1
    }
}
// quick_shop

// plugin.tx_powermail
// This is for powermail 2.x and hasn't an effect in powermail 1.x
plugin.tx_powermail {
    settings {
        javascript {
            powermailjQuery =
            powermailjQueryUi =
        }
    }
}
// This is for powermail 2.x and hasn't an effect in powermail 1.x
// plugin.tx_powermail

```

[General] Setup

```

////////////////////////////////////////
//
// INDEX
//
// config
// plugin.tx_browser_pil
// TYPO3-Browser: ajax page object I
// TYPO3-Browser: ajax page object II

// config
config {
    tx_realurl_enable = 0
    //no_cache = 1
    language = ' . $GLOBALS['TSFE']->lang . '
    htmlTag_langKey = ' . $GLOBALS['TSFE']->lang . '
}
// config

// plugin.tx_browser_pil
plugin.tx_browser_pil {
    // Don't display any order box
    displayList.selectBox_orderBy.display = 0
}
// plugin.tx_browser_pil

// TYPO3-Browser: ajax page object I

// Add this snippet into the setup of the TypoScript
// template of your page.
// Use 'page', if the name of your page object is 'page'
// (this is a default but there isn't any rule)

[globalString = GP:tx_browser_pil|segment=single] || [globalString = GP:tx_browser_pil|
segment=list] || [globalString = GP:tx_browser_pil|segment=searchform]
    page >
    page < plugin.tx_browser_pil.javascript.ajax.page
[global]
    // TYPO3-Browser: ajax page object I

    // TYPO3-Browser: ajax page object II
    // In case of localisation:
    // * Configure the id of sys_language in the Constant Editor.
    // * Move in this line ...jQuery.default to ...jQuery.de (i.e.)
    browser_ajax < plugin.tx_browser_pil.javascript.ajax.jQuery.en
    // TYPO3-Browser: ajax page object II

```

[Includes] Include static (from extensions):

- CSS Styled Content (css_styled_content)
- Browser (browser)
- Quick Shop – Basic Template (base_quickshop)
- Quick Shop (quick_shop)
- Caddy (1) (caddy)
- Caddy (2+) - German (caddy)
- Caddy (3+) - CSS (caddy)
- +Quick Shop +Caddy (quick_shop)

Page Caddy

Page tree: [2] Caddy

Content

Plugin Caddy

You are controlling the properties of the Caddy in your frontend.

See the detailed manual at

- Caddy (caddy)
<http://typo3.org/extensions/repository/view/caddy/>

HTML [fade_deliveryorderadress.jss]

JavaScript code snippet for slide in and slide out the delivery adress of the Powermail form.

You need jQuery for this feature.

Plugin [Powermail for Caddy]

Data and properties depends on your Powermail version 1.x or 2.x.

You are controlling the order form by this plugin.

Pay attention to the linked forms, fieldsets and fields on the same page.

TypoScript

+page_caddy_003

[General] Setup

```
plugin.tx_powermail {
    _LOCAL_LANG {
        default {
            // Next button will be empty in Powermail 2.x
            //confirmation_next = Order without commitment
        }
        de {
            // Next button will be empty in Powermail 2.x
            //confirmation_next = Unverbindlich testen
        }
    }
}

// Don't display the mini caddy
page.10.subparts.menue.20 >
```

[Includes] Include static (from extensions):

- Main Template (powermail)
- Add fancy CSS (powermail)
- Caddy (5+) - Powermail 2.x Main (caddy)
- Caddy (6+) - Powermail 2.x CSS (caddy)

Items

Quick Shop Category

Configure your Categories

Quick Shop Items

Configure your items.

RSS Feed and XML

You can publish your products in every other format.

Browser Tutorial RSS/XML

If you are interested in other formats, please take a look in the Browser Tutorial RSS/XML:

- http://typo3.org/extensions/repository/view/browser_tut_rss_en/

Integration in Facebook

It is easy to integrate the Quick Shop into facebook.com.

Screenshots

Facebook wide Application




Illustration 10: Quick Shop application on facebook.com

http://apps.facebook.com/quick_shop/

The tab [Quick Shop] in Your Facebook-Account




Illustration 11: Your application (here: Quick Shop) in your profile

Tutorial

Quick Shop is based on the TYPO3-Frontend-Engine Browser. Every TYPO3-Extension can be publish on facebook with a minimum of costs, which based on the Browser - your own database too. The Browser has a tutorial for the issue "Social Media" and especially with the Facebook Integration (21 pages, 28 illustrations). See

- HTML: http://typo3.org/extensions/repository/view/browser_tut_socialmedia_en/
- PDF: http://typo3-browser.de/typo3conf/ext/browser_tut_socialmedia_en/doc/manual.pdf

Ordering of Products

You can order your products by every field.

Default Order




Illustration 12: The products will be ordered by TypoScript

The order of the products is configured by TypoScript. See

```
plugin.tx_browser_pi1 {
    ...
    views {
        list {
            1 {
                select = ...
                orderBy (
                    tx_quickshop_products.price DESC,
                    tx_quickshop_products.title,
                    tx_quickshop_categories.title
                )
            }
        }
    }
}
```

If you have used the Quick Shop-Installer, products will be ordered by price (descending), title and then the category – line in the TypoScript snippet above.

If you don't use the property "orderBy", products will be ordered by the values of the select statement.

Order manually – by the field sorting




Illustration 13: Order Products by the field sorting

You can order your products manually like in the illustration above.




Illustration 14: Extension Manager

Please enable the sorting field with the extension manager - see the illustration above.

TypoScript

Please configure your TypoScript like in the snippet below.

```
plugin.tx_browser_pi1 {
    views {
        list {
            1 {
                orderBy = tx_quickshop_products.sorting
            }
        }
    }
    _LOCAL_LANG {
        default {
            tx_quickshop_products_sorting = Quality
        }
    }
}
```




Illustration 15: Labelling and sorting by TypoScript

1. Modul: Web > Template
2. Page tree: Root page
3. Edit area: TypoScript Object Browser
plugin.tx_browser_pi1._LOCAL_LANG.default.tx_quickshop_products_sorting = Quality
4. plugin.tx_browser_pi1.plugin.tx_browser_pi1.views.list.1.orderBy = tx_quickshop_products.sorting

HTML Template




Illustration 16: Drop down for ordering

Browser < 3.6.1

If you don't like the drop down field for ordering any longer, please remove in your HTML template the subpart:

```
###LISTHEAD###
```

Browser >= 3.6.1

You can disable the sort field by TypoScript:

```
displayList.selectBox_orderBy.display = 1
```

Localisation

Extension Manager




Illustration 17: Enable localisation support

You enable the localisation support with the extension manager:

1. Web modul > Admin Tools > Ext Manager
2. Please select the extension Quick Shop
3. Menu [Information]
4. Localisation Support [Yes, I use more than one language]

Backend

If you have enabled the localisation support, the category table has a new field for translate the title.

Configure languages in TYPO3

If you want to deliver your website in more than one language you have to configure TYPO3.

Please refer to this documents:

- TYPO3 Localization Guide
http://typo3.org/documentation/document-library/core-documentation/doc_l10nguide/current/
- Browser Tutorial Localization (en)
http://typo3.org/extensions/repository/view/browser_tut_localization_en/current/

RealUrl

If you like URL, which are human readable and friendly to search engines, please use an extension like RealURL.

Sample Configuration

Quick Shop is shipped with a sample template for RealURL.

See

- `res/samples/realurl/realurl_conf.php`

Workflow

- Please adapt the configuration to your needs.
- Copy the file to `typo3/typo3conf/realurl_conf.php`

You need the extension `realUrl`.

What's new?

In version 3.0

Caddy

[3.0.0]

Quick Shop is using the shopping cart Caddy. Caddy has a lot of new features like

- e-mail attachments
- database with orders

among others.

See "Page Caddy" on page 15 above.

Field SKU in tab [Product]

[2.2.0]

Products have the new property

- SKU - stock keeping unit

Invoice and packing list as PDF file

[2.2.0]

The shop provider get an e-mail with the order and with to attached PDF files: the invoice and the packing list.

PDF files are configurable completely.

Powermail version 1.x and 2.x

[3.0.0]

Quick Shop supports both Powermail versions – 1.x and 2.x.

Support for Quick Shop 1.x is closed

[3.0.0]

We closed the support for Quick Shop version 1.x. *.tpl files and TypoScript files for 1.x are deleted.

Details: See #46379 and #46378 in the file ChangeLog.

Tab [Controlling]

[2.2.0]

You can control the availability of products by

- starttime, endtime and usergroups

Tab [Price & Quantity]

[2.2.0]

Products have the new properties

- minimum order quantity and
- maximum order quantity

Tab [Search engines]

[2.2.0]

Products have the new properties

- keywords and description

for search engines.

In version 2.0

Individual layout for each product

[2.0.0]

You can layout all product differently:

1. Select a position for your images with text:
 - above,
 - below,
 - in text right,
 - or, or, or ...
2. Columns:
 - How many do you like?
 - 1, 2 or 7?
3. Image dimensions:
 - Take the width and height you need.
4. Every image can get a different link.
5. Captions alignment
6. SEO: Search Engine Optimisation
7. Image quality
8. Image effects

Page tree icon

[2.0.0]

See the section 'Error: Reference source not found' on page Error: Reference source not found Error: Reference source not found.

HTML templates are CSS controlled

All elements in the HTML template for the list and single view got CSS classes.

This simplifies, to adapt the layout to your needs.

Path: /quick shop/Quick Shop - Products

Edit Quick Shop Product "Secret Images" on page "Quick Shop - Products"

Product Images

Image

book_1294230523.jpg
been.gif
Foto-0001.jpg

GIF JPG JPEG TIF TIFF BMP PCX TGA PNG
PDF AI

Durchsuchen...

Position:

Beside text, left 1

2 Columns: No rows: Border:

1

Image Dimensions

Width (pixels): Height (pixels): 3

200

Image Links

Link: Click-enlarge: 4

Caption

Secret images: the book
Mr. Been at the 20th snow board party
Unknown TYPO3 fan

Align: 5

Description for search engines (SEO)

Quick Shop: secret images - the book
Mr. Been visited the 20th TYPO3 snow board party
Unknown TYPO3 fan - we don't know him 6

Image Options

Image quality/processing: 7

Default

Effects: 8

(None)

Frames:

(None)

Quick Shop Product [1]

Illustration 18: The new tab [Images]

Updates

From version < 3.0

Quick Shop 3.0 has two important innovations:

1. Quick Shop 3.0 supports Powermail 1.x and 2.x
2. Quick Shop 3.0 is using the TYPO3 shopping cart Caddy.

The easiest way of an update is:

- Update your extensions. Powermail 2.x is recommended but not obligated.
- Install quick shop with the quick shop installer.
- Replace your previous cart page¹ with the new installed caddy page.
- Adapt TypoScript, the configuration of the plugins caddy and powermail to your needs.

See details below.

Workflow

Update Extensions

Update the extensions

- browser
- base_quickshop²
- quick_shop
 - Update the database
- quickshop_installer

Update Powermail from 1.x to 2.x, if you like

The update is not obligate! Quick Shop is running with Powermail 1.x and Powermail 2.x.

BE AWARE in case of an update from Powermail 1.x to 2.x: you will lost a lot of powermail data!³

It is more comfortable, to install the needed Powermail data and configuration by the Quick Shop Installer, than by doing this job manually.

Prepare your powermail update:

- If possible backup your database.
- Copy and paste the content of your Powermail plugin into a text file.
You will need the values of the tabs later:
 - [Sender]
 - [Recipients] and
 - [Answer page]
- Update and install the extensions
 - extbase⁴
 - fluid⁵
 - powermail
 - Update the database

¹ It contains the wt_cart plugin and the powermail plugin.

² If you are using The Quick Shop Basic Template.

³ Powermail changed the database design, add one new table and redefines all previous tables and fields.

⁴ Needed by Powermail.

⁵ dito.

Install Quick Shop with the Quick Shop Installer

TIP: If you like a more detailed manual, please use the manual of the quick shop installer.

- Install Quick Shop with the Quick Shop Installer 3.x.
- Create the installer page by the extension manager. See: tab [Configuration].
- Move the installer page from the top level into your page tree.
- Configure the installer plugin:
 - Tab [Plugin]
 - Installation: [Quick Shop only]
 - Choose the preferred backend user
 - Add the e-mail of the shop owner.
- Call the installer page in the frontend.
- Install Quick Shop.
- Reload your page tree in the backend.
- If your previous caddy and your new caddy have the same page label, please redefine the label of your pervious caddy like "Caddy" -> "Caddy old" or "Warenkorb" -> "Warenkorb alt"
- Move the new caddy page near the previous caddy page.
- Maintain the list of included TypoScript templates at the page, where you have configured Quick Shop in main.¹ This should be the list of the included templates²:
 - ...
 - Browser (browser)
 - Quick Shop – Basic Template (base_quickshop)³
 - Quick Shop (quick_shop)
 - Caddy (caddy)
 - +Caddy CSS (caddy)⁴
 - +Caddy Quick Shop (quick_shop)
 - ...
- Maintain page ids on the current page with the TypoScript Constant Editor:
 - Web Modul > Template
 - Page tree: your page
 - Edit area: Constant Editor [CADDY – PAGES]
 - Caddy: Uid of the page with the caddy - your shopping cart.
TIP: Don't use the uid of your "Caddy old" or "Warenkorb alt"
 - Caddy mini: Uid of the page with the caddy mini - the cart for marginal column.
TIP: Don't use the uid of your Caddy Mini in your "Caddy old" or "Warenkorb alt"
 - Shop: Uid of the page which contains the items. Usually the root page.
TIP: Use the uid of your previous shop page, don't use the uid of the new installed page.
 - Power of Revocation: Uid of the page with the revocation info (German: Widerrufsbelehrung)
TIP: Use the uid of your previous page with power of revocation, if you have this page.
 - Terms & Conditions: Uid of the page with the terms & conditions (German: AGB)
TIP: Use the uid of your previous term & conditions page, don't use the uid of the new installed page.
 - Edit area: Constant Editor [QUICK SHOP – PAGES]
 - Shop / root page: Uid of the page which contains the quick shop items. Usually the root page.
TIP: Use the uid of your previous shop page, don't use the uid of the new installed page.

¹ This is often the root page.

² Take care of the order.

³ If you are using The Quick Shop Basic Template.

⁴ If you like to use the default Caddy CSS.

- Caddy: Uid of the page with the caddy - your shopping cart
TIP: Don't use the uid of your "Caddy old" or "Warenkorb alt"
 - Shipping: Uid of the page with the shipping terms
TIP: Use the uid of your previous page with power of revocation, if you have this page.
- Update your Browser Plugin at the page, where you are offering your shop (Quick Shop).¹
The HTML template is moved. You will get an error prompt in the Frontend.
 - Browser Plugin/Flexform > [Plug-In] > [Templating]
Field: HTML-Template: [Browser: Main (browser)]
- Update the Powermail plugin in the Caddy page:
Copy and paste the content of your text file into the Powermail plugin.
 - BE AWARE: Powermail 2.x is using fluid marker instead of hash marker.
Take care of these marker. Caddy won't run proper without some of this marker.
TIP: After configuration the Caddy plugin will check, if your marker are proper.
 - These were the tabs for paste your data:
 - [Sender]²
 - [Receiver]³ and
 - [Submit page]
- Update links in the Powermail plugin in the Caddy page:
 - Fields: "Terms & Conditions" (or in German "AGB")
 - Fields: "Power of Revocation" (or in German "Wiederrufsbelehrung")
- Update label in the Powermail plugin in the Caddy page:
 - Fields: "Terms & Conditions" (or in German "AGB")
 - Fields: "Power of Revocation" (or in German "Wiederrufsbelehrung")
 - Fields: "Test Quick Shop" (the submit Button)⁴
- Remove not needed pages
 - The new installed pages:
 - Quick Shop
 - Shipping
 - Power of Revocation
 - Items
 - The previous pages
 - Shopping cart old (Warenkorb alt)
- Use the Recycler for clean up your database:
Web > Recycler
 - Remove your "removed" pages finally⁵

That was a lot of stuff!

¹ This is often the root page.

² Customer

³ Shop owner

⁴ If your items aren't for free, the label of the button must be contain something like "with costs"

⁵ Without a final removing you will get unproper results in context with relations (in the backend only). Background: A simple removing marks your pages as deleted only. And MM relations doesn't have this property. MM relations won't deleted till local records and foreign records are removed finally.

Next steps

- Configure your Caddy plugin. See "Page Caddy" on page 15 above.
It is recommended to configure:
 - Minimum and maximum order quantity
 - Attachments in emails to the customer and to the quick shop owner
 - PDF drafts for the attachments (your corporate design)
- Check your configuration of Caddy and Powermail. See "Page Caddy" on page 15 above.

This properties are changed

CSS properties

Moved CSS properties:

- #form-order -> form.caddy

Marker

Moved marker

- ###MY_CART_BUTTON### -> ###MY_CADDYLABEL###
- ###MY_CART_PAGE_URL### -> ###MY_CADDYURL###

Removed marker

- ###MY_CART_QUANTITY###

Update your Browser Plugin/Flexform

The HTML template is moved. You will get an error prompt in the Frontend.

Please update your Browser Plugin/Flexform:

- Browser Plugin/Flexform > [Plug-In] > [Templating] > Field: HTML-Template

Packages for Sponsors

Your donation and sponsoring is welcome.

Please order a package for sponsors at

- English: <http://typo3-quick-shop.de/en/sponsoring/>
- German: <http://typo3-quick-shop.de/sponsoring/>



Fun – 50 EUR



You like to treat the TYPO3 Quick Shop project.

You don't expect any equivalent. No logo. No service.

Throw 50 EUR or any other old sum into the cash box.

You will get a receive. You can set the amount off against tax liability.

Logo – 150 EUR



You are treating the TYPO3 Quick Shop project and you like to be a guide for others.

Your logo will appear in the manual, at the website and in the extension manager of the Quick Shop.

The period of validity is limited to one year.

You will get a receive. You can set the amount off against tax liability.

You can pay more than 150 EUR.

Patron – 500 EUR



You are the patron. You are treating TYPO3 Quick Shop project and you like to pay the developer more than best for two hours service.

Your logo will appear in the manual, at the website and in the extension manager of Quick Shop.

You can book the developer of Quick Shop for two hours.

The period of validity for both – the logo and the two hours – is limited to one year. If you don't use the two hours in this period, you will lost it.

You will get a receive. You can set the amount off against tax liability.

You can pay more than 500 EUR.

Credits

[made-in-nature.de](http://www.made-in-nature.de)

made in nature | TYPO3 Agentur

Thanks to Stefan Grothus from <http://www.made-in-nature.de>, who contracted some new features of caddy.

Helpful suggestions

Forum

If you have helpful suggestions, feel free to publish any question, bug or code snippet on

- Quick Shop forum
<http://typo3-quick-shop.de/forum/>

Posts are welcome in English and German.

Quick Shop on TYPO3 forge

Because of a bug with the repository, Quick Shop (quick_shop) is using the extension key **qshop** at TYPO3 forge!

You find scheduled new features and bug reports on TYPO3 forge. See

- <http://forge.typo3.org/projects/show/extension-qshop>

Latest versions

You find the latest versions (for developers) in the repository at

- <http://forge.typo3.org/projects/extension-qshop/repository>



Illustration 19: The TYPO3-Frontend-Engine Browser Forum

To-Do List

There is a lot to do. Among others:

Search Box

- Optimise Search Box
<http://forge.typo3.org/issues/52301>

Further Information

Other extensions published by Die Netzmacher

-  +AOE Linkhandler Configurator: Configure the AOE linkhandler supported by userinterfaces. Out-of-the-box templates for cal, org, tt_news and tt_products. Don't edit page TSconfig any longer.
<http://typo3.org/extensions/repository/view/linkhandlerconf/>
-  autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU.
<http://typo3.org/extensions/repository/view/autositemap/>
-  Browser – TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need one line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. <http://typo3.org/extensions/repository/view/browser/>
-  Caddy – the TYPO3 shopping cart. You can use it for your own needs. You need a database with products or any other items only. You can install Caddy out of the box with one mouse click – see Quick Shop below.
<http://typo3.org/extensions/repository/view/caddy/>
-  Flip it! offers lovely and smooth page flip transitions. It enables you to run over pages in PDF documents like in a real magazine. It is based on flash. Flipt it! can convert PDF documents to swf files automatically.
<http://typo3.org/extensions/repository/view/flipit/>
-  Green Cars (Grüne Autos) - Database optimized for ecological cars. It is a case study and demonstrates, how to get a complex database with the browser (see above) in three hours only.
http://typo3.org/extensions/repository/view/green_cars/
-  Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse. Job Market hasn't any PHP code, it should be easy to adapt it to your needs.
http://typo3.org/extensions/repository/view/job_market/
-  Majordomo: For subscribing to and unsubscribing from a majordomo mailing list.
<http://typo3.org/extensions/repository/view/majordomo/>
-  Organiser – TYPO3 for the lobby and the organisers. Handle news, events, staff, headquarters, locations, workshops and a calendar with one extension. Sell online tickets! Install the Organiser with one mouse click!
<http://typo3-organiser.de/>
-  Quick Shop – the fastest shop in the history of TYPO3. Install it with one mouse click! Quick Shop is based on the browser (see above) and powermail.
<http://typo3-quick-shop.de/>
-  PDF Controller: Easy to install. Add to your HTML page the PDF-controller-button. Link from the button to the controller. Adjust the controller by mouseclicks. The PDF Controller supports CSS 3.
<http://typo3-pdfcontroller.de/>
-  Route – Publish your routes with GoogleMaps or OpenStreetMap. Routes have points of interest (POI). You can categorise and filter both: routes and POI. Address data can geocoded automatically.
<http://typo3.org/extensions/repository/view/route/>
-  seo_dynamic_tag: Search Engine Optimization for the title tag, the canonical tag and the meta tags author, description and keywords. Configuration by a user interface.
http://typo3.org/extensions/repository/view/seo_dynamic_tag/
-  TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig porperties with the mouse - like page tree uids, activated extended view, activated clipboard, ...
<http://typo3.org/extensions/repository/view/tsconf/>
-  tt_news select configuration (extkey: ttnews_selectconf) enables to select tt_news by any SQL clause. The extension adds an andWhere clause to the SQL query of the tt_news plugin.
http://typo3.org/extensions/repository/view/ttnews_selectconf/
-  Wine Catalogue provides a data base for wine with regions, wineries, styles, variety and ageing among others. It is localized. English, German and Spanish ist of the box. Wine based on the extension browser (see above).
<http://typo3.org/extensions/repository/view/wine/>

Demo website

You find a Quick Shop demo at

- <http://typo3-quick-shop.de>

Manual and tutorial in PDF

You find this manual and the tutorial in PDF format at

- [doc/manual.pdf](#)
- [doc/tutorial.pdf](#)

Change Log

- 3.0.8 **Improvement**
*i0006: caddy icon is controlled by Caddy constant
*i0007: caddy button is simplified
* my_caddybutton substitutes
* my_caddyimgsrc
* my_caddyimgalt
* my_caddylabel
- 3.0.7 **Bugfix**
*i0005: double div-tag in single view
- 3.0.6 **Improvements**
*i0004: Update for Caddy 2.0.8
- 3.0.5 **Improvement**
* #i0003: Improved caddy table structure
- 3.0.4 **Feature**
* #47068: Remove HTML template
- 3.0.3 **Feature**
* #47017: Ready TypoScript SEO configuration
- 3.0.2 **Feature**
* #42072: nested categories
- 3.0.0 **Features**
* #46387: Caddy for list view
* #46386: Update CSS
* #46380: Introduce sponsors
* #46377: Button Caddy with an Icon
* marker is moved: ###MY_CART_BUTTON### -> ###MY_CADDYLABEL###
* #45775: FORK from wt_cart to caddy
* marker are moved
* ###MY_CART_PAGE_URL### -> ###MY_CADDYURL###
* my_cart_quantity (removed)
* CSS properties are moved
* #form-order -> form.caddy
- Improvement**
* #i0002: Configuring of caddy constants is moved from installer to quick_shop
* #46381: See #46379
* #46379: Clean up TypoScript files
* #46378: Clean up *.tpl files
* #i0001: Key for page tree icon moved from quick_shop to quickshop
- 2.2.3 **New Feature**
* #00000: RealUrl configuration file
- 2.2.2 **Update TYPO3 4.7**
* #00000: \$ICON_TYPES -> t3lib_SpriteManager::addTcaTypeIcon
- Update**
* #00000: Update to Browser version 3.9.14
- 2.2.1 **Improvements**
* #00000: Update for wt_cart_orderpdf 0.0.9
- 2.2.0 **Improvements**
* #00000: New fields
* sku - stock keeping unit
* quantity_min - minimum of order quantity
* quantity_max - maximum of order quantity
* starttime
* endtime
* fe_group
* seo_keywords
* seo_description

- * Effected files
 - * ext_tables.php
 - * ext_tables.sql
 - * locallang_db.xml
 - * tca.php
 - * res/v1.4/default.css
 - * static/setup.txt
- * #00000: Additional template res/v1.4/default_select_30.tmpl
- * Select box for quantity instead of an input field

Update for

- * wt_cart 1.4.3
 - * #00000: field quantity_min - minimum of order quantity
 - field quantity_max - maximum of order quantity
- * wt_cart 1.4.2
 - * #00000: field sku - stock keeping unit
- * Browser version 4.0 - step 1
 - * #00000: a-z-browser is renamed as index browser
- Effects
 - * CSS : azSelector -> indexBrowser
 - * HTML : AZSELECTOR -> INDEXBROWSER

2.1.5 Update Manual

2.1.0 New Feature

- * #27041: Record browser for the single view / Prev-next Switcher in the single view

2.0.1 New Feature

- * #13145: Number formats: userfunc

2.0.0 Improvement

- Individual layout for each product

1.3.3 Bugfixes

- 12236: Possible conflict with TypoScript constant
- myConst.pages.root is moved to myConst.pages.quick_shop

1.3.2 Improvement

- CSS is extended for wt_cart 1.2.1
- quick_shop provides the quick_shop_header_image_210px.jpg
- static template was extended for browser 3.6.0

1.3.1 Improvement

- 11114: Make Javascript Backbutton invisible

1.3.0 New Features

- #11054: Quick Shop supports German and English by default

1.2.0 New Features

- #9659: AJAX
- default.tmpl
 - reset button got the class reset
 - listarea is wrapped with <div class="listarea">...</div>
- #10224: Integration of templates of 3rd party extensions
- #00000: Template integration into the Browser plugin/flexform

1.1.1 Manual

- New section: Integration in Facebook

1.1.0 New Feature

- Optional manual ordering of records added

1.0.1 Initial release

Illustration Index

Illustration 1: Quick Shop integrated in the Quick Shop Template	3	Illustration 11: Your application (here: Quick Shop) in your profile	17
Illustration 2: Caddy and the order form	4	Illustration 12: The products will be ordered by TypoScript	18
Illustration 3: E-mail attachments in your corporate design	4	Illustration 13: Order Products by the field sorting	19
Illustration 4: Quick Shop – categories and items	5	Illustration 14: Extension Manager	19
Illustration 5: Quick Shop – Individual layout for each item	5	Illustration 15: Labelling and sorting by TypoScript	20
Illustration 6: Controlling Quick Shop with the Browser plugin	6	Illustration 16: Drop down for ordering	21
Illustration 7: Controlling Caddy with the Caddy plugin	6	Illustration 17: Enable localisation support	22
Illustration 8: Installation with one click: Installer (1), the result in the backend (2) and in the frontend (3)	7	Illustration 18: The new tab [Images]	25
Illustration 9: Page tree	12	Illustration 19: The TYPO3-Frontend-Engine Browser Forum	32
Illustration 10: Quick Shop application on facebook.com	17		