


Quick Shop

Quick Shop - the fastest shop in the history of TYPO3. Install the shop ready-to-use with one mouse click! Quick Shop is a team play with the Browser - TYPO3 without PHP -, Caddy - the TYPO3 shopping cart - and Powermail. Quick Shop itself hasn't any line PHP code. See: <http://typo3-quick-shop.de> Manual: http://typo3-quick-shop.de/typo3conf/ext/quick_shop/doc/manual.pdf



Version: 4.0.6 - 2014-05-18

Extension Key: quick_shop

Language: en

Keywords: forAdmins, forDevelopers, forBeginners, forIntermediates, forAdvanced, shop

Copyright 2010 - 2014, Dirk Wildt (Die Netzmacher), <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3 a GNU/GPL CMS/Framework available from <http://www.typo3.org/>

Table of Contents

| | |
|---|----|
| Quick Shop | 1 |
| Screen Shots | 3 |
| Frontend | 3 |
| Shop | 3 |
| Caddy | 4 |
| Attachments | 4 |
| Backend | 5 |
| List view with Categories and Items | 5 |
| Individual layout for each product | 5 |
| Browser plugin | 6 |
| Caddy plugin | 6 |
| Installation | 7 |
| Introduction | 8 |
| What does it do? | 8 |
| What does it not do? | 8 |
| What do you need? | 9 |
| Audience | 9 |
| Non possible TYPO3 core features | 9 |
| Beforehand | 9 |
| Quick Installation | 10 |
| With the Quick Shop Installer | 10 |
| Without the Quick Shop Installer | 10 |
| Installation | 11 |
| One mouse click – the Quick Shop Installer | 11 |
| Advantages | 11 |
| Manually | 11 |
| Controlling | 12 |
| Beforehand | 12 |
| Page Quick Shop | 12 |
| Page properties | 12 |
| Content | 12 |
| TypoScript | 13 |
| Filter | 15 |
| | 15 |
| You enable and disable the display of each filter supported by the TypoScript Constant Editor. | 15 |
| Page Caddy | 15 |
| Content | 15 |
| TypoScript | 15 |
| Tables | 16 |
| RSS Feed and XML | 17 |
| Browser Tutorial RSS/XML | 17 |
| Integration in Facebook | 18 |
| Screenshots | 18 |
| Facebook wide Application | 18 |
| The tab [Quick Shop] in Your Facebook-Account | 18 |
| Tutorial | 18 |
| Ordering of Products | 19 |
| Default Order | 19 |
| Order manually – by the field sorting | 20 |
| TypoScript | 21 |
| HTML Template | 22 |
| Localisation | 23 |
| Extension Manager | 23 |
| Backend | 23 |
| Configure languages in TYPO3 | 23 |
| RealUrl | 24 |
| Sample Configuration | 24 |
| Workflow | 24 |
| What's new? | 25 |
| 4.0 | 25 |
| Backend: search fields | 25 |
| Backend: thumbnails | 25 |
| Fields added: datasheet, dimension, ean, in stock amount, material | 25 |
| Fields moved: in stock, stock | 25 |
| Filter: enabling and disabling by the constant editor | 25 |
| Filter: new filter for dimension and material | 25 |
| Installer: fit for 6.1 | 26 |
| Marker are removed from TypoScript | 26 |
| RealURL template | 26 |
| SEO by SEO Dynamic Tag2 | 26 |
| Stock Management | 26 |
| TYPO3: fit for 6.1 | 26 |
| 3.0 | 27 |
| Caddy | 27 |
| Field SKU in tab [Product] | 27 |
| Invoice and packing list as PDF file | 27 |
| Powermail version 1.x and 2.x | 27 |
| Support for Quick Shop 1.x is closed | 27 |
| Tab [Controlling] | 27 |
| Tab [Price & Quantity] | 27 |
| Tab [Search engines] | 27 |
| 2.0 | 28 |
| Individual layout for each product | 28 |
| Page tree icon | 28 |
| HTML templates are CSS controlled | 28 |
| Updates | 29 |
| From version < 3.0 | 29 |
| Workflow | 29 |
| This properties are changed | 32 |
| Packages for Sponsors | 33 |
| Fun – 50 EUR | 33 |
| Logo – 150 EUR | 33 |
| Patron – 500 EUR | 33 |
| Credits | 34 |
| made-in-nature.de | 34 |
| Helpful suggestions | 35 |
| Forum | 35 |
| Quick Shop on TYPO3 forge | 35 |
| Latest versions | 35 |
| To-Do List | 36 |
| Search Box | 36 |
| Further Information | 37 |
| Other extensions published by Die Netzmacher | 37 |
| Demo website | 38 |
| Manual and tutorial in PDF | 38 |
| Change Log | 39 |
| Illustration Index | 42 |

Screen Shots

Frontend

Shop



The screenshot shows the TYPO3 Quick Shop frontend. At the top, there's a banner with the text "TYPO3 Quick Shop" and "Der schnellste Shop der TYPO3-Geschichte." Below the banner is a search bar with a dropdown menu for categories like Books, Clothes, blue, green, red, and Cups. A sidebar on the right contains links for "Caddy is empty", "Go Shopping!", language selection (German, English), and various shop-related links such as Warenkorb, AGB, Versand, Widerrufsrecht, Screenshots, Referenzen, Warum Quick Shop?, Installation, Quick Shop selbst gebaut, Quick Shop Flyer, Quick Shop Download, Facebook Integration, Handbücher, Entwickler-Team, Forum, forge.typo3.org, Impressum, Sponsoring, and QR-Code.

| Product | Description | Price | Status | Action |
|---------------|----------------------------------|---------|---|---|
| Pullover | Rot mit TYPO3 Kopf. Details » | 49,99 € | Inkl. 19 % MwSt. excl.shipping Not available at the time | <input type="button" value="Into the caddy"/>  |
| Secret Images | Never seen: TYPO3 VIP. Details » | 29,99 € | Inkl. 7 % MwSt. excl.shipping | <input type="button" value="Into the caddy"/>  |
| Tasse | Grün mit TYPO3 Logo. Details » | 14,99 € | Inkl. 19 % MwSt. excl.shipping | <input type="button" value="Into the caddy"/>  |

Illustration 1: Quick Shop integrated in the Quick Shop Template

The example will be the result, if you are installing the Quick Shop with the Quick Shop Installer with the basic template option.

See Quick Shop live on <http://typo3-quick-shop.de>

Caddy


Illustration 2: Caddy and the order form

Attachments


Illustration 3: E-mail attachments in your corporate design

Backend

List view with Categories and Items

The screenshot shows the TYPO3 Backend interface. The left sidebar contains various navigation links such as Page, View, List, Template, Recycler, Powermail, Workspaces, Info, Access, Functions, FILE, USER TOOLS, ADMIN TOOLS, and HELP. The main content area displays a hierarchical tree structure under the 'Items' section. The tree includes nodes like [0] Install it with one click!, [1] Quick shop, [2] Caddy, [3] Caddy mini, [4] Shipping, [5] Revocation, [6] Terms, [7] Legal info, [8] Libraries, [10] Header, [11] Logo, [12] Slider, [13] Footer, and [14] Below the menu. Under [1] Quick shop, there are sub-nodes [3] Caddy mini, [4] Shipping, [5] Revocation, [6] Terms, [7] Legal info, [8] Libraries, [10] Header, [11] Logo, [12] Slider, [13] Footer, and [14] Below the menu. The [14] Below the menu node has a child node [9] Items.

Illustration 4: Quick Shop – categories and items

Individual layout for each product

The screenshot shows the TYPO3 Backend interface for managing a product. The top navigation bar includes tabs for Item, Data sheet, Filter, Price & quantity, Images, and Content. The main content area is titled "Individual layout for each product". It contains several configuration sections: "Image" (listing files book_1294230523.jpg, been.gif, Foto-0001.jpg), "Position" (set to "Beside text, left"), "Image Dimensions" (width set to 200 pixels), "Image Links" (link and click-enlarge fields), "Caption" (text "Secret images: the book Mr. P"), "Description for search engines (SEO)" (text "Quick Shop: secret images - the book"), and "Image Options" (image quality set to "Default", effects set to "(None)", frames set to "(None)"). A footer bar at the bottom right says "Quick Shop Product [1]".

Illustration 5: Quick Shop – Individual layout for each item

Browser plugin

The screenshot shows the TYPO3 Backend configuration interface for the 'Browser plugin'. The top navigation bar includes tabs for General, Plugin, Appearance, Access, and Behaviour. The 'Selected Plugin' dropdown is set to 'Browser - TYPO3 without PHP'. The 'Plugin Options' tab is active, showing several configuration fields:

- Title (substitutes #####MY_TITLE#####):** Quick Shop
- Title Wrap (i.e. <h1>|</h1>):** (empty input field)
- Group Title Wrap (i.e. <h2>|</h2>):** (empty input field)
- Limit: start/offset (from 1st record = 0):** (empty input field)
- Limit: records per page (from 1 to 1000):** 3
- Display: Navigation:** Index Browser Page Browser
- Display: Records:** Empty List at Start
- Display: Empty values and empty records:** Don't handle empty records in list views and don't handle empty fields in single
- Search:** Default
- Filter: display items:** Controlled by selected filters
- CSV export:** Disabled (default)
- Rotate views (if there are more than one view):** Disabled (recommended)

Illustration 6: Controlling Quick Shop with the Browser plugin

Caddy plugin

The screenshot shows the TYPO3 Backend configuration interface for the 'Caddy' plugin. The top navigation bar includes tabs for General, Plugin, Appearance, and Access. The 'Selected Plugin' dropdown is set to 'Caddy'. The 'Plugin Options' tab is active, showing several configuration fields and status messages:

- Check it!** Notes Caddy Email Billing Address Delivery Address PDF Sponsors Help!
- Enable the Check-it-report:**
- Annotations:**
 - You have an internal annotation at the tab [Notes]. Please attend it!
 - Please disable the check it-report. It costs performance!
- DRS:** You will get a report in the Developer Log
- Update Wizard:** You will get a frontend report, if your IP match the list of allowed IP
- Your current IP:** 93.210.21.120
- List of allowed IP:** Please add your current IP, if you like to see a result in the frontend.
127.0.0.1, 127.0.0.2

Illustration 7: Controlling Caddy with the Caddy plugin

Installation

Quick Shop Installation

Check extension dependencies

- ✓ `automakelang`: file "Template An-Parser" is loaded.
- ✓ `base_quickshop`: "Quick Shop - Template" is loaded.
- ✓ `browsr`: "Browsr - TYPO3 without PHP" is loaded.
- ✓ `caddy`: "Caddy your chopping cart" is loaded.
- ✓ `cps_toatree`: "Record tree for TCA" is loaded.
- ✓ `powernail`: "Powermail" is loaded.
- ✓ `quick_shop`: "Quick Shop" is loaded.

Start the Installation



The image contains three screenshots. Screenshot 1 shows the 'Start the Installation' step in the TYPO3 backend. Screenshot 2 shows the backend result, displaying a list of items like 'Secret Images', 'Pullover', and 'Cup'. Screenshot 3 shows the frontend result, a product catalog page for 'TYPO3 Quick Shop' with products like 'Secret Images' (99,99 €), 'Pullover' (31,99 €), and 'Cup' (19,99 €). A large red number '3' is overlaid on the bottom right corner of the screenshot.

Illustration 8: Installation with one click: Installer (1), the result in the backend (2) and in the frontend (3)

Introduction

What does it do?

- Quick Shop is a shop extension for TYPO3.
- Quick Shop is easy to install: you can install Quick Shop with one click by the Quick Shop Installer (recommended). Quick Shop is ready-to-use, if you are using the installer.
- If you want to use Quick Shop as a single website, Quick Shop offers a template ready-to-use. See "Quick Shop - Template" (base_quickshop). If you like, the Quick Shop Installer will install this template.
- Quick Shop items have properties for
 - Search Engines
 - Minimum and maximum order quantities
- You can layout items differently for example with different image dimensions and different image positions for each item.
- Quick Shop will send
 - a confirmation mail to the client
 - an order mail to the shop provider with attached
 - invoice
 - delivery order
 - power of revocation
 - terms & conditions
 - Shop providers can use their own PDF draft with their own corporate design.
- Quick Shop is based on the extensions Browser, Caddy and Powermail.
- The Quick Shop frontend is controlled by the plugin "Browser". You enable a lot of stuff by clicking the mouse: search form, page browser, index browser (A-Z), empty list at start and social bookmarks among others.
- The Browser plugin of the Quick Shop enables realUrl.
- Quick Shop is localised. You can publish all items in any language.¹
- You are controlling the order form and e-mails by Powermail.
- You are controlling the shopping cart by Caddy.
- Quick Shop hasn't any own PHP code. This has three big advantages:
 - The extension is stable.
 - It is easy to extend the shop database with tables and fields for your needs.
 - You can use your own TypoScript and your own HTML templates. It is easy to adapt it to your needs.
- Quick Shop has a forum.
- Quick Shop has a tutorial. The tutorial teach you, how to develop your own shop.
- Quick Shop is useful, if you need a simple shop. For example if you like to provide a couple of products only.

What does it not do?

- Quick Shop isn't useful, if you need things like cross selling or if you have a lot of products with a lot of attributes like colours and sizes.
- Quick Shop hasn't any interface for online payment.
- The shop isn't contend with shops like Oxyd or Magento.

¹ But Quick Shop is optimised for German selling rules.

What do you need?

- If you want to adapt the extension, you need experience in TypoScript. You should know the TCA – the TYPO3 table configuration array.

Audience

- TYPO3 agencies
- TYPO3 integrators
- TYPO3 developers

Non possible TYPO3 core features

- Quick Shop doesn't support versioning.
- Quick Shop doesn't support different workspaces.

Beforehand

- This manual doesn't explain the Browser – TYPO3 without PHP –, Caddy and Powermail in depth. If you have any question about Caddy or Powermail, please refer to the manuals of this extensions:
 - Browser – TYPO3 without PHP (browser)
<http://typo3.org/extensions/repository/view/browser/>
 - Caddy (caddy)
<http://typo3.org/extensions/repository/view/caddy/>
 - Powermail (powermail)
<http://typo3.org/extensions/repository/view/powermail/>

Quick Installation

With the Quick Shop Installer

- Install the Quick Shop Installer (quickshop_installer)
http://typo3.org/extensions/repository/view/quickshop_installer/
- Add the plugin Quick Shop Installer to a page and configure it.
- Load the page in the frontend.
- Click "Install it!"

Without the Quick Shop Installer

- Install the extensions browser, caddy and powermail.
- Add two pages "shop" and "caddy" and the sysfolder "items".
- Add to the sysfolder "items" some products or items.
- Add to the page "shop"
 - a template
 - Include the "browser" template
 - Include the "quick shop" template
 - the plugin "browser"
 - Link the startingpoint to the folder with the items
 - Configure TypoScript
- Add to the page "caddy"
 - a template and include the "caddy" templates
 - the plugin "caddy"
 - the plugin "powermail" and configure it (sorry, this isn't documented below)
 - configure TypoScript
 - add powermail fieldsets and fields (sorry, this isn't documented below)

Installation

One mouse click – the Quick Shop Installer

The one-click-installation is recommended.

Advantages

The advantages of the one-click-installation is:

- You will have a minimum of costs for the installation and the configuration:

You will need

- the first time 30 minutes over all and
- all next times 15 minutes over all.
- You will get a running sample with caddy and without
 - any unproper configuration and
 - any costs for debugging.
- A running sample is the best for understanding.
- You can test all features of the Quick Shop, Caddy and Powermail immediately. Play with all!
- If something goes wrong and you can't cancel it, it doesn't matter.
 - Waste your installation.

Repeat the one-click-installation.

See

- Quick Shop Installer (quickshop_installer)
http://typo3.org/extensions/repository/view/quickshop_installer/

Manually

Not recommended – because of a missing manual only.

The manually installation of Quick Shop is complex and isn't recommended. The cause is:

- Quick Shop is a team-play of a lot of extensions – especially of
 - the Browser – TYPO3 without PHP
 - Caddy, the TYPO3 Shopping Cart and
 - Powermail.

A manually installation has a lot of possibilities for an unproper configuration.

And the manual for a manually installation has a lot of possibilities for unproper or missing statements too.

I would be happy, if you are appreciative of a missing documentation for a manually installation.

Controlling

Beforehand

All code snippets and properties are from a Quick Shop installation, which was installed by the Quick Shop Installer.

See the page tree in the illustration on the right hand.

The code snippets are examples. Feel free, to adapt it to your needs.

Page Quick Shop

Page tree: [1] Quick Shop

Page properties

[Ressources] TypoScript

```
// QUICK SHOP INSTALLER at 2013-09-26 3:39:19
-- BEGIN

TCEMAIN {
    permissions {
        // 3: quick_shop
        groupid = 3
        group    = show,edit,delete,new,editcontent
    }
}

// QUICK SHOP INSTALLER at 2013-09-26 3:39:19 -- END
```




Illustration 9: Page tree

Content

Plugin [Browser for Quick Shop]

This is the plugin of the Browser – TYPO3 without PHP.

You are controlling the properties of the Quick Shop in your frontend.

See the detailed manual at

- PDF: http://typo3-browser.de/typo3conf/ext/browser_manual_en/doc/manual.pdf
- HTML: http://typo3.org/extensions/repository/view/browser_manual_en/

TypoScript

page_quickshop_002

Please edit the constants with the Constant Editor.

[General] Constants:

```
///////////////  
//  
// INDEX  
//  
// plugin.base_quickshop  
// plugin.caddy  
// plugin.quick_shop  
// plugin.tx_powermail  
  
// base_quickshop  
plugin.base_quickshop {  
    basic {  
        // for baseURL  
        host = http://01.die-netzmacher.de/  
    }  
    pages {  
        root = 1  
        root {  
            libraries {  
                footer = 13  
                //header = 10  
                header {  
                    logo = 11  
                    slider {  
                        content = 12  
                    }  
                }  
                menu {  
                    bottom = 14  
                }  
            }  
        }  
    }  
}  
// base_quickshop  
  
// caddy  
plugin.caddy {  
    pages {  
        caddy      = 2  
        caddymini   = 3  
        revocation = 5  
        shop       = 1  
        terms      = 6  
    }  
}  
// caddy  
  
// quick_shop  
plugin.quick_shop {  
    pages {  
        caddy      = 2  
        shipping   = 4  
        shop       = 1  
    }  
}  
// quick_shop  
  
// plugin.tx_powermail  
// This is for powermail 2.x and hasn't an effect in powermail 1.x  
plugin.tx_powermail {  
    settings {  
        javascript {  
            powermailJQuery =  
            powermailJQueryUi =  
        }  
    }  
}  
// This is for powermail 2.x and hasn't an effect in powermail 1.x  
// plugin.tx_powermail
```

[General] Setup

```
//////////////////////////////  
//  
// INDEX  
//  
// config  
// plugin.tx_browser_pi1  
// TYPO3-Browser: ajax page object I  
// TYPO3-Browser: ajax page object II  
  
// config  
config {  
    tx_realurl_enable = 0  
    //no_cache = 1  
    language = '. $GLOBALS['TSFE']->lang .'  
    htmlTag_langKey = '. $GLOBALS['TSFE']->lang .'  
}  
// config  
  
// plugin.tx_browser_pi1  
plugin.tx_browser_pi1 {  
    // Don't display any order box  
    displayList.selectBox_orderBy.display = 0  
}  
// plugin.tx_browser_pi1  
  
// TYPO3-Browser: ajax page object I  
  
// Add this snippet into the setup of the TypoScript  
// template of your page.  
// Use 'page', if the name of your page object is 'page'  
// (this is a default but there isn't any rule)  
  
[globalString = GP:tx_browser_pi1|segment=single] || [globalString = GP:tx_browser_pi1|  
segment=list] || [globalString = GP:tx_browser_pi1|segment=searchform]  
page >  
page < plugin.tx_browser_pi1.javascript.ajax.page  
[global]  
// TYPO3-Browser: ajax page object I  
  
// TYPO3-Browser: ajax page object II  
// In case of localisation:  
// * Configure the id of sys_language in the Constant Editor.  
// * Move in this line ...jQuery.default to ...jQuery.de (i.e.)  
browser_ajax < plugin.tx_browser_pi1.javascript.ajax.jQuery.en  
// TYPO3-Browser: ajax page object II
```

[Includes] Include static (from extensions):

- CSS Styled Content (css_styled_content)
- Browser (browser)
- Quick Shop – Basic Template (base_quickshop)
- Quick Shop (quick_shop)
- Caddy (1) (caddy)
- Caddy (2+) - German (caddy)
- Caddy (3+) - CSS (caddy)
- +Quick Shop +Caddy (quick_shop)

Filter

Illustration 10: Filter category, dimension and material

Illustration 11: TypoScript Constant Editor

You enable and disable the display of each filter supported by the TypoScript Constant Editor.

Page Caddy

Page tree: [2] Caddy

Content

Plugin Caddy

You are controlling the properties of the Caddy in your frontend.

See the detailed manual at

- Caddy (caddy)
<http://typo3.org/extensions/repository/view/caddy/>

HTML [fade_deliveryorderadress.css]

JavaScript code snippet for slide in and slide out the delivery address of the Powermail form.

You need jQuery for this feature.

Plugin [Powermail for Caddy]

Data and properties depends on your Powermail version 1.x or 2.x.

You are controlling the order form by this plugin.

Pay attention to the linked forms, fieldsets and fields on the same page.

TypeScript

+page_caddy_003

[General] Setup

```
plugin.tx_powermail {
    _LOCAL_LANG {
        default {
            // Next button will be empty in Powermail 2.x
            //confirmation_next = Order without commitment
        }
        de {
            // Next button will be empty in Powermail 2.x
            //confirmation_next = Unverbindlich testen
        }
    }
}

// Don't display the mini caddy
page.10.subparts.menu.20 >
```

[Includes] Include static (from extensions):

- Main Template (powermail)
- Add fancy CSS (powermail)
- Caddy (5+) - Powermail 2.x Main (caddy)
- Caddy (6+) - Powermail 2.x CSS (caddy)

Tables

Quick Shop Item

Configure your items.

Quick Shop Category

Configure your categories.

You can use categories for a filter (tree view by default).

Quick Shop Dimensions

Configure your dimensions.

You can use dimensions for a filter (select box by default).

Quick Shop Material

Configure your material.

You can use materials for a filter (select box by default).

RSS Feed and XML

You can publish your products in every other format.

Browser Tutorial RSS/XML

If you are interested in other formats, please take a look in the Browser Tutorial RSS/XML:

- http://typo3.org/extensions/repository/view/browser_tut_rss_en/

Integration in Facebook

It is easy to integrate the Quick Shop into facebook.com.

Screenshots

Facebook wide Application

Quick Shop

Kategorie wählen Begriff suchen Suche Zurücksetzen

1 bis 3 von insgesamt 6 Datensätzen
» « 1-3 4-6 »

Sortieren

| | |
|--|---|
|  Pullover Rot mit TYPO3 Kopf.  | 49.99 EUR inkl. 19 % MwSt. zzgl. Versand |
|  Geheime Bilder Bislang nie gesehen: TYPO3 VIP  | 29.99 EUR inkl. 7 % MwSt. zzgl. Versand |
|  Tasse Grün mit TYPO3 Logo  | 14.99 EUR inkl. 19 % MwSt. zzgl. Versand |

Chat (2)

Illustration 12: Quick Shop application on facebook.com

http://apps.facebook.com/quick_shop/

The tab [Quick Shop] in Your Facebook-Account

Quick Shop

Kategorie wählen Begriff suchen Suche Zurücksetzen

1 bis 3 von insgesamt 6 Datensätzen
» « 1-3 4-6 »

Sortieren

| | |
|--|---|
|  Pullover Rot mit TYPO3 Kopf.  | 49.99 EUR inkl. 19 % MwSt. zzgl. Versand |
|  Geheime Bilder Bislang nie gesehen: TYPO3 VIP  | 29.99 EUR inkl. 7 % MwSt. zzgl. Versand |
|  Tasse Grün mit TYPO3 Logo  | 14.99 EUR inkl. 19 % MwSt. zzgl. Versand |

Chat (2)

Illustration 13: Your application (here: Quick Shop) in your profile

Tutorial

Quick Shop is based on the TYPO3-Frontend-Engine Browser. Every TYPO3-Extension can be publish on facebook with a minimum of costs, which based on the Browser - your own database too. The Browser has a tutorial for the issue "Social Media" and especially with the Facebook Integration (21 pages, 28 illustrations). See

- HTML: http://typo3.org/extensions/repository/view/browser_tut_socialmedia_en/
- PDF: http://typo3-browser.de/typo3conf/ext/browser_tut_socialmedia_en/doc/manual.pdf

Ordering of Products

You can order your products by every field.

Default Order




Illustration 14: The products will be ordered by TypoScript

The order of the products is configured by TypoScript. See

```


plugin.tx_browser_pi1 {
  ...
  views {
    list {
      1 {
        select = ...
        orderBy (
          tx_quickshop_products.price DESC,
          tx_quickshop_products.title,
          tx_quickshop_categories.title
        )
      }
    }
  }
}

```

If you have used the Quick Shop-Installer, products will be ordered by price (descending), title and than the category – line in the TypoScript snippet above.

If you don't use the property "orderBy", products will be ordered by the values of the select statement.


Order manually – by the field sorting



The screenshot shows the TYPO3 backend interface. The left sidebar contains navigation links for WEB, FILE, USER TOOLS, and ADMIN TOOLS. A red circle labeled '1' points to the 'List' link under WEB. The main content area shows a tree view of 'quick shop' with nodes like 'shopping cart', 'shipping', 'terms and conditions', 'legal info', and 'libraries'. A red circle labeled '2' points to the 'Quick Shop - Products' node. Below the tree view is a table titled 'Product' listing six items: 'Base cap (blue)', 'Secret Images', 'Base cap (green)', 'Base cap (red)', 'Cup', and 'Pullover'. A red circle labeled '3' points to the first three items in the list. Each item has a small icon and several edit and delete buttons.

Illustration 15: Order Products by the field sorting

You can order your products manually like in the illustration above.



The screenshot shows the TYPO3 Extension Manager. The left sidebar includes 'WEB', 'FILE', 'USER TOOLS', and 'ADMIN TOOLS' sections, with 'Ext Manager' highlighted by a red circle labeled '1'. The main area has a 'Information' tab selected, indicated by a red circle labeled '2'. It shows the extension 'Quick Shop (quick_shop)' is installed and running. Under 'Configuration', there's a note about clearing the cache. In the 'Enable features' section, a checkbox for 'Manual ordering of products' is checked, with a red circle labeled '3' pointing to it. The checkbox has the value 'products_manual_ordering'.

Illustration 16: Extension Manager

Please enable the sorting field with the extension manager - see the illustration above.

TypeScript

Please configure your TypeScript like in the snippet below.

```
plugin.tx_browser_pi1 {
  views {
    list {
      1 {
        orderBy = tx_quickshop_products.sorting
      }
    }
    _LOCAL_LANG {
      default {
        tx_quickshop_products_sorting = Quality
      }
    }
  }
}
```





Illustration 17: Labelling and sorting by TypoScript

1. Modul: Web > Template
2. Page tree: Root page
3. Edit area: TypoScript Object Browser
plugin.tx_browser_pi1._LOCAL_LANG.default.tx_quickshop_products_sorting = Quality
4. plugin.tx_browser_pi1.plugin.tx_browser_pi1.views.list.1.orderBy = tx_quickshop_products.sorting

HTML Template



The screenshot shows a TYPO3 Quick Shop page. At the top, there is a search bar with "Search Word" and a "Search!" button. Below it is a navigation menu with letters A through Z. The main content area displays two items:

- Base cap (blue)**
Base cap in blue and with TYPO3 logo  
- Secret Images**
Never seen: Images of the TYPO3 Vip  

A red circle highlights a dropdown menu labeled "Order Items" with a downward arrow.

Illustration 18: Drop down for ordering

Browser < 3.6.1

If you don't like the drop down field for ordering any longer, please remove in your HTML template the subpart:

###LISTHEAD###

Browser >= 3.6.1

You can disable the sort field by TypoScript:

```
displayList.selectBox_orderBy.display = 1
```

Localisation

Extension Manager




Illustration 19: Enable localisation support

You enable the localisation support with the extension manager:

1. Web modul > Admin Tools > Ext Manager
2. Please select the extension Quick Shop
3. Menu [Information]
4. Localisation Support [Yes, I use more than one language]

Backend

If you have enabled the localisation support, the category table has a new field for translate the title.

Configure languages in TYPO3

If you want to deliver your website in more than one language you have to configure TYPO3.

Please refer to this documents:

- TYPO3 Localization Guide
http://typo3.org/documentation/document-library/core-documentation/doc_i10nguide/current/
- Browser Tutorial Localization (en)
http://typo3.org/extensions/repository/view/browser_tut_localization_en/current/

RealUrl

If you like URL, which are human readable and friendly to search engines, please use an extension like RealURL.

Sample Configuration

Quick Shop is shipped with a sample template for RealURL.

See

- [res/samples/realurl/realurl_conf.php](#)

Workflow

- Please adapt the configuration to your needs.
- Copy the file to typo3/typo3conf/realurl_conf.php

You need the extension realUrl.

What's new?

4.0

Backend: search fields

[4.0.1]

All tables got the needed configuration (TCA) for search fields. The search is possible for all tables now in backend forms.

Backend: thumbnails

[4.0.0]

If items have an image (usually they have), a thumbnail will be displayed in list views in the backend.

Fields added: datasheet, dimension, ean, in stock amount, material

[4.0.0]

Items have the new fields:

- **datasheet**
for displaying item data in a table.
- **dimension**
category dimension / size
- **in stock amount**
the amount of the current item in stock
- **material**
category material

[4.0.5]

ean: European Article Number

Fields moved: in stock, stock

[4.0.4]

Fields are moving:

- **in_stock** -> stockquantity
- **stock** -> stockManagement

Filter: enabling and disabling by the constant editor

[4.0.0]

You can enable and disable the filter for all category tables

- **category** (tree view)
- **dimension**
- **material**

by the constant editor. See

- [TypoScript Constant Editor > Quick Shop – Filter](#)

Filter: new filter for dimension and material

[4.0.0]

Quick Shop has the two new filters

- **dimension**
- **material**

See further information in the both sections above.

Installer: fit for 6.1

[4.0.0]

Installer

You can install Quick Shop ready to use in TYPO3 4.x and from now in TYPO3 6.1 with the Quick Shop Installer. See

- http://typo3.org/extensions/repository/view/quickshop_installer/

Marker are removed from TypoScript

[4.0.3]

Marker are removed from the TypoScript and are replaced by the field names.

Former TypoScript snippet:

```
value = ###TX_QUICKSHOP_PRODUCT.TITLE###  
field = tx_quickshop_product.title
```

RealURL template

[4.0.2]

Quick Shop is delivered with a sample for RealURL. See:

- * #54872: SEO: move support from Browser - TYPO3 without PHP - to SEO Dynamic 2
- * #54793: RealURL: Template

SEO by SEO Dynamic Tag2

[4.0.2]

SEO – Search Engine Optimization – was supported to version 4.0.1 by the Browser – TYPO3 without PHP.

SEO – Search Engine Optimization – ist supported from version 4.0.2 by SEO Dynamic Tag 2.

Stock Management

[4.0.4]

Stock management: decrease item quantity after ordering.

Stock management is supported by Caddy – your TYPO3 shopping cart.

TYPO3: fit for 6.1

[4.0.0]

Quick Shop fits into TYPO3 6.1 (and TYPO3 4.5, 4.6 and 4.7 of course).

3.0

Caddy

[3.0.0]

Quick Shop is using the shopping cart Caddy. Caddy has a lot of new features like

- e-mail attachments
- database with orders

among others.

See "Filter" on page 15 above.

Field SKU in tab [Product]

[2.2.0]

Products have the new property

- SKU - stock keeping unit

Invoice and packing list as PDF file

[2.2.0]

The shop provider get an e-mail with the order and with two attached PDF files: the invoice and the packing list. PDF files are configurable completely.

Powermail version 1.x and 2.x

[3.0.0]

Quick Shop supports both Powermail versions – 1.x and 2.x.

Support for Quick Shop 1.x is closed

[3.0.0]

We closed the support for Quick Shop version 1.x. *.tmpl files and TypoScript files for 1.x are deleted. Details: See #46379 and #46378 in the file ChangeLog.

Tab [Controlling]

[2.2.0]

You can control the availability of products by

- starttime, endtime and usergroups

Tab [Price & Quantity]

[2.2.0]

Products have the new properties

- minimum order quantity and
- maximum order quantity

Tab [Search engines]

[2.2.0]

Products have the new properties

- keywords and description

for search engines.

2.0

Individual layout for each product

[2.0.0]

You can layout all product differently:

1. Select a position for your images with text:
- above,
- below,
- in text right,
- or, or, or ...
2. Columns:
How many do you like?
1, 2 or 7?
3. Image dimensions:
Take the width and height you need.
4. Every image can get a different link.
5. Captions alignment
6. SEO: Search Engine Optimisation
7. Image quality
8. Image effects




Illustration 20: The new tab [Images]

Updates

From version < 3.0

Quick Shop 3.0 has two important innovations:

1. Quick Shop 3.0 supports Powermail 1.x and 2.x
2. Quick Shop 3.0 is using the TYPO3 shopping cart Caddy.

The easiest way of an update is:

- Update your extensions. Powermail 2.x is recommended but not obligated.
- Install quick shop with the quick shop installer.
- Replace your previous cart page¹ with the new installed caddy page.
- Adapt TypoScript, the configuration of the plugins caddy and powermail to your needs.

See details below.

Workflow

Update Extensions

Update the extensions

- browser
- base_quickshop²
- quick_shop
 - Update the database
- quickshop_installer

Update Powermail from 1.x to 2.x, if you like

The update is not obligate! Quick Shop is running with Powermail 1.x and Powermail 2.x.

BE AWARE in case of an update from Powermail 1.x to 2.x: you will lost a lot of powermail data!³

It is more comfortable, to install the needed Powermail data and configuration by the Quick Shop Installer, than by doing this job manually.

Prepare your powermail update:

- If possible backup your database.
- Copy and paste the content of your Powermail plugin into a text file.
You will need the values of the tabs later:
 - [Sender]
 - [Recipients] and
 - [Answer page]
- Update and install the extensions
 - extbase⁴
 - fluid⁵
 - powermail
 - Update the database

¹ It contains the wt_cart plugin and the powermail plugin.

² If you are using The Quick Shop Basic Template.

³ Powermail changed the database design, add one new table and redefines all previous tables and fields.

⁴ Needed by Powermail.

⁵ ditto.

Install Quick Shop with the Quick Shop Installer

TIP: If you like a more detailed manual, please use the manual of the quick shop installer.

- Install Quick Shop with the Quick Shop Installer 3.x.
- Create the installer page by the extension manager. See: tab [Configuration].
- Move the installer page from the top level into your page tree.
- Configure the installer plugin:
 - Tab [Plugin]
 - Installation: [Quick Shop only]
 - Choose the preferred backend user
 - Add the e-mail of the shop owner.
- Call the installer page in the frontend.
- Install Quick Shop.
- Reload your page tree in the backend.
- If your previous caddy and your new caddy have the same page label, please redefine the label of your previous caddy like "Caddy" -> "Caddy old" or "Warenkorb" -> "Warenkorb alt"
- Move the new caddy page near the previous caddy page.
- Maintain the list of included TypoScript templates at the page, where you have configured Quick Shop in main.¹ This should be the list of the included templates²:
 - ...
 - Browser (browser)
 - Quick Shop – Basic Template (base_quickshop)³
 - Quick Shop (quick_shop)
 - Caddy (caddy)
 - +Caddy CSS (caddy)⁴
 - +Caddy Quick Shop (quick_shop)
 - ...
- Maintain page ids on the current page with the TypoScript Constant Editor:
 - Web Modul > Template
 - Page tree: your page
 - Edit area: Constant Editor [CADDY – PAGES]
 - Caddy: Uid of the page with the caddy - your shopping cart.
TIP: Don't use the uid of your "Caddy old" or "Warenkorb alt"
 - Caddy mini: Uid of the page with the caddy mini - the cart for marginal column.
TIP: Don't use the uid of your Caddy Mini in your "Caddy old" or "Warenkorb alt"
 - Shop: Uid of the page which contains the items. Usually the root page.
TIP: Use the uid of your previous shop page, don't use the uid of the new installed page.
 - Power of Revocation: Uid of the page with the revocation info (German: Widerrufsbelehrung)
TIP: Use the uid of your previous page with power of revocation, if you have this page.
 - Terms & Conditions: Uid of the page with the terms & conditions (German: AGB)
TIP: Use the uid of your previous term & conditions page, don't use the uid of the new installed page.
 - Edit area: Constant Editor [QUICK SHOP – PAGES]
 - Shop / root page: Uid of the page which contains the quick shop items. Usually the root page.
TIP: Use the uid of your previous shop page, don't use the uid of the new installed page.

1 This is often the root page.

2 Take care of the order.

3 If you are using The Quick Shop Basic Template.

4 If you like to use the default Caddy CSS.

- Caddy:Uid of the page with the caddy - your shopping cart
TIP: Don't use the uid of your "Caddy old" or "Warenkorb alt"
- Shipping:Uid of the page with the shipping terms
TIP: Use the uid of your previous page with power of revocation, if you have this page.
- Update your Browser Plugin at the page, where you are offering your shop (Quick Shop).¹
The HTML template is moved. You will get an error prompt in the Frontend.
 - Browser Plugin/Flexform > [Plug-In] > [Templating]
Field: HTML-Template: [Browser: Main (browser)]
- Update the Powermail plugin in the Caddy page:
Copy and paste the content of your text file into the Powermail plugin.
 - BE AWARE: Powermail 2.x is using fluid marker instead of hash marker.
Take care of these marker. Caddy won't run proper without some of this marker.
TIP: After configuration the Caddy plugin will check, if your marker are proper.
 - These were the tabs for paste your data:
 - [Sender]²
 - [Receiver]³ and
 - [Submit page]
- Update links in the Powermail plugin in the Caddy page:
 - Fields: "Terms & Conditions" (or in German "AGB")
 - Fields: "Power of Revocation" (or in German "Wiederrufsbelehrung")
- Update label in the Powermail plugin in the Caddy page:
 - Fields: "Terms & Conditions" (or in German "AGB")
 - Fields: "Power of Revocation" (or in German "Wiederrufsbelehrung")
 - Fields: "Test Quick Shop" (the submit Button)⁴
- Remove not needed pages
 - The new installed pages:
 - Quick Shop
 - Shipping
 - Power of Revocation
 - Items
 - The previous pages
 - Shopping cart old (Warenkorb alt)
- Use the Recycler for clean up your database:
Web > Recycler
 - Remove your "removed" pages finally⁵

That was a lot of stuff!

¹ This is often the root page.

² Customer

³ Shop owner

⁴ If your items aren't for free, the label of the button must be contain something like "with costs"

⁵ Without a final removing you will get unproper results in context with relations (in the backend only). Background: A simple removing marks your pages as deleted only. And MM relations doesn't have this property. MM relations won't deleted till local records and foreign records are removed finally.

Next steps

- Configure your Caddy plugin. See "Filter" on page 15 above.
It is recommended to configure:
 - Minimum and maximum order quantity
 - Attachments in emails to the customer and to the quick shop owner
 - PDF drafts for the attachments (your corporate design)
- Check your configuration of Caddy and Powermail. See "Filter" on page 15 above.

This properties are changed

CSS properties

Moved CSS properties:

- #form-order -> form.caddy

Marker

Moved marker

- ###MY_CART_BUTTON### -> ###MY_CADDYLABEL###
- ###MY_CART_PAGE_URL### -> ###MY_CADDYURL###

Removed marker

- ###MY_CART_QUANTITY###

Update your Browser Plugin/Flexform

The HTML template is moved. You will get an error prompt in the Frontend.

Please update your Browser Plugin/Flexform:

- Browser Plugin/Flexform > [Plug-In] > [Templating] > Field: HTML-Template

Packages for Sponsors

Your donation and sponsoring is welcome.

Please order a package for sponsors at

- English: <http://typo3-quick-shop.de/en/sponsoring/>
- German: <http://typo3-quick-shop.de/sponsoring/>



Fun – 50 EUR



You like to treat the TYPO3 Quick Shop project.

You don't expect any equivalent. No logo. No service.

Throw 50 EUR or any other old sum into the cash box.

You will get a receive. You can set the amount off against tax liability.

Logo – 150 EUR



You are treating the TYPO3 Quick Shop project and you like to be a guide for others.

Your logo will appear in the manual, at the website and in the extension manager of the Quick Shop.

The period of validity is limited to one year.

You will get a receive. You can set the amount off against tax liability.

You can pay more than 150 EUR.

Patron – 500 EUR



You are the patron. You are treating TYPO3 Quick Shop project and you like to pay the developer more than best for two hours service.

Your logo will appear in the manual, at the website and in the extension manager of Quick Shop.

You can book the developer of Quick Shop for two hours.

The period of validity for both – the logo and the two hours – is limited to one year. If you don't use the two hours in this period, you will lost it.

You will get a receive. You can set the amount off against tax liability.

You can pay more than 500 EUR.

Credits

made-in-nature.de

made in nature | TYPO3 Agentur

Thanks to Stefan Grothus from <http://www.made-in-nature.de>, who contracted some new features of caddy.

Helpful suggestions

Forum

If you have helpful suggestions, feel free to publish any question, bug or code snippet on

- Quick Shop forum
<http://typo3-quick-shop.de/forum/>

Posts are welcome in English and German.

Quick Shop on TYPO3 forge

Because of a bug with the repository, Quick Shop (quick_shop) is using the extension key **qshop** at TYPO3 forge!

You find scheduled new features and bug reports on TYPO3 forge. See

- <http://forge.typo3.org/projects/show/extension-qshop>

Latest versions

You find the latest versions (for developers) in the repository at

- <http://forge.typo3.org/projects/extension-qshop/repository>



Illustration 21: The TYPO3-Frontend-Engine Browser Forum

To-Do List

There is a lot to do. Among others:

Search Box

- Optimise Search Box
<http://forge.typo3.org/issues/52301>

Further Information

Other extensions published by Die Netzmacher

-  +AOE Linkhandler Configurator: Configure the AOE linkhandler supported by userinterfaces. Out-of-the-box templates for cal, org, tt_news and tt_products. Don't edit page TSconfig any longer.
<http://typo3.org/extensions/repository/view/linkhandlerconf/>
-  autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU.
<http://typo3.org/extensions/repository/view/autositemap/>
-  Browser – TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need one line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. <http://typo3.org/extensions/repository/view/browser/>
-  Caddy – the TYPO3 shopping cart. You can use it for your own needs. You need a database with products or any other items only. You can install Caddy out of the box with one mouse click – see Quick Shop below.
<http://typo3.org/extensions/repository/view/caddy/>
-  Flip it! offers lovely and smooth page flip transitions. It enables you to run over pages in PDF documents like in a real magazine. It is based on flash. Flip it! can convert PDF documents to swf files automatically.
<http://typo3.org/extensions/repository/view/flipit/>
-  Green Cars (Grüne Autos) - Database optimized for ecological cars. It is a case study and demonstrates, how to get a complex database with the browser (see above) in three hours only.
http://typo3.org/extensions/repository/view/green_cars/
-  Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can be configured by the Browser plugin with the mouse.
http://typo3.org/extensions/repository/view/job_market/
-  Organiser – TYPO3 for the lobby and the organisers. Handle news, events, staff, headquarters, locations, workshops and a calendar with one extension. Sell online tickets! Install the Organiser with one mouse click!
<http://typo3-organiser.de/>
-  Quick Shop – the fastest shop in the history of TYPO3. Install it with one mouse click! Quick Shop is based on the browser (see above) and powermail.
<http://typo3-quick-shop.de/>
-  PDF Controller: Easy to install. Add to your HTML page the PDF-controller-button. Link from the button to the controller. Adjust the controller by mouseclicks. The PDF Controller supports CSS 3.
<http://typo3-pdfcontroller.de/>
-  Radial Search (German: Umkreissuche) for your TYPO3 database. Your data must have a latitude and a longitude. The Browser – TYPO3 without PHP – has it integrated.
<http://typo3.org/extensions/repository/view/radialsearch/>
-  Route – Publish your routes with GoogleMaps or OpenStreetMap. Routes have points of interest (POI). You can categorise and filter both: routes and POI. Address data can be geocoded automatically.
<http://typo3.org/extensions/repository/view/route/>
-  seo_dynamic_tag: Search Engine Optimization for the title tag, the canonical tag and the meta tags author, description and keywords. Configuration by a user interface.
http://typo3.org/extensions/repository/view/seo_dynamic_tag/
-  TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig properties with the mouse - like page tree uids, activated extended view, activated clipboard, ...
<http://typo3.org/extensions/repository/view/tsconf/>
-  tt_news select configuration (extkey: ttnews_selectconf) enables to select tt_news by any SQL clause. The extension adds an andWhere clause to the SQL query of the tt_news plugin.
http://typo3.org/extensions/repository/view/ttnews_selectconf/
-  Wine Catalogue provides a data base for wine with regions, wineries, styles, variety and ageing among others. It is localized. English, German and Spanish ist of the box. Wine based on the extension browser (see above).
<http://typo3.org/extensions/repository/view/wine/>

Demo website

You find a Quick Shop demo at

- <http://typo3-quick-shop.de>

Manual and tutorial in PDF

You find this manual and the tutorial in PDF format at

- doc/manual.pdf
- doc/tutorial.pdf

Change Log

4.0.6 Improvement

- * #i0014: Corporate design: modified icon

4.0.5 Improvement

- * #i0013: tca.php: exclude fields are maintained
- * #i0012: ean (new)
- * #i0011: SKU isn't required
- * #i0010: SKU is required

Bugfix

- * #i0011: inkl. MwSt. wasn't localised

4.0.4 Feature

- * #55726: (Caddy) Stock management: decrease item quantity after ordering
- * Moving SQL fields:
 - * in_stock -> stockquantity
 - * stock -> stockManagement

4.0.3 Features

- * #55002: LinkHandlerConfiguration
 - ! without effect: linkhandler 0.3.1 has an error in TYPO3 6.x
- * #55001: Template for Imagecycle no conflict
- * #i0009: List view: thumbnail links to single view (former: image popup)
- * #54992: Replace marker

4.0.2 Features

- * #54872: SEO: move support from Browser - TYPO3 without PHP - to SEO Dynamic 2
- * #54793: RealURL: Template

4.0.1 Feature

- * #i0008: TCA search fields

4.0.0 Features

- * #53422: In stock amount
- * #i0009: Filter can enable and disable by the constant editor
- * #i0008: Backend thumbnails
- * #53378: Table field for data
- * #53377: Filter for size and material
- * #53362: Fit it into TYPO3 6.x

3.0.8 Improvement

- # *i0006: caddy icon is controlled by Caddy constant
- # *i0007: caddy button is simplified
 - * my_caddybutton substitutes
 - * my_caddyimgsrc
 - * my_caddyimgalt
 - * my_caddylabel

3.0.7 Bugfix

- # *i0005: double div-tag in single view

3.0.6 Improvements

- # *i0004: Update for Caddy 2.0.8

3.0.5 Improvement

- * #i0003: Improved caddy table structure

3.0.4 Feature

- * #47068: Remove HTML template

3.0.3 Feature

- * #47017: Ready TypoScript SEO configuration

3.0.2 Feature

- * #42072: nested categories

3.0.0 Features

- * #46387: Caddy for list view
- * #46386: Update CSS

- * #46380: Introduce sponsors
- * #46377: Button Caddy with an Icon
 - * marker is moved: #####MY_CART_BUTTON#### -> #####MY_CADDYLABEL####
- * #45775: FORK from wt_cart to caddy
 - * marker are moved
 - * #####MY_CART_PAGE_URL#### -> #####MY_CADDYURL####
 - * my_cart_quantity (removed)
 - * CSS properties are moved
 - * #form-order -> form.caddy

Improvement

- * #i0002: Configuring of caddy constants is moved from installer to quick_shop
- * #46381: See #46379
- * #46379: Clean up TypoScript files
- * #46378: Clean up *.tmpl files
- * #i0001: Key for page tree icon moved from quick_shop to quickshop

2.2.3 New Feature

- * #00000: RealUrl configuration file

2.2.2 Update TYPO3 4.7

- * #00000: \$ICON_TYPES -> t3lib_SpriteManager::addTcaTypeIcon

Update

- * #00000: Update to Browser version 3.9.14

2.2.1 Improvements

- * #00000: Update for wt_cart_orderpdf 0.0.9

2.2.0 Improvements

- * #00000: New fields
 - * sku - stock keeping unit
 - * quantity_min - minimum of order quantity
 - * quantity_max - maximum of order quantity
 - * starttime
 - * endtime
 - * fe_group
 - * seo_keywords
 - * seo_description
 - * Effected files
 - * ext_tables.php
 - * ext_tables.sql
 - * locallang_db.xml
 - * tca.php
 - * res/v1.4/default.css
 - * static/setup.txt
- * #00000: Additional template res/v1.4/default_select_30 tmpl
 - * Select box for quantity instead of an input field

Update for

- * wt_cart 1.4.3

- * #00000: field quantity_min - minimum of order quantity
 - field quantity_max - maximum of order quantity

- * wt_cart 1.4.2

- * #00000: field sku - stock keeping unit

- * Browser version 4.0 - step 1

- * #00000: a-z-browser is renamed as index browser

Effects

- * CSS : azSelector -> indexBrowser

- * HTML : AZSELECTOR -> INDEXBROWSER

2.1.5 Update Manual**2.1.0 New Feature**

- * #27041: Record browser for the single view / Prev-next Switcher in the single view

2.0.1 New Feature

- * #13145: Number formats: userfunc

2.0.0 Improvement

- Individual layout for each product

1.3.3 Bugfixes

- 12236: Possible conflict with TypoScript constant
myConst.pages.root is moved to myConst.pages.quick_shop

1.3.2 Improvement

- CSS is extended for wt_cart 1.2.1
- quick_shop provides the quick_shop_header_image_210px.jpg
- static template was extended for browser 3.6.0

1.3.1 Improvement

- 11114: Make Javascript Backbutton invisible

1.3.0 New Features

- #11054: Quick Shop supports German and English by default

1.2.0 New Features

- #9659: AJAX
- default.tml

 - reset button got the class reset
 - listarea is wrapped with <div class="listarea">...</div>

- #10224: Integration of templates of 3rd party extensions
- #00000: Template integration into the Browser plugin/flexform

1.1.1 Manual

- New section: Integration in Facebook

1.1.0 New Feature

- Optional manual ordering of records added

1.0.1 Initial release

Illustration Index

| | |
|---|----|
| Illustration 1: Quick Shop integrated in the Quick Shop Template | 3 |
| Illustration 2: Caddy and the order form | 4 |
| Illustration 3: E-mail attachments in your corporate design | 4 |
| Illustration 4: Quick Shop – categories and items | 5 |
| Illustration 5: Quick Shop – Individual layout for each item | 5 |
| Illustration 6: Controlling Quick Shop with the Browser plugin | 6 |
| Illustration 7: Controlling Caddy with the Caddy plugin | 6 |
| Illustration 8: Installation with one click: Installer (1), the result in the backend (2) and in the frontend (3) | 7 |
| Illustration 9: Page tree | 12 |
| Illustration 10: Filter category, dimension and material | 15 |
| Illustration 11: TypoScript Constant Editor | 15 |
| Illustration 12: Quick Shop application on facebook.com | 18 |
| Illustration 13: Your application (here: Quick Shop) in your profile | 18 |
| Illustration 14: The products will be ordered by TypoScript | 19 |
| Illustration 15: Order Products by the field sorting | 20 |
| Illustration 16: Extension Manager | 20 |
| Illustration 17: Labelling and sorting by TypoScript | 21 |
| Illustration 18: Drop down for ordering | 22 |
| Illustration 19: Enable localisation support | 23 |
| Illustration 20: The new tab [Images] | 28 |
| Illustration 21: The TYPO3-Frontend-Engine Browser Forum | 35 |