


## Quick Shop

Quick Shop - the fastest shop in the history of TYPO3. Install the shop ready-to-use with one mouse click! Quick Shop is a team play with the Browser - TYPO3 without PHP -, Caddy - the TYPO3 shopping cart - and Powermail. Quick Shop itself hasn't any line PHP code.



Version: 4.0.1 - 2013-12-28

Extension Key: quick\_shop

Language: en

Keywords: forAdmins, forDevelopers, forBeginners, forIntermediates, forAdvanced, shop

Copyright 2010 - 2013, Dirk Wildt (Die Netzmacher), <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License  
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3  
- a GNU/GPL CMS/Framework available from <http://www.typo3.org/>

## Table of Contents

Quick Shop .....	1	Localisation .....	23
Screen Shots .....	3	Extension Manager .....	23
Frontend .....	3	Backend .....	23
Shop .....	3	Configure languages in TYPO3 .....	23
Caddy .....	4	RealUrl .....	24
Attachments .....	4	Sample Configuration .....	24
Backend .....	5	Workflow .....	24
List view with Categories and Items .....	5	What's new? .....	25
Individual layout for each product .....	5	4.0 .....	25
Browser plugin .....	6	Backend: search fields .....	25
Caddy plugin .....	6	Backend: thumbnails .....	25
Installation .....	7	Fields added: datasheet, dimension, in stock amount, material .	25
Introduction .....	8	Filter: enabling and disabling by the constant editor .....	25
What does it do? .....	8	Filter: new filter for dimension and material .....	25
What does it not do? .....	8	Installer: fit for 6.1 .....	25
What do you need? .....	9	TYPO3: fit for 6.1 .....	26
Audience .....	9	3.0 .....	27
Non possible TYPO3 core features .....	9	Caddy .....	27
Beforehand .....	9	Field SKU in tab [Product] .....	27
Quick Installation .....	10	Invoice and packing list as PDF file .....	27
With the Quick Shop Installer .....	10	Powermail version 1.x and 2.x .....	27
Without the Quick Shop Installer .....	10	Support for Quick Shop 1.x is closed .....	27
Installation .....	11	Tab [Controlling] .....	27
One mouse click – the Quick Shop Installer .....	11	Tab [Price & Quantity] .....	27
Advantages .....	11	Tab [Search engines] .....	27
Manually .....	11	2.0 .....	28
Controlling .....	12	Individual layout for each product .....	28
Beforehand .....	12	Page tree icon .....	28
Page Quick Shop .....	12	HTML templates are CSS controlled .....	28
Page properties .....	12	Updates .....	29
Content .....	12	From version < 3.0 .....	29
TypoScript .....	13	Workflow .....	29
Filter .....	15	This properties are changed .....	32
.....	15	Packages for Sponsors .....	33
You enable and disable the display of each filter supported by		Fun – 50 EUR .....	33
the TypoScript Constant Editor. ....	15	Logo – 150 EUR .....	33
Page Caddy .....	15	Patron – 500 EUR .....	33
Content .....	15	Credits .....	34
TypoScript .....	15	made-in-nature.de .....	34
Tables .....	16	Helpful suggestions .....	35
RSS Feed and XML .....	17	Forum .....	35
Browser Tutorial RSS/XML .....	17	Quick Shop on TYPO3 forge .....	35
Integration in Facebook .....	18	Latest versions .....	35
Screenshots .....	18	To-Do List .....	36
Facebook wide Application .....	18	Search Box .....	36
The tab [Quick Shop] in Your Facebook-Account .....	18	Further Information .....	37
Tutorial .....	18	Other extensions published by Die Netzmacher .....	37
Ordering of Products .....	19	Demo website .....	38
Default Order .....	19	Manual and tutorial in PDF .....	38
Order manually – by the field sorting .....	20	Change Log .....	39
TypoScript .....	21	Illustration Index .....	41
HTML Template .....	22		

# Screen Shots

## Frontend

### Shop



Illustration 1: Quick Shop integrated in the Quick Shop Template

The example will be the result, if you are installing the Quick Shop with the Quick Shop Installer with the basic template option.

See Quick Shop live on <http://typo3-quick-shop.de>

## Caddy

Illustration 2: Caddy and the order form

## Attachments

Menge	Art.-Nr.	Artikel	MWSL	Preis	Gesamt
3	typo3-book-de	Geheime Bilder	7%	29.99 €	89.97 €
# Summe Artikel (netto)					84.06 €
+ Service- und Versandkosten (netto)					0.00 €
Versand: DHL Standard (0 €)					0.00 €
Zahlung per: Vorkasse (0 €)					0.00 €
Weitere Optionen:					0.00 €
+ zuzüglich 19% MWSL					0.00 €
+ zuzüglich 7% MWSL					5.89 €
# Gesamtsumme (brutto)					89.97 €

Illustration 3: E-mail attachments in your corporate design

## Backend

### List view with Categories and Items




Illustration 4: Quick Shop – categories and items

### Individual layout for each product




Illustration 5: Quick Shop – Individual layout for each item


## Browser plugin



The screenshot shows the 'Plugin' tab of the Quick Shop configuration. The 'Selected Plugin' is 'Browser - TYPO3 without PHP'. Under 'Plugin Options', the 'List View' tab is active. The configuration includes fields for 'Title' (set to 'Quick Shop'), 'Title Wrap', 'Group Title Wrap', 'Limit: start/offset', and 'Limit: records per page' (set to 3). Under 'Display: Navigation', both 'Index Browser' and 'Page Browser' are checked. Under 'Display: Records', 'Empty List at Start' is unchecked. Under 'Display: Empty values and empty records', 'Don't handle empty records in list views and don't handle empty fields in single' is checked. The 'Search' dropdown is set to 'Default'. The 'Filter: display items' dropdown is set to 'Controlled by selected filters'. The 'CSV export' dropdown is set to 'Disabled (default)'. The 'Rotate views' dropdown is set to 'Disabled (recommended)'.

Illustration 6: Controlling Quick Shop with the Browser plugin

## Caddy plugin



The screenshot shows the 'Plugin' tab of the Quick Shop configuration. The 'Selected Plugin' is 'Caddy'. Under 'Plugin Options', the 'Check it!' tab is active. The 'Enable the Check-it-report' checkbox is checked. Below this, there are several informational messages: 'You have an internal annotation at the tab [Notes]. Please attend it!', 'Please disable the check-it-report. It costs performance!', 'DRS: You will get a report in the Developer Log', 'Update Wizard: You will get a frontend report, if your IP match the list of allowed IP', and 'Your current IP: 93.210.21.120'. At the bottom, there is a field for 'List of allowed IP' with the value '127.0.0.1, 127.0.0.2'.

Illustration 7: Controlling Caddy with the Caddy plugin

# Installation

## Quick Shop Installation

### Check extension dependencies

- ✓ autumskeltemplate: "Template Autoparser" is loaded.
- ✓ base\_quickshop: "Quick Shop - Template" is loaded.
- ✓ browser: "Browser" - TYPO3 without PHP is loaded.
- ✓ caddy: "Caddy - your chopping cart" is loaded.
- ✓ opa\_bastree: "Record tree for TCA" is loaded.
- ✓ powermail: "Powermail" is loaded.
- ✓ quick\_shop: "Quick Shop" is loaded.

### Start the Installation

- 1 Create a backend group
- 2 Create a page tree
- 3 Create the plg: gins browser, caddy and powermail
- 4 Create page content
- 5 Create TypoScript for the browser, caddy and powermail
- 6 Create configuration records for powermail
- 7 Create six example items
- 8 Create product images
- 9 Create page content
- 10 Coreoidating

Start the Installation

1

2

3

Illustration 8: Installation with one click: Installer (1), the result in the backend (2) and in the frontend (3)



# Introduction

## What does it do?

- Quick Shop is a shop extension for TYPO3.
- Quick Shop is easy to install: you can install Quick Shop with one click by the Quick Shop Installer (recommended). Quick Shop is ready-to-use, if you are using the installer.
- If you want to use Quick Shop as a single website, Quick Shop offers a template ready-to-use. See "Quick Shop - Template" (base\_quickshop). If you like, the Quick Shop Installer will install this template.
- Quick Shop items have properties for
  - Search Engines
  - Minimum and maximum order quantities
- You can layout items differently for example with different image dimensions and different image positions for each item.
- Quick Shop will send
  - a confirmation mail to the client
  - an order mail to the shop provider with attached
    - invoice
    - delivery order
    - power of revocation
    - terms & conditions
  - Shop providers can use their own PDF draft with their own corporate design.
- Quick Shop is based on the extensions Browser, Caddy and Powermail.
- The Quick Shop frontend is controlled by the plugin "Browser". You enable a lot of stuff by clicking the mouse: search form, page browser, index browser (A-Z), empty list at start and social bookmarks among others.
- The Browser plugin of the Quick Shop enables realUrl.
- Quick Shop is localised. You can publish all items in any language.<sup>1</sup>
- You are controlling the order form and e-mails by Powermail.
- You are controlling the shopping cart by Caddy.
- Quick Shop hasn't any own PHP code. This has three big advantages:
  - The extension is stable.
  - It is easy to extend the shop database with tables and fields for your needs.
  - You can use your own TypoScript and your own HTML templates. It is easy to adapt it to your needs.
- Quick Shop has a forum.
- Quick Shop has a tutorial. The tutorial teach you, how to develop your own shop.
- Quick Shop is useful, if you need a simple shop. For example if you like to provide a couple of products only.

## What does it not do?

- Quick Shop isn't useful, if you need things like cross selling or if you have a lot of products with a lot of attributes like colours and sizes.
- Quick Shop hasn't any interface for online payment.
- The shop isn't contend with shops like Oxyd or Magento.

<sup>1</sup> But Quick Shop is optimised for German selling rules.



## What do you need?

- If you want to adapt the extension, you need experience in TypoScript. You should know the TCA – the TYPO3 table configuration array.

## Audience

- TYPO3 agencies
- TYPO3 integrators
- TYPO3 developers

## Non possible TYPO3 core features

- Quick Shop doesn't support versioning.
- Quick Shop doesn't support different workspaces.

## Beforehand

- This manual doesn't explain the Browser – TYPO3 without PHP –, Caddy and Powermail in depth. If you have any question about Caddy or Powermail, please refer to the manuals of this extensions:
  - Browser – TYPO3 without PHP (browser)  
<http://typo3.org/extensions/repository/view/browser/>
  - Caddy (caddy)  
<http://typo3.org/extensions/repository/view/caddy/>
  - Powermail (powermail)  
<http://typo3.org/extensions/repository/view/powermail/>

# Quick Installation

## With the Quick Shop Installer

- Install the Quick Shop Installer (quickshop\_installer)  
[http://typo3.org/extensions/repository/view/quickshop\\_installer/](http://typo3.org/extensions/repository/view/quickshop_installer/)
- Add the plugin Quick Shop Installer to a page and configure it.
- Load the page in the frontend.
- Click "Install it!"

## Without the Quick Shop Installer

- Install the extensions browser, caddy and powermail.
- Add two pages "shop" and "caddy" and the sysfolder "items".
- Add to the sysfolder "items" some products or items.
- Add to the page "shop"
  - a template
    - Include the "browser" template
    - Include the "quick shop" template
  - the plugin "browser"
    - Link the startingpoint to the folder with the items
  - Configure TypoScript
- Add to the page "caddy"
  - a template and include the "caddy" templates
  - the plugin "caddy"
  - the plugin "powermail" and configure it (sorry, this isn't documented below)
  - configure TypoScript
  - add powermail fieldsets and fields (sorry, this isn't documented below)

# Installation

## One mouse click – the Quick Shop Installer

The one-click-installation is recommended.

### Advantages

The advantages of the one-click-installation is:

- You will have a minimum of costs for the installation and the configuration:  
You will need
  - the first time 30 minutes over all and
  - all next times 15 minutes over all.
- You will get a running sample with caddy and without
  - any improper configuration and
  - any costs for debugging.
- A running sample is the best for understanding.
- You can test all features of the Quick Shop, Caddy and Powermail immediately. Play with all!
- If something goes wrong and you can't cancel it, it doesn't matter.
  - Waste your installation.

Repeat the one-click-installation.

See

- Quick Shop Installer (quickshop\_installer)  
[http://typo3.org/extensions/repository/view/quickshop\\_installer/](http://typo3.org/extensions/repository/view/quickshop_installer/)

## Manually

Not recommended – because of a missing manual only.

The manually installation of Quick Shop is complex and isn't recommended. The cause is:

- Quick Shop is a team-play of a lot of extensions – especially of
  - the Browser – TYPO3 without PHP
  - Caddy, the TYPO3 Shopping Cart and
  - Powermail.

A manually installation has a lot of possibilities for an improper configuration.

And the manual for a manually installation has a lot of possibilities for improper or missing statements too.

I would be happy, if you are appreciative of a missing documentation for a manually installation.

# Controlling

## Beforehand

All code snippets and properties are from a Quick Shop installation, which was installed by the Quick Shop Installer.

See the page tree in the illustration on the right hand.

The code snippets are examples. Feel free, to adapt it to your needs.

## Page Quick Shop

Page tree: [1] Quick Shop

## Page properties

[Ressources] TypoScript

```
// QUICK SHOP INSTALLER at 2013-09-26 3:39:19
-- BEGIN

TCEMAIN {
    permissions {
        // 3: quick_shop
        groupid = 3
        group   = show,edit,delete,new,editcontent
    }
}

// QUICK SHOP INSTALLER at 2013-09-26 3:39:19 -- END
```




Illustration 9: Page tree

## Content

### Plugin [Browser for Quick Shop]

This is the plugin of the Browser – TYPO3 without PHP.

You are controlling the properties of the Quick Shop in your frontend.

See the detailed manual at

- PDF: [http://typo3-browser.de/typo3conf/ext/browser\\_manual\\_en/doc/manual.pdf](http://typo3-browser.de/typo3conf/ext/browser_manual_en/doc/manual.pdf)
- HTML: [http://typo3.org/extensions/repository/view/browser\\_manual\\_en/](http://typo3.org/extensions/repository/view/browser_manual_en/)

## TypoScript

### page\_quickshop\_002

Please edit the constants with the Constant Editor.

[General] Constants:

```

////////////////////////////////////////
//
// INDEX
//
// plugin.base_quickshop
// plugin.caddy
// plugin.quick_shop
// plugin.tx_powermail

// base_quickshop
plugin.base_quickshop {
    basic {
        // for baseURL
        host = http://01.die-netzmacher.de/
    }
    pages {
        root = 1
        root {
            libraries {
                footer = 13
                //header = 10
                header {
                    logo = 11
                    slider {
                        content = 12
                    }
                }
                menu {
                    bottom = 14
                }
            }
        }
    }
}
// base_quickshop

// caddy
plugin.caddy {
    pages {
        caddy          = 2
        caddymini      = 3
        revocation      = 5
        shop            = 1
        terms           = 6
    }
}
// caddy

// quick_shop
plugin.quick_shop {
    pages {
        caddy          = 2
        shipping       = 4
        shop           = 1
    }
}
// quick_shop

// plugin.tx_powermail
// This is for powermail 2.x and hasn't an effect in powermail 1.x
plugin.tx_powermail {
    settings {
        javascript {
            powermailjQuery =
            powermailjQueryUi =
        }
    }
}
// This is for powermail 2.x and hasn't an effect in powermail 1.x
// plugin.tx_powermail

```

## [General] Setup

```

////////////////////////////////////////
//
// INDEX
//
// config
// plugin.tx_browser_pil
// TYPO3-Browser: ajax page object I
// TYPO3-Browser: ajax page object II

// config
config {
    tx_realurl_enable = 0
    //no_cache = 1
    language = ' . $GLOBALS['TSFE']->lang . '
    htmlTag_langKey = ' . $GLOBALS['TSFE']->lang . '
}
// config

// plugin.tx_browser_pil
plugin.tx_browser_pil {
    // Don't display any order box
    displayList.selectBox_orderBy.display = 0
}
// plugin.tx_browser_pil

// TYPO3-Browser: ajax page object I

// Add this snippet into the setup of the TypoScript
// template of your page.
// Use 'page', if the name of your page object is 'page'
// (this is a default but there isn't any rule)

[globalString = GP:tx_browser_pil|segment=single] || [globalString = GP:tx_browser_pil|
segment=list] || [globalString = GP:tx_browser_pil|segment=searchform]
    page >
    page < plugin.tx_browser_pil.javascript.ajax.page
[global]
    // TYPO3-Browser: ajax page object I

    // TYPO3-Browser: ajax page object II
    // In case of localisation:
    // * Configure the id of sys_language in the Constant Editor.
    // * Move in this line ...jQuery.default to ...jQuery.de (i.e.)
    browser_ajax < plugin.tx_browser_pil.javascript.ajax.jQuery.en
    // TYPO3-Browser: ajax page object II

```

## [Includes] Include static (from extensions):

- CSS Styled Content (css\_styled\_content)
- Browser (browser)
- Quick Shop – Basic Template (base\_quickshop)
- Quick Shop (quick\_shop)
- Caddy (1) (caddy)
- Caddy (2+) - German (caddy)
- Caddy (3+) - CSS (caddy)
- +Quick Shop +Caddy (quick\_shop)

## Filter




Illustration 10: Filter category, dimension and material



Illustration 11: TypoScript Constant Editor

You enable and disable the display of each filter supported by the TypoScript Constant Editor.

## Page Caddy

Page tree: [2] Caddy

### Content

#### Plugin Caddy

You are controlling the properties of the Caddy in your frontend.

See the detailed manual at

- Caddy (caddy)  
<http://typo3.org/extensions/repository/view/caddy/>

#### HTML [fade\_deliveryorderadress.jss]

JavaScript code snippet for slide in and slide out the delivery adress of the Powermail form.

You need jQuery for this feature.

#### Plugin [Powermail for Caddy]

Data and properties depends on your Powermail version 1.x or 2.x.

You are controlling the order form by this plugin.

Pay attention to the linked forms, fieldsets and fields on the same page.

## TypoScript

### +page\_caddy\_003

[General] Setup

```
plugin.tx_powermail {
    _LOCAL_LANG {
        default {
            // Next button will be empty in Powermail 2.x
            //confirmation_next = Order without commitment
        }
        de {
            // Next button will be empty in Powermail 2.x
            //confirmation_next = Unverbindlich testen
        }
    }
}

// Don't display the mini caddy
page.10.subparts.menue.20 >
```



[Includes] Include static (from extensions):

- Main Template (powermail)
- Add fancy CSS (powermail)
- Caddy (5+) - Powermail 2.x Main (caddy)
- Caddy (6+) - Powermail 2.x CSS (caddy)

## Tables

### Quick Shop Item

Configure your items.

### Quick Shop Category

Configure your categories.

You can use categories for a filter (tree view by default).

### Quick Shop Dimensions

Configure your dimensions.

You can use dimensions for a filter (select box by default).

### Quick Shop Material

Configure your material.

You can use materials for a filter (select box by default).

## RSS Feed and XML

You can publish your products in every other format.

### Browser Tutorial RSS/XML

If you are interested in other formats, please take a look in the Browser Tutorial RSS/XML:

- [http://typo3.org/extensions/repository/view/browser\\_tut\\_rss\\_en/](http://typo3.org/extensions/repository/view/browser_tut_rss_en/)

# Integration in Facebook

It is easy to integrate the Quick Shop into facebook.com.

## Screenshots

### Facebook wide Application




Illustration 12: Quick Shop application on facebook.com

[http://apps.facebook.com/quick\\_shop/](http://apps.facebook.com/quick_shop/)

### The tab [Quick Shop] in Your Facebook-Account




Illustration 13: Your application (here: Quick Shop) in your profile

## Tutorial

Quick Shop is based on the TYPO3-Frontend-Engine Browser. Every TYPO3-Extension can be publish on facebook with a minimum of costs, which based on the Browser - your own database too. The Browser has a tutorial for the issue "Social Media" and especially with the Facebook Integration (21 pages, 28 illustrations). See

- HTML: [http://typo3.org/extensions/repository/view/browser\\_tut\\_socialmedia\\_en/](http://typo3.org/extensions/repository/view/browser_tut_socialmedia_en/)
- PDF: [http://typo3-browser.de/typo3conf/ext/browser\\_tut\\_socialmedia\\_en/doc/manual.pdf](http://typo3-browser.de/typo3conf/ext/browser_tut_socialmedia_en/doc/manual.pdf)

# Ordering of Products

You can order your products by every field.

## Default Order




Illustration 14: The products will be ordered by TypoScript

The order of the products is configured by TypoScript. See

```
plugin.tx_browser_pi1 {
    ...
    views {
        list {
            1 {
                select = ...
                orderBy (
                    tx_quickshop_products.price DESC,
                    tx_quickshop_products.title,
                    tx_quickshop_categories.title
                )
            }
        }
    }
}
```

If you have used the Quick Shop-Installer, products will be ordered by price (descending), title and then the category – line in the TypoScript snippet above.

If you don't use the property "orderBy", products will be ordered by the values of the select statement.

## Order manually – by the field sorting




Illustration 15: Order Products by the field sorting

You can order your products manually like in the illustration above.




Illustration 16: Extension Manager

Please enable the sorting field with the extension manager - see the illustration above.

## TypoScript

Please configure your TypoScript like in the snippet below.

```
plugin.tx_browser_pi1 {
    views {
        list {
            1 {
                orderBy = tx_quickshop_products.sorting
            }
        }
    }
    _LOCAL_LANG {
        default {
            tx_quickshop_products_sorting = Quality
        }
    }
}
```




Illustration 17: Labelling and sorting by TypoScript

1. Modul: Web > Template
2. Page tree: Root page
3. Edit area: TypoScript Object Browser  
plugin.tx\_browser\_pi1.\_LOCAL\_LANG.default.tx\_quickshop\_products\_sorting = Quality
4. plugin.tx\_browser\_pi1.plugin.tx\_browser\_pi1.views.list.1.orderBy = tx\_quickshop\_products.sorting

## HTML Template




Illustration 18: Drop down for ordering

### Browser < 3.6.1

If you don't like the drop down field for ordering any longer, please remove in your HTML template the subpart:

```
###LISTHEAD###
```

### Browser >= 3.6.1

You can disable the sort field by TypoScript:

```
displayList.selectBox_orderBy.display = 1
```



# Localisation

## Extension Manager




Illustration 19: Enable localisation support

You enable the localisation support with the extension manager:

1. Web modul > Admin Tools > Ext Manager
2. Please select the extension Quick Shop
3. Menu [Information]
4. Localisation Support [Yes, I use more than one language]

## Backend

If you have enabled the localisation support, the category table has a new field for translate the title.

## Configure languages in TYPO3

If you want to deliver your website in more than one language you have to configure TYPO3.

Please refer to this documents:

- TYPO3 Localization Guide  
[http://typo3.org/documentation/document-library/core-documentation/doc\\_l10nguide/current/](http://typo3.org/documentation/document-library/core-documentation/doc_l10nguide/current/)
- Browser Tutorial Localization (en)  
[http://typo3.org/extensions/repository/view/browser\\_tut\\_localization\\_en/current/](http://typo3.org/extensions/repository/view/browser_tut_localization_en/current/)

## RealUrl

If you like URL, which are human readable and friendly to search engines, please use an extension like RealURL.

### Sample Configuration

Quick Shop is shipped with a sample template for RealURL.

See

- `res/samples/realurl/realurl_conf.php`

### Workflow

- Please adapt the configuration to your needs.
- Copy the file to `typo3/typo3conf/realurl_conf.php`

You need the extension `realUrl`.

# What's new?

## 4.0

### Backend: search fields

[4.0.1]

All tables got the needed configuration (TCA) for search fields. The search is possible for all tables now in backend forms.

### Backend: thumbnails

[4.0.0]

If items have an image (usually they have), a thumbnail will displayed in list views in the backend.

### Fields added: datasheet, dimension, in stock amount, material

[4.0.0]

Items have the new fields:

- datasheet  
for displaying item data in a table.
- dimension  
category dimension / size
- in stock amount  
the amount of the current item in stock
- material  
category material

### Filter: enabling and disabling by the constant editor

[4.0.0]

You can enable and disable the filter for all category tables

- category (tree view)
- dimension
- material

by the constant editor. See

- TypeScript Constant Editor > Quick Shop – Filter

### Filter: new filter for dimension and material

[4.0.0]

Quick Shop has the two new filters

- dimension
- material

See further information in the both sections above.

### Installer: fit for 6.1

[4.0.0]

Installer

You can install Quick Shop ready to use in TYPO3 4.x and from now in TYPO3 6.1 with the Quick Shop Installer. See

- [http://typo3.org/extensions/repository/view/quickshop\\_installer/](http://typo3.org/extensions/repository/view/quickshop_installer/)

## TYPO3: fit for 6.1

[4.0.0]

Quick Shop fits into TYPO3 6.1 (and TYPO3 4.5, 4.6 and 4.7 of course).

## 3.0

### Caddy

[3.0.0]

Quick Shop is using the shopping cart Caddy. Caddy has a lot of new features like

- e-mail attachments
- database with orders

among others.

See "Filter" on page 15 above.

### Field SKU in tab [Product]

[2.2.0]

Products have the new property

- SKU - stock keeping unit

### Invoice and packing list as PDF file

[2.2.0]

The shop provider get an e-mail with the order and with to attached PDF files: the invoice and the packing list.

PDF files are configurable completely.

### Powermail version 1.x and 2.x

[3.0.0]

Quick Shop supports both Powermail versions – 1.x and 2.x.

### Support for Quick Shop 1.x is closed

[3.0.0]

We closed the support for Quick Shop version 1.x. \*.tmpl files and TypoScript files for 1.x are deleted.  
Details: See #46379 and #46378 in the file ChangeLog.

### Tab [Controlling]

[2.2.0]

You can control the availability of products by

- starttime, endtime and usergroups

### Tab [Price & Quantity]

[2.2.0]

Products have the new properties

- minimum order quantity and
- maximum order quantity

### Tab [Search engines]

[2.2.0]

Products have the new properties

- keywords and description

for search engines.

## 2.0

### Individual layout for each product

[2.0.0]

You can layout all product differently:

1. Select a position for your images with text:
  - above,
  - below,
  - in text right,
  - or, or, or ...
2. Columns:
  - How many do you like?
  - 1, 2 or 7?
3. Image dimensions:
  - Take the width and height you need.
4. Every image can get a different link.
5. Captions alignment
6. SEO: Search Engine Optimisation
7. Image quality
8. Image effects

### Page tree icon

[2.0.0]

See the section 'Error: Reference source not found' on page Error: Reference source not found Error: Reference source not found.

### HTML templates are CSS controlled

All elements in the HTML template for the list and single view got CSS classes.

This simplifies, to adapt the layout to your needs.

Path: /quick shop/Quick Shop - Products

Edit Quick Shop Product "Secret Images" on page "Quick Shop - Products"

Product Images

**Image**

book\_1294230523.jpg  
been.gif  
Foto-0001.jpg

GIF JPG JPEG TIF TIFF BMP PCX TGA PNG  
PDF AI

Durchsuchen...

**Position:**

Beside text, left 1

2 Columns: 1 No rows: ☒ Border: ☐

**Image Dimensions**

Width (pixels): ☒ 200 Height (pixels): ☐ 3

**Image Links**

Link:  Click-enlarge: ☐ 4

**Caption**

Secret images: the book  
Mr. Been at the 20th snow board party  
Unknown TYPO3 fan

Align:  5

**Description for search engines (SEO)**

Quick Shop: secret images - the book  
Mr. Been visited the 20th TYPO3 snow board party  
Unknown TYPO3 fan - we don't know him 6

**Image Options**

Image quality/processing: Default 7 Effects: (None) 8 Frames: (None)

Quick Shop Product [1]

Illustration 20: The new tab [Images]

# Updates

## From version < 3.0

Quick Shop 3.0 has two important innovations:

1. Quick Shop 3.0 supports Powermail 1.x and 2.x
2. Quick Shop 3.0 is using the TYPO3 shopping cart Caddy.

The easiest way of an update is:

- Update your extensions. Powermail 2.x is recommended but not obligated.
- Install quick shop with the quick shop installer.
- Replace your previous cart page<sup>1</sup> with the new installed caddy page.
- Adapt TypoScript, the configuration of the plugins caddy and powermail to your needs.

See details below.

## Workflow

### Update Extensions

Update the extensions

- browser
- base\_quickshop<sup>2</sup>
- quick\_shop
  - Update the database
- quickshop\_installer

### Update Powermail from 1.x to 2.x, if you like

The update is not obligate! Quick Shop is running with Powermail 1.x and Powermail 2.x.

BE AWARE in case of an update from Powermail 1.x to 2.x: you will lost a lot of powermail data!<sup>3</sup>

It is more comfortable, to install the needed Powermail data and configuration by the Quick Shop Installer, than by doing this job manually.

Prepare your powermail update:

- If possible backup your database.
- Copy and paste the content of your Powermail plugin into a text file.  
You will need the values of the tabs later:
  - [Sender]
  - [Recipients] and
  - [Answer page]
- Update and install the extensions
  - extbase<sup>4</sup>
  - fluid<sup>5</sup>
  - powermail
    - Update the database

<sup>1</sup> It contains the wt\_cart plugin and the powermail plugin.

<sup>2</sup> If you are using The Quick Shop Basic Template.

<sup>3</sup> Powermail changed the database design, add one new table and redefines all previous tables and fields.

<sup>4</sup> Needed by Powermail.

<sup>5</sup> dito.



### Install Quick Shop with the Quick Shop Installer

TIP: If you like a more detailed manual, please use the manual of the quick shop installer.

- Install Quick Shop with the Quick Shop Installer 3.x.
- Create the installer page by the extension manager. See: tab [Configuration].
- Move the installer page from the top level into your page tree.
- Configure the installer plugin:
  - Tab [Plugin]
    - Installation: [Quick Shop only]
    - Choose the preferred backend user
    - Add the e-mail of the shop owner.
- Call the installer page in the frontend.
- Install Quick Shop.
- Reload your page tree in the backend.
- If your previous caddy and your new caddy have the same page label, please redefine the label of your pervious caddy like "Caddy" -> "Caddy old" or "Warenkorb" -> "Warenkorb alt"
- Move the new caddy page near the previous caddy page.
- Maintain the list of included TypoScript templates at the page, where you have configured Quick Shop in main.<sup>1</sup> This should be the list of the included templates<sup>2</sup>:
  - ...
  - Browser (browser)
  - Quick Shop – Basic Template (base\_quickshop)<sup>3</sup>
  - Quick Shop (quick\_shop)
  - Caddy (caddy)
  - +Caddy CSS (caddy)<sup>4</sup>
  - +Caddy Quick Shop (quick\_shop)
  - ...
- Maintain page ids on the current page with the TypoScript Constant Editor:
  - Web Modul > Template
  - Page tree: your page
  - Edit area: Constant Editor [CADDY – PAGES]
    - Caddy: Uid of the page with the caddy - your shopping cart.  
TIP: Don't use the uid of your "Caddy old" or "Warenkorb alt"
    - Caddy mini: Uid of the page with the caddy mini - the cart for marginal column.  
TIP: Don't use the uid of your Caddy Mini in your "Caddy old" or "Warenkorb alt"
    - Shop: Uid of the page which contains the items. Usually the root page.  
TIP: Use the uid of your previous shop page, don't use the uid of the new installed page.
    - Power of Revocation: Uid of the page with the revocation info (German: Widerrufsbelehrung)  
TIP: Use the uid of your previous page with power of revocation, if you have this page.
    - Terms & Conditions: Uid of the page with the terms & conditions (German: AGB)  
TIP: Use the uid of your previous term & conditions page, don't use the uid of the new installed page.
  - Edit area: Constant Editor [QUICK SHOP – PAGES]
    - Shop / root page: Uid of the page which contains the quick shop items. Usually the root page.  
TIP: Use the uid of your previous shop page, don't use the uid of the new installed page.

<sup>1</sup> This is often the root page.

<sup>2</sup> Take care of the order.

<sup>3</sup> If you are using The Quick Shop Basic Template.

<sup>4</sup> If you like to use the default Caddy CSS.

- Caddy: Uid of the page with the caddy - your shopping cart  
TIP: Don't use the uid of your "Caddy old" or "Warenkorb alt"
  - Shipping: Uid of the page with the shipping terms  
TIP: Use the uid of your previous page with power of revocation, if you have this page.
- Update your Browser Plugin at the page, where you are offering your shop (Quick Shop).<sup>1</sup>  
The HTML template is moved. You will get an error prompt in the Frontend.
  - Browser Plugin/Flexform > [Plug-In] > [Templating]  
Field: HTML-Template: [Browser: Main (browser)]
- Update the Powermail plugin in the Caddy page:  
Copy and paste the content of your text file into the Powermail plugin.
  - BE AWARE: Powermail 2.x is using fluid marker instead of hash marker.  
Take care of these marker. Caddy won't run proper without some of this marker.  
TIP: After configuration the Caddy plugin will check, if your marker are proper.
  - These were the tabs for paste your data:
    - [Sender]<sup>2</sup>
    - [Receiver]<sup>3</sup> and
    - [Submit page]
- Update links in the Powermail plugin in the Caddy page:
  - Fields: "Terms & Conditions" (or in German "AGB")
  - Fields: "Power of Revocation" (or in German "Wiederrufsbelehrung")
- Update label in the Powermail plugin in the Caddy page:
  - Fields: "Terms & Conditions" (or in German "AGB")
  - Fields: "Power of Revocation" (or in German "Wiederrufsbelehrung")
  - Fields: "Test Quick Shop" (the submit Button)<sup>4</sup>
- Remove not needed pages
  - The new installed pages:
    - Quick Shop
      - Shipping
      - Power of Revocation
      - Items
  - The previous pages
    - Shopping cart old (Warenkorb alt)
- Use the Recycler for clean up your database:  
Web > Recycler
  - Remove your "removed" pages finally<sup>5</sup>

That was a lot of stuff!

<sup>1</sup> This is often the root page.

<sup>2</sup> Customer

<sup>3</sup> Shop owner

<sup>4</sup> If your items aren't for free, the label of the button must be contain something like "with costs"

<sup>5</sup> Without a final removing you will get unproper results in context with relations (in the backend only). Background: A simple removing marks your pages as deleted only. And MM relations doesn't have this property. MM relations won't deleted till local records and foreign records are removed finally.

### Next steps

- Configure your Caddy plugin. See "Filter" on page 15 above.  
It is recommended to configure:
  - Minimum and maximum order quantity
  - Attachments in emails to the customer and to the quick shop owner
  - PDF drafts for the attachments (your corporate design)
- Check your configuration of Caddy and Powermail. See "Filter" on page 15 above.

### This properties are changed

#### CSS properties

Moved CSS properties:

- #form-order -> form.caddy

#### Marker

Moved marker

- ###MY\_CART\_BUTTON### -> ###MY\_CADDYLABEL###
- ###MY\_CART\_PAGE\_URL### -> ###MY\_CADDYURL###

Removed marker

- ###MY\_CART\_QUANTITY###

#### Update your Browser Plugin/Flexform

The HTML template is moved. You will get an error prompt in the Frontend.

Please update your Browser Plugin/Flexform:

- Browser Plugin/Flexform > [Plug-In] > [Templating] > Field: HTML-Template

# Packages for Sponsors

Your donation and sponsoring is welcome.

Please order a package for sponsors at

- English: <http://typo3-quick-shop.de/en/sponsoring/>
- German: <http://typo3-quick-shop.de/sponsoring/>



## Fun – 50 EUR



You like to treat the TYPO3 Quick Shop project.

You don't expect any equivalent. No logo. No service.

Throw 50 EUR or any other old sum into the cash box.

You will get a receive. You can set the amount off against tax liability.

## Logo – 150 EUR



You are treating the TYPO3 Quick Shop project and you like to be a guide for others.

Your logo will appear in the manual, at the website and in the extension manager of the Quick Shop.

The period of validity is limited to one year.

You will get a receive. You can set the amount off against tax liability.

You can pay more than 150 EUR.

## Patron – 500 EUR



You are the patron. You are treating TYPO3 Quick Shop project and you like to pay the developer more than best for two hours service.

Your logo will appear in the manual, at the website and in the extension manager of Quick Shop.

You can book the developer of Quick Shop for two hours.

The period of validity for both – the logo and the two hours – is limited to one year. If you don't use the two hours in this period, you will lost it.

You will get a receive. You can set the amount off against tax liability.

You can pay more than 500 EUR.

## Credits

**made-in-nature.de**

made in nature | TYPO3 Agentur

Thanks to Stefan Grothus from <http://www.made-in-nature.de>, who contracted some new features of caddy.

# Helpful suggestions

## Forum

If you have helpful suggestions, feel free to publish any question, bug or code snippet on

- Quick Shop forum  
<http://typo3-quick-shop.de/forum/>

Posts are welcome in English and German.

## Quick Shop on TYPO3 forge

Because of a bug with the repository, Quick Shop (quick\_shop) is using the extension key **qshop** at TYPO3 forge!

You find scheduled new features and bug reports on TYPO3 forge. See

- <http://forge.typo3.org/projects/show/extension-qshop>

## Latest versions

You find the latest versions (for developers) in the repository at

- <http://forge.typo3.org/projects/extension-qshop/repository>



Illustration 21: The TYPO3-Frontend-Engine Browser Forum

## To-Do List

There is a lot to do. Among others:

### Search Box

- Optimise Search Box  
<http://forge.typo3.org/issues/52301>



## Further Information

### Other extensions published by Die Netzmacher

-  +AOE Linkhandler Configurator: Configure the AOE linkhandler supported by userinterfaces. Out-of-the-box templates for cal, org, tt\_news and tt\_products. Don't edit page TSconfig any longer.  
<http://typo3.org/extensions/repository/view/linkhandlerconf/>
-  autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU.  
<http://typo3.org/extensions/repository/view/autositemap/>
-  Browser – TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need one line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. <http://typo3.org/extensions/repository/view/browser/>
-  Caddy – the TYPO3 shopping cart. You can use it for your own needs. You need a database with products or any other items only. You can install Caddy out of the box with one mouse click – see Quick Shop below.  
<http://typo3.org/extensions/repository/view/caddy/>
-  Flip it! offers lovely and smooth page flip transitions. It enables you to run over pages in PDF documents like in a real magazine. It is based on flash. Flipt it! can convert PDF documents to swf files automatically.  
<http://typo3.org/extensions/repository/view/flipit/>
-  Green Cars (Grüne Autos) - Database optimized for ecological cars. It is a case study and demonstrates, how to get a complex database with the browser (see above) in three hours only.  
[http://typo3.org/extensions/repository/view/green\\_cars/](http://typo3.org/extensions/repository/view/green_cars/)
-  Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse.  
[http://typo3.org/extensions/repository/view/job\\_market/](http://typo3.org/extensions/repository/view/job_market/)
-  Organiser – TYPO3 for the lobby and the organisers. Handle news, events, staff, headquarters, locations, workshops and a calendar with one extension. Sell online tickets! Install the Organiser with one mouse click!  
<http://typo3-organiser.de/>
-  Quick Shop – the fastest shop in the history of TYPO3. Install it with one mouse click! Quick Shop is based on the browser (see above) and powermail.  
<http://typo3-quick-shop.de/>
-  PDF Controller: Easy to install. Add to your HTML page the PDF-controller-button. Link from the button to the controller. Adjust the controller by mouseclicks. The PDF Controller supports CSS 3.  
<http://typo3-pdfcontroller.de/>
-  Radial Search (German: Umkreissuche) for your TYPO3 database. Your data must have a latitude and a longitude. The Browser – TYPO3 without PHP – has it integrated.  
<http://typo3.org/extensions/repository/view/radialsearch/>
-  Route – Publish your routes with GoogleMaps or OpenStreetMap. Routes have points of interest (POI). You can categorise and filter both: routes and POI. Address data can geocoded automatically.  
<http://typo3.org/extensions/repository/view/route/>
-  seo\_dynamic\_tag: Search Engine Optimization for the title tag, the canonical tag and the meta tags author, description and keywords. Configuration by a user interface.  
[http://typo3.org/extensions/repository/view/seo\\_dynamic\\_tag/](http://typo3.org/extensions/repository/view/seo_dynamic_tag/)
-  TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig porperties with the mouse - like page tree uids, activated extended view, activated clipboard, ...  
<http://typo3.org/extensions/repository/view/tsconf/>
-  tt\_news select configuration (extkey: ttnews\_selectconf) enables to select tt\_news by any SQL clause. The extension adds an andWhere clause to the SQL query of the tt\_news plugin.  
[http://typo3.org/extensions/repository/view/ttnews\\_selectconf/](http://typo3.org/extensions/repository/view/ttnews_selectconf/)
-  Wine Catalogue provides a data base for wine with regions, wineries, styles, variety and ageing among others. It is localized. English, German and Spanish ist of the box. Wine based on the extension browser (see above).  
<http://typo3.org/extensions/repository/view/wine/>

## Demo website

You find a Quick Shop demo at

- <http://typo3-quick-shop.de>

## Manual and tutorial in PDF

You find this manual and the tutorial in PDF format at

- [doc/manual.pdf](#)
- [doc/tutorial.pdf](#)

# Change Log

- 4.0.0 **Features**
  - \* #53422: In stock amount
  - \* #i0009: Filter can enable and disable by the constant editor
  - \* #i0008: Backend thumbnails
  - \* #53378: Table field for data
  - \* #53377: Filter for size and material
  - \* #53362: Fit it into TYPO3 6.x
- 3.0.8 **Improvement**
  - # \*i0006: caddy icon is controlled by Caddy constant
  - # \*i0007: caddy button is simplified
    - \* my\_caddybutton substitutes
    - \* my\_caddyimgsrc
    - \* my\_caddyimgalt
    - \* my\_caddylabel
- 3.0.7 **Bugfix**
  - # \*i0005: double div-tag in single view
- 3.0.6 **Improvements**
  - # \*i0004: Update for Caddy 2.0.8
- 3.0.5 **Improvement**
  - \* #i0003: Improved caddy table structure
- 3.0.4 **Feature**
  - \* #47068: Remove HTML template
- 3.0.3 **Feature**
  - \* #47017: Ready TypoScript SEO configuration
- 3.0.2 **Feature**
  - \* #42072: nested categories
- 3.0.0 **Features**
  - \* #46387: Caddy for list view
  - \* #46386: Update CSS
  - \* #46380: Introduce sponsors
  - \* #46377: Button Caddy with an Icon
    - \* marker is moved: ###MY\_CART\_BUTTON### -> ###MY\_CADDYLABEL###
  - \* #45775: FORK from wt\_cart to caddy
    - \* marker are moved
    - \* ###MY\_CART\_PAGE\_URL### -> ###MY\_CADDYURL###
    - \* my\_cart\_quantity (removed)
    - \* CSS properties are moved
    - \* #form-order -> form.caddy

**Improvement**

  - \* #i0002: Configuring of caddy constants is moved from installer to quick\_shop
  - \* #46381: See #46379
  - \* #46379: Clean up TypoScript files
  - \* #46378: Clean up \*.tpl files
  - \* #i0001: Key for page tree icon moved from quick\_shop to quickshop
- 2.2.3 **New Feature**
  - \* #00000: RealUrl configuration file
- 2.2.2 **Update TYPO3 4.7**
  - \* #00000: \$ICON\_TYPES -> t3lib\_SpriteManager::addTcaTypeIcon

**Update**

  - \* #00000: Update to Browser version 3.9.14
- 2.2.1 **Improvements**
  - \* #00000: Update for wt\_cart\_orderpdf 0.0.9
- 2.2.0 **Improvements**
  - \* #00000: New fields
    - \* sku - stock keeping unit

- \* quantity\_min - minimum of order quantity
- \* quantity\_max - maximum of order quantity
- \* starttime
- \* endtime
- \* fe\_group
- \* seo\_keywords
- \* seo\_description
- \* Effected files
  - \* ext\_tables.php
  - \* ext\_tables.sql
  - \* locallang\_db.xml
  - \* tca.php
  - \* res/v1.4/default.css
  - \* static/setup.txt
- \* #00000: Additional template res/v1.4/default\_select\_30.tmpl
- \* Select box for quantity instead of an input field

#### Update for

- \* wt\_cart 1.4.3
  - \* #00000: field quantity\_min - minimum of order quantity
  - field quantity\_max - maximum of order quantity
- \* wt\_cart 1.4.2
  - \* #00000: field sku - stock keeping unit
- \* Browser version 4.0 - step 1
  - \* #00000: a-z-browser is renamed as index browser
- Effects
  - \* CSS : azSelector -> indexBrowser
  - \* HTML : AZSELECTOR -> INDEXBROWSER

### 2.1.5 Update Manual

#### 2.1.0 New Feature

- \* #27041: Record browser for the single view / Prev-next Switcher in the single view

#### 2.0.1 New Feature

- \* #13145: Number formats: userfunc

#### 2.0.0 Improvement

- Individual layout for each product

#### 1.3.3 Bugfixes

- 12236: Possible conflict with TypoScript constant
- myConst.pages.root is moved to myConst.pages.quick\_shop

#### 1.3.2 Improvement

- CSS is extended for wt\_cart 1.2.1
- quick\_shop provides the quick\_shop\_header\_image\_210px.jpg
- static template was extended for browser 3.6.0

#### 1.3.1 Improvement

- 11114: Make Javascript Backbutton invisible

#### 1.3.0 New Features

- #11054: Quick Shop supports German and English by default

#### 1.2.0 New Features

- #9659: AJAX
- default.tmpl
  - reset button got the class reset
  - listarea is wrapped with <div class="listarea">...</div>
- #10224: Integration of templates of 3rd party extensions
- #00000: Template integration into the Browser plugin/flexform

#### 1.1.1 Manual

- New section: Integration in Facebook

#### 1.1.0 New Feature

- Optional manual ordering of records added

#### 1.0.1 Initial release

# Illustration Index

Illustration 1: Quick Shop integrated in the Quick Shop Template ....	3	Illustration 12: Quick Shop application on facebook.com .....	18
Illustration 2: Caddy and the order form .....	4	Illustration 13: Your application (here: Quick Shop) in your profile ....	18
Illustration 3: E-mail attachments in your corporate design .....	4	Illustration 14: The products will be ordered by TypoScript .....	19
Illustration 4: Quick Shop – categories and items .....	5	Illustration 15: Order Products by the field sorting .....	20
Illustration 5: Quick Shop – Individual layout for each item .....	5	Illustration 16: Extension Manager .....	20
Illustration 6: Controlling Quick Shop with the Browser plugin .....	6	Illustration 17: Labelling and sorting by TypoScript .....	21
Illustration 7: Controlling Caddy with the Caddy plugin .....	6	Illustration 18: Drop down for ordering .....	22
Illustration 8: Installation with one click: Installer (1), the result in the backend (2) and in the frontend (3) .....	7	Illustration 19: Enable localisation support .....	23
Illustration 9: Page tree .....	12	Illustration 20: The new tab [Images] .....	28
Illustration 10: Filter category, dimension and material .....	15	Illustration 21: The TYPO3-Frontend-Engine Browser Forum .....	35
Illustration 11: TypoScript Constant Editor .....	15		