


# Quick Shop

Responsive, ready-to-use, one-click-installation

Quick Shop is optimised for desktops, tablets and smartphones. You are welcome to install Quick Shop with one mouse-click – responsive and ready-to-use. Quick Shop is e-commerce for small budget and small-scale enterprises.



Version: 6.1.1 - 2015-08-22

Extension Key: quick\_shop

Language: en

Keywords: shop, e-commerce, e-payment, responsive, quick

Copyright 2010 - 2015, Dirk Wildt (Die Netzmacher), <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3 a GNU/GPL CMS/Framework available from <http://www.typo3.org/>

## Table of Contents

Quick Shop .....	1	Ordering of Products .....	27
Screen Shots .....	3	Default Order .....	27
Frontend .....	3	Order manually – by the field sorting .....	28
Backend .....	4	Localisation .....	31
Attachments .....	6	Extension Manager .....	31
Installation .....	7	Backend .....	31
E-Payment .....	8	Configure languages in TYPO3 .....	31
ebay Interface .....	9	RealUrl .....	32
Introduction .....	10	Sample Configuration .....	32
What does it do? .....	10	What's new? .....	33
What does it not do? .....	11	6.x .....	33
What do you need? .....	11	4.x .....	34
Audience .....	11	3.x .....	36
Non possible TYPO3 core features .....	11	2.x .....	37
Further manuals .....	11	Upgrades .....	38
Upgrades .....	11	From version < 6.0 .....	38
Quick Installation .....	12	From version < 3.0 .....	38
Installation Video .....	12	Migration .....	43
With the Quick Shop Installer .....	12	SQL .....	43
Without the Quick Shop Installer .....	13	Include Static Templates .....	45
Installation .....	14	Packages for Sponsors .....	46
One-mouse-click – the Quick Shop Installer .....	14	Fun – 50 EUR .....	46
Manually installation .....	14	Logo – 150 EUR .....	46
Controlling .....	15	Patron – 500 EUR .....	46
Beforehand .....	15	Credits .....	47
Page Quick Shop .....	15	made-in-nature.de .....	47
Page Shop .....	20	Known Bugs .....	48
Page Caddy .....	20	fetch_assoc() .....	48
Folder Items .....	22	Helpful suggestions .....	49
E-Payment .....	23	Forum .....	49
Setup .....	23	Quick Shop on TYPO3 forge .....	49
Live .....	23	Further Information .....	50
Requirements .....	23	Demo website .....	50
ebay Interface .....	24	Manual and tutorial in PDF .....	50
Setup .....	24	Professional Support .....	50
Requirements .....	24	Other extensions published by Die Netzmacher .....	51
RSS Feed and XML .....	25	Change Log .....	52
Browser Tutorial RSS/XML .....	25	Illustration Index .....	56
Integration in Facebook .....	26	Alphabetical Index .....	57
Screenshots .....	26		
Tutorial .....	26		

# Screen Shots

## Frontend

### List view (items)




Illustration 1: Quick Shop list view with items on the desktop



Illustration 2: List with a closed menu and an ...



Illustration 3: ... opened menu on the Smartphone

### Caddy




Illustration 4: Caddy on the desktop




Illustration 5: Caddy with an opened accordion on the smartphone




Illustration 6: Caddy with a closed accordion on the smartphone

The example will be the result, if you are installing the Quick Shop with the Quick Shop Installer with the basic template option.

See Quick Shop live on <http://typo3-quick-shop.de>

## Backend




Illustration 7: Quick Shop – list view categories and items





Illustration 8: Quick Shop – Individual layout for each item




Illustration 9: Searchform in the Backend – backend filter



The screenshot shows the 'Plugin' tab of the configuration interface for the 'Browser - TYPO3 without PHP' plugin. The 'Plugin Options' section includes tabs for 'Plugin check', 'General', 'List View', 'Single View', and 'Templating'. The 'List View' tab is active, showing settings for the title (Quick Shop), title wrap, group title wrap, and limits. The 'Display: Navigation' section has checkboxes for 'Index Browser' and 'Page Browser', both of which are checked. The 'Display: Records' section has a checkbox for 'Empty List at Start' which is unchecked. The 'Display: Empty values and empty records' section has a checkbox for 'Don't handle empty records in list views and don't handle empty fields in single' which is checked. The 'Search' section has a dropdown for 'Default'. The 'Filter: display items' section has a dropdown for 'Controlled by selected filters'. The 'CSV export' section has a dropdown for 'Disabled (default)'. The 'Rotate views (if there are more than one view)' section has a dropdown for 'Disabled (recommended)'.

Illustration 10: Controlling the frontend by the Browser plugin



The screenshot shows the 'Plugin' tab of the configuration interface for the 'Caddy' plugin. The 'Plugin Options' section includes tabs for 'Check R!', 'Notes', 'Caddy', 'Email', 'Billing Address', 'Delivery Address', 'PDF', 'Sponsors', and 'Help!'. The 'Check R!' tab is active, showing settings for the 'Check-It-report' and 'DRS'. The 'Check-It-report' section has a checkbox for 'Enable the Check-It-report' which is checked. The 'DRS' section has a checkbox for 'You will get a report in the Developer Log' which is unchecked. The 'Update Wizard' section has a checkbox for 'You will get a frontend report, if your IP match the list of allowed IP' which is unchecked. The 'List of allowed IP' section has a text input field with the value '127.0.0.1, 127.0.0.2'.

Illustration 11: Controlling the Caddy with the Caddy plugin

### Illustration 12: E-mail attachments in your corporate design

# Installation

## Quick Shop Installation

### Check extension dependencies

- ✓ autumakemplate: "Template Autoparser" is loaded.
- ✓ base\_quickshop: "Quick Shop - Template" is loaded.
- ✓ browser: "Browser" - TYPO3 without PHP is loaded.
- ✓ caddy: "Caddy - your chopping cart" is loaded.
- ✓ opa\_bastree: "Record tree for TCA" is loaded.
- ✓ powermail: "Powermail" is loaded.
- ✓ quick\_shop: "Quick Shop" is loaded.

### Start the Installation

- 1 Create a backend group
- 2 Create a page tree
- 3 Create the pl\_gins browser, caddy and powermail
- 4 Create page content
- 5 Create TypoScript for the browser, caddy and powermail
- 6 Create configuration records for powermail
- 7 Create six example items
- 8 Create product images
- 9 Create page content
- 10 Coreoidating

Start the Installation
Install it





Illustration 13: Installation with one click: Installer (1), the result in the backend (2) and in the frontend (3)

## E-Payment



The screenshot shows the 'Caddy' checkout page in the TYPO3 Quick Shop. The page has an orange header with the TYPO3 logo and a navigation bar with links: Shop, Caddy, Shipping, Renovation, Terms, and Legal info. The main content area is titled 'Caddy' and displays a summary of the order: 'Caddy: 10 Items' for 319,90 €, 'Shipping and service' for 0,00 €, and 'Payment method' for 0,00 €. Below this, there are three payment method sections: 'Cash on pick up', 'Credit card', and 'Direct debit'. The 'Credit card' section is active and contains fields for 'Card number' (4: 1111111111111111), 'Expires' (1.0/ 6), 'Card holder' (Alex Schaefer), 'CVC2' (123), and 'Currency' (EUR). A blue button 'Check credit card and select it' is located below these fields. The 'Direct debit' section is inactive and shows a field for 'Direct debit (IBAN/BIC)'. At the bottom, the 'Amount (incl. 51,00 € VAT)' is 319,90 €, and a blue button 'Please select a payment method' is present. A footer note at the very bottom states: 'You can edit the footer here: Libraries > Footer. The header: Libraries > Header.'

Illustration 14: Caddy with e-payment interface

You can enable an e-payment interface. See requirements and details at "E-Payment" on page 23 below.



## ebay Interface




Illustration 15: The item on Quick Shop (sample)




Illustration 16: The item on ebay (sample)

You can enable an ebay interface. See requirements and details at "ebay Interface" on page 24 below.

# Introduction

## What does it do?

- Quick Shop is a responsive shop extension for TYPO3.
- Quick Shop is easy to install: TYPO3 integrators can install Quick Shop ready-to-use with one mouse-click.
- Quick Shop is a solution for small budget and small-scale enterprises, which make low demands on e-commerce.
- Features are among others
  - E-payment
  - ebay interface
  - Image gallery by default
  - Localisation
  - Minimum and maximum order quantities
  - Modular
    - Formular management, spam protection: Powermail
    - Responsive framework: Foundation
    - Shopping cart: Caddy
    - TYPO3-frontend-engine: Browser - TYPO3 without PHP
  - One-Click-Installation
  - Open Source
  - PDF attachments
  - Responsive
  - Simple variants
  - Stock management
- Quick Shop will send
  - an order mail to the shop provider with attached
    - invoice
    - delivery order
    - power of revocation
    - terms & conditions
  - a confirmation mail to the client, optional with some or all attachments above
  - PDF attachments are based on a PDF with your corporate design<sup>1</sup>.
- Quick Shop is optimised for search engines (SEO) and supports realUrl with a configuration file
- Quick Shop is localised. You can publish all items in any language.<sup>2</sup>
- Quick Shop itself hasn't any own PHP code. This has three big advantages:
  - The extension is stable.
  - You can extend the shop database with tables and fields for your needs by TypoScript only.
- Quick Shop has a forum.

<sup>1</sup> PDF version must be smaller than 1.5.

<sup>2</sup> Quick Shop is optimised for German selling rules.

## What does it not do?

- Quick Shop isn't useful, if you need things like cross selling or if you have a lot of products with a lot of attributes like colours and sizes.
- Quick Shop doesn't contend with complex shop solutions like Oxyd or Magento. For example: Quick Shop doesn't support features like cross-selling or bonus management. The management of variants is unsimilar.

## What do you need?

- If you like to use Quick Shop ready-to-use, you don't need nothing, but TYPO3, the Quick-Shop Installer and a mouse.<sup>1</sup>
- If you intend to adapt Quick Shop to your needs, you should be familiar with TypoScript and TCA – the TYPO3 table configuration array.

## Audience

- TYPO3 agencies
- TYPO3 integrators
- TYPO3 developers

## Non possible TYPO3 core features

Quick Shop doesn't support

- versioning
- workspaces

## Further manuals

This manual doesn't explain

- the Browser – TYPO3 without PHP
- Caddy – the TYPO3 shopping cart
- Foundation – the responsive framework
- Powermail

in depth.

If you have any question about these extensions and frameworks, please refer to

- Browser – TYPO3 without PHP (browser)  
<http://typo3.org/extensions/repository/view/browser/>
- Caddy (caddy)  
<http://typo3.org/extensions/repository/view/caddy/>
- Foundation  
<http://foundation.zurb.com/>
- Powermail (powermail)  
<http://typo3.org/extensions/repository/view/powermail/>

## Upgrades

Bad news: It isn't possible to upgrade from a former version to 6.x. I'm sorry.

See reasons and possible support in the section "Upgrade > From version < 6.0" on page 38 below.

<sup>1</sup> You should be a TYPO3 integrator!

# Quick Installation

## Installation Video




Illustration 17: Quick Shop Video

<http://typo3-quick-shop.de/quick-shop-video/>

## With the Quick Shop Installer

### Recommended

- Install the Quick Shop Installer (quickshop\_installer)  
[http://typo3.org/extensions/repository/view/quickshop\\_installer/](http://typo3.org/extensions/repository/view/quickshop_installer/)
- Add the plugin Quick Shop Installer to a page and enable it.
- Load the page in the frontend.
- Click "Install it!"

## Without the Quick Shop Installer

### Isn't tested in version 6.0!

- Install the extensions browser, caddy and powermail.
- Add two pages "shop" and "caddy" and the sysfolder "items".
- Add to the sysfolder "items" some products or items.
- Add to the page "shop"
  - a template
    - Include the "browser" template
    - Include the "quick shop" template
  - the plugin "browser"
    - Link the startingpoint to the folder with the items
  - Configure TypoScript
- Add to the page "caddy"
  - a template and include the "caddy" templates
  - the plugin "caddy"
  - the plugin "powermail" and configure it (sorry, this isn't documented below)
  - configure TypoScript
  - add powermail fieldsets and fields (sorry, this isn't documented below)

# Installation

## One-mouse-click – the Quick Shop Installer

The one-click-installation is recommended.

### Advantages

The advantages of the one-click-installation is:

- You will have a minimum of costs for the installation and the configuration:  
You will need
  - the first time 30 minutes over all and
  - all next times 15 minutes over all.
- You will get a running sample ready-to-use with
  - 16 pages and folders
  - 6 items
  - 6 item categories
  - 5 content elements
  - 3 plugins
  - 3 TypoScript templates  
and without
    - any improper configuration and
    - any costs for debugging.
- A running sample is the best for understanding.
- You can test all features of the Quick Shop, Caddy and Powermail immediately. Play with all!

If something goes wrong and you can't cancel it, don't panic!

You can repeat the one-click-installation unlimited.

See

- Quick Shop Installer (quickshop\_installer)  
[http://typo3.org/extensions/repository/view/quickshop\\_installer/](http://typo3.org/extensions/repository/view/quickshop_installer/)

## Manually installation

Not recommended – because of a missing manual only.

The manually installation of Quick Shop is complex and isn't recommended. The cause is:

- Quick Shop is a team-play of a lot of extensions and frameworks – especially of
  - the Browser – TYPO3 without PHP
  - Caddy – the TYPO3 shopping cart,
  - Foundation – the responsive framework – and
  - Powermail.

A manually installation enables a lot improper configurations with a lot of costs for bugfixing.

The manual for a manually installation enables a lot of improper or missing statements.

I would be happy, if you are appreciative of a missing documentation for a manually installation.

# Controlling

## Beforehand

All code snippets and properties are from a Quick Shop installation, which was installed by the Quick Shop Installer.

See the page tree in the illustration on the right hand.

The code snippets are examples. Feel free, to adapt it to your needs.

## Page Quick Shop

Page tree: [1] Quick Shop

## Page properties

[Ressources] TypoScript

```
// QUICK SHOP INSTALLER at 2014-10-08
// 19:16:18 -- BEGIN

TCEMAIN {
    permissions {
        // 1: quick_shop
        groupid = 1
        group =
        show,edit,delete,new,editcontent
    }
}

// QUICK SHOP INSTALLER at 2014-10-08 19:16:18 -- END
```

## Content

An HTML element with text. The CSS is optimised for Foundation.




Illustration 18: Page tree

## TypoScript

### page\_quickshop\_002

Please edit the constants with the Constant Editor.

[General] Constants:

```

////////////////////////////////////////
//
// INDEX
//
// plugin.base_quickshop
// plugin.caddy
// plugin.quick_shop
// plugin.tx_browser_pil
// plugin.tx_powermail
// plugin.tx_seodynamictag

// base_quickshop
plugin.base_quickshop {
    client {
        name = TYPO3 Quick Shop Installer
    }
    // for baseURL
    host = http://www.v6x.typo3-quick-shop.de/
    pages {
        root = 1
        root {
            caddymini = 4
            libraries {
                footer = 11
                //header = 12
                header {
                    logo = 13
                    slider {
                        content = 14
                    }
                }
            }
            menu {
                topbar = 15
                bottom = 16
            }
        }
    }
}
// base_quickshop

// caddy
plugin.caddy {
    pages {
        caddy = 3
        caddymini = 4
        revocation = 6
        shop = 2
        terms = 7
    }
    url {
        showUid = itemUid
    }
}
// caddy

// quick_shop
plugin.quick_shop {
    pages {
        caddy = 3
        items = 10
        shipping = 5
        shop = 2
    }
}
// quick_shop

```



```

// plugin.tx_browser_pil
plugin.tx_browser_pil {
    frameworks {
        foundation {
            templating {
                components {
                    navigation {
                        topbar {
                            name = TYPO3 Quick Shop
                        }
                    }
                }
            }
        }
    }
}
navigation {
    showUid = itemUid
}
}
// plugin.tx_browser_pil

// plugin.tx_powermail
// This is for powermail 2.x and hasn't any effect in powermail 1.x
plugin.tx_powermail {
    settings {
        javascript {
            powermailjQuery =
            powermailjQueryUi =
        }
    }
}
// This is for powermail 2.x and hasn't any effect in powermail 1.x
// plugin.tx_powermail

// plugin.tx_seodynamictag
plugin.tx_seodynamictag {
    condition {
        single {
            begin = globalVar = GP:tx_browser_pil|itemUid > 0] && [globalVar = TSFE:id = 2
        }
    }
}
// plugin.tx_seodynamictag

```

## [General] Setup

```

////////////////////////////////////////
//
// INDEX
//
// config
// plugin.tx_browser_pil
// TYPO3-Browser: ajax page object I
// TYPO3-Browser: ajax page object II

// config
config {
    admPanel                                = 1
    baseURL                                = http://www.v6x.typo3-quick-shop.de/
    disablePrefixComment                    = 1
    doctype                                 = html5
    xmlprologue                             = none
    htmlTag_langKey                         = en
    language                                = en
    locale_all                              = en_GB
    metaCharset                             = UTF-8
    //no_cache                              = 1
    spamProtectEmailAddresses               = 5
    spamProtectEmailAddresses_atSubst       = <span style="display:none;">spamfilter</span><span
class="dummy">@</span>
    spamProtectEmailAddresses_lastDotSubst  = <span style="display:none;">spamfilter</span><span
class="dummy">.</span>
    tx_realurl_enable                       = 0
    xhtml_cleaning                          = all
}
// config

// plugin.tx_browser_pil
plugin.tx_browser_pil {
    // Don't display any order box
    displayList.selectBox_orderBy.display = 0
}
// plugin.tx_browser_pil

// TYPO3-Browser: ajax page object I

// Add this snippet into the setup of the TypoScript
// template of your page.
// Use 'page', if the name of your page object is 'page'
// (this is a default but there isn't any rule)

[globalString = GP:tx_browser_pil|segment=single] || [globalString = GP:tx_browser_pil|
segment=list] || [globalString = GP:tx_browser_pil|segment=searchform]
    page >
    page < plugin.tx_browser_pil.javascript.ajax.page
[global]
// TYPO3-Browser: ajax page object I

// TYPO3-Browser: ajax page object II
// In case of localisation:
// * Configure the id of sys_language in the Constant Editor.
// * Move in this line ...jQuery.default to ...jQuery.de (i.e.)
browser_ajax < plugin.tx_browser_pil.javascript.ajax.jQuery.en
// TYPO3-Browser: ajax page object II

```

#### [Options]

- [X] Constants
- [X] Setup
- [X] Rootlevel

#### [Includes] Include static (from extensions):

- CSS Styled Content (css\_styled\_content)
- Browser [0] + Foundation Framework (browser)
- Browser [1] Basis (browser)
- Browser [5] + Foundation Templates (browser)
- Caddy [1] Basis (caddy)
- Caddy [2.1] + orange (caddy)
- Caddy [3] + Foundation 5.x (caddy)
- Caddy [3.1] + Foundation 5.x CSS (caddy)
- Caddy [7] + Language: German (caddy)
- Quick Shop [0] + Template (base\_quickshop)
- Quick Shop [1] Basis (quick\_shop)
- Quick Shop [2] + Caddy (quick\_shop)

## Filter




Illustration 19: Filter category, dimension material      Illustration 20: TypoScript Constant Editor

You enable and disable the display of each filter supported by the TypoScript Constant Editor.

## Page Shop

Page tree: [2] Shop

### Content

#### Plugin [Browser for Quick Shop]

This is the plugin of the Browser – TYPO3 without PHP.

You are controlling the properties of the Quick Shop in your frontend.

See the detailed manual at

- PDF: [http://typo3-browser.de/typo3conf/ext/browser\\_manual\\_en/doc/manual.pdf](http://typo3-browser.de/typo3conf/ext/browser_manual_en/doc/manual.pdf)
- HTML: [http://typo3.org/extensions/repository/view/browser\\_manual\\_en/](http://typo3.org/extensions/repository/view/browser_manual_en/)

## Page Caddy

Page tree: [3] Caddy

### Content

#### Plugin Caddy

You are controlling the properties of the Caddy in your frontend.

See the detailed manual at

- Caddy (caddy)  
<http://typo3.org/extensions/repository/view/caddy/>

#### HTML [fade\_deliveryorderadress.jss]

JavaScript code snippet for slide in and slide out the delivery adress of the Powermail form.

You need jQuery for this feature.

It is hidden, because this feature isn't needed from Quick Shop version 6.x

#### Plugin [Powermail for Caddy]

Data and properties depends on your Powermail version 1.x or 2.x.

You are controlling the order form by this plugin.

Pay attention to the linked forms, fieldsets and fields on the same page.

## TypoScript


+page\_caddy\_003

[General] Setup

```
plugin.tx_powermail {
    _LOCAL_LANG {
        default {
            confirmation_next = Order without commitment
        }
        de {
            confirmation_next = Unverbindlich testen
        }
    }
}
```

[Includes] Include static (from extensions):

- Main Template (powermail)



The screenshot shows the 'Plugin Options' configuration for the 'Browser - TYPO3 without PHP' plugin. The 'List View' tab is selected. The configuration includes fields for Title (substitutes ###MY\_TITLE###), Title Wrap (i.e. <h1>|</h1>), Group Title Wrap (i.e. <h2>|</h2>), Limit: start/offset (from 1st record = 0), Limit: records per page (from 1 to 1000), Display: Navigation (with checkboxes for Index Browser and Page Browser), Display: Records (with checkbox for Empty List at Start), Display: Empty values and empty records (with checkbox for Don't handle empty records in list views and don't handle empty fields in single), Search (with a dropdown for Default), Filter: display items (with a dropdown for Controlled by selected filters), CSV export (with a dropdown for Disabled (default)), and Rotate views (if there are more than one view) (with a dropdown for Disabled (recommended)).

Illustration 21: Controlling Quick Shop with the Browser plugin

- 
- Caddy [5] Powermail 2.x (caddy)
  - Caddy [6] + Powermail 2.x Foundation 5.x (caddy)

## Folder Items

Page tree: [10] Items

### Quick Shop Item

Configure your items.

### Quick Shop Category

Configure your categories.

You can use categories for a filter (tree view by default).

### Quick Shop Dimensions

Configure your dimensions.

You can use dimensions for a filter (select box by default).

### Quick Shop Material

Configure your material.

You can use materials for a filter (select box by default).

# E-Payment




Illustration 23: Caddy with e-payment interface




Illustration 24: Transactions

Caddy supports e-payment.

## Setup

Please add the e-payment template to the TypoScript of your Caddy page:

- Caddy [8] + E-Payment: Paymill Foundation 5.x (caddy)

After including the e-payment template, you have to add your private and public keys supported by the Constant Editor.

See details in the manual of "Caddy – responsive Shopping Cart"

- on typo3.org: <http://typo3.org/extensions/repository/view/caddy/>
- as PDF: <http://typo3-caddy.de/typo3conf/ext/caddy/doc/manual.pdf>

## Test- and Live-Mode

You can run the e-payment in a live and a test mode. Test mode is enabled by default, you can test transactions without any real payment.

## Live

You can test the e-payment live on

- <http://typo3-quick-shop.de/>

## Requirements

You need a contract with an e-payment provider (here: Paymill). See more in the Caddy manual (see links above).

# ebay Interface

Edit Quick Shop Item "Base cap (blue), 9.99" on page "Items"

Illustration 25: ebay interface

Illustration 26: Your item on ebay

## Setup

Install Deal!:

- Deal! TYPO3 for ebay

Install one of the ebay values for marketplaces:

- Deal! ebay values for marketplace US/0
- Deal! ebay values for marketplace Germany/77

Configure Deal! in the extension manager.

Configure your items in the backend (see illustration above).

See details at "Deal! – TYPO3 for ebay"

- typo3.org: <http://typo3.org/extensions/repository/view/deal/>
- PDF: <http://typo3-deal.de/typo3conf/ext/deal/doc/manual.pdf>

## Requirements

You need both – an ebay account and an ebay developer account<sup>1</sup>.

<sup>1</sup> You receive your token for ebay in the developer account. You can get another token for the ebay sandbox.



## RSS Feed and XML

You can publish your products in every other format.

### Browser Tutorial RSS/XML

If you are interested in other formats, please take a look in the Browser Tutorial RSS/XML:

- [http://typo3.org/extensions/repository/view/browser\\_tut\\_rss\\_en/](http://typo3.org/extensions/repository/view/browser_tut_rss_en/)

# Integration in Facebook

**This section isn't checked in Quick Shop version 6.x. Maybe the documentation below isn't proper.**

It is easy to integrate the Quick Shop into facebook.com.

## Screenshots

### Facebook wide Application




Illustration 27: Quick Shop application on facebook.com

[http://apps.facebook.com/quick\\_shop/](http://apps.facebook.com/quick_shop/)

### The tab [Quick Shop] in Your Facebook-Account




Illustration 28: Your application (here: Quick Shop) in your profile

## Tutorial

Quick Shop is based on the TYPO3-Frontend-Engine Browser. Every TYPO3-Extension can be publish on facebook with a minimum of costs, which based on the Browser - your own database too. The Browser has a tutorial for the issue "Social Media" and especially with the Facebook Integration (21 pages, 28 illustrations). See

- HTML: [http://typo3.org/extensions/repository/view/browser\\_tut\\_socialmedia\\_en/](http://typo3.org/extensions/repository/view/browser_tut_socialmedia_en/)
- PDF: [http://typo3-browser.de/typo3conf/ext/browser\\_tut\\_socialmedia\\_en/doc/manual.pdf](http://typo3-browser.de/typo3conf/ext/browser_tut_socialmedia_en/doc/manual.pdf)

# Ordering of Products

**This section isn't checked in Quick Shop version 6.x. Maybe the documentation below isn't proper.**

You can order your products by every field.

## Default Order




Illustration 29: The products will be ordered by TypoScript

The order of the products is configured by TypoScript. See

```
plugin.tx_browser_pi1 {
    ...
    views {
        list {
            1 {
                select = ...
                orderBy (
                    tx_quickshop_products.price DESC,
                    tx_quickshop_products.title,
                    tx_quickshop_categories.title
                )
            }
        }
    }
}
```

If you have used the Quick Shop-Installer, products will be ordered by price (descending), title and than the category – line in the TypoScript snippet above.

If you don't use the property "orderBy", products will be ordered by the values of the select statement.

## Order manually – by the field sorting

**This section isn't checked in Quick Shop version 6.x. Maybe the documentation below isn't proper.**




Illustration 30: Order Products by the field sorting

You can order your products manually like in the illustration above.




Illustration 31: Extension Manager

Please enable the sorting field with the extension manager - see the illustration above.

## TypoScript

Please configure your TypoScript like in the snippet below.

```
plugin.tx_browser_pi1 {
    views {
        list {
            1 {
                orderBy = tx_quickshop_products.sorting
            }
        }
    }
    _LOCAL_LANG {
        default {
            tx_quickshop_products_sorting = Quality
        }
    }
}
```




Illustration 32: Labelling and sorting by TypoScript

1. Modul: Web > Template
2. Page tree: Root page
3. Edit area: TypoScript Object Browser  
plugin.tx\_browser\_pi1.\_LOCAL\_LANG.default.tx\_quickshop\_products\_sorting = Quality
4. plugin.tx\_browser\_pi1.plugin.tx\_browser\_pi1.views.list.1.orderBy = tx\_quickshop\_products.sorting

## HTML Template




Illustration 33: Drop down for ordering

### Browser < 3.6.1

If you don't like the drop down field for ordering any longer, please remove in your HTML template the subpart:

```
###LISTHEAD###
```

### Browser >= 3.6.1

You can disable the sort field by TypoScript:

```
displayList.selectBox_orderBy.display = 1
```

# Localisation

## Extension Manager



Illustration 34: Enable localisation support

You enable the localisation support with the extension manager:

1. Web modul > Admin Tools > Ext Manager
2. Please select the extension Quick Shop
3. Menu [Information]
4. Localisation Support [Yes, I use more than one language]

## Backend

If you have enabled the localisation support, the category table has a new field for translate the title.

## Configure languages in TYPO3

If you want to deliver your website in more than one language you have to configure TYPO3.

Please refer to this documents:

- TYPO3 Localization Guide  
[http://typo3.org/documentation/document-library/core-documentation/doc\\_l10nguide/current/](http://typo3.org/documentation/document-library/core-documentation/doc_l10nguide/current/)
- Browser Tutorial Localization (en)  
[http://typo3.org/extensions/repository/view/browser\\_tut\\_localization\\_en/current/](http://typo3.org/extensions/repository/view/browser_tut_localization_en/current/)

## RealUrl

If you like URL, which are human readable and friendly to search engines, please use an extension like RealURL.

### Sample Configuration

Quick Shop is shipped with a sample template for RealURL.

See

- `Ressources/Private/Samples/Realurl/realurl_conf.php`

### Workflow

- Please adapt the configuration to your needs.
- Copy the file to `typo3/typo3conf/realurl_conf.php`

You need the extension `realUrl`.



# What's new?

## 6.x

### Alias for showUid

[6.0.0]

The URL parameter showUid is moved to itemUid. This avoids conflicts, if you are using the TYPO3-frontend-engine Browser – TYPO3 without PHP – for other issues too.

### Backend filter

[6.1.1] Search form for items in the TYPO3 backend. See

- Screen shots > Backend on page 4 above

### Clearing lightbox

[6.1.0] Update for Browser 7.0.7. Clearing lightbox should run proper.

### One table for all relations

[6.0.0]

Relation management is simplified:

- tx\_quickshop\_products\_category\_mm
- tx\_quickshop\_products\_dimension\_mm
- tx\_quickshop\_products\_material\_mm

Are replaced by

- tx\_quickshop\_mm

### Responsive

[6.0.0]

Quick Shop (display of items) and Caddy (ordering and payment) are responsive. Both are using the responsive framework Foundation.

### Teaser fields

[6.0.0]

Teaser fields for list views. If a teaser field contains content, this content will displayed in list views. If it is empty, the content of the title and short will displayed.

### TYPO3 6.2

[6.0.0]

Quick Shop is upgraded for TYPO3 6.2

### Unique uid

[6.0.0]

The Quick Shop view got an unique uid. It is moved from 1 to 62037. This avoids conflicts, if you are using the TYPO3-frontend-engine Browser – TYPO3 without PHP – for other issues too.

### Video

[6.0.15]

Installation Video. See

<http://typo3-quick-shop.de/quick-shop-video/>

## 4.x

### Backend: search fields

[4.0.1]

All tables got the needed configuration (TCA) for search fields. The search is possible for all tables now in backend forms.

### Backend: thumbnails

[4.0.0]

If items have an image (usually they have), a thumbnail will displayed in list views in the backend.

### Fields added: datasheet, dimension, ean, in stock amount, material

[4.0.0]

Items have the new fields:

- **datasheet**  
for displaying item data in a table.
- **dimension**  
category dimension / size
- **in stock amount**  
the amount of the current item in stock
- **material**  
category material

[4.0.5]

ean: European Article Number

### Fields moved: in stock, stock

[4.0.4]

Fields are moving:

- **in\_stock** -> stockquantity
- **stock** -> stockManagement

### Filter: enabling and disabling by the constant editor

[4.0.0]

You can enable and disable the filter for all category tables

- **category** (tree view)
- **dimension**
- **material**

by the constant editor. See

- TypeScript Constant Editor > Quick Shop – Filter

### Filter: new filter for dimension and material

[4.0.0]

Quick Shop has the two new filters

- **dimension**
- **material**

See further information in the both sections above.

## Installer: fit for 6.1

[4.0.0]

Installer

You can install Quick Shop ready to use in TYPO3 4.x and from now in TYPO3 6.1 with the Quick Shop Installer. See

- [http://typo3.org/extensions/repository/view/quickshop\\_installer/](http://typo3.org/extensions/repository/view/quickshop_installer/)

## Marker are removed from TypoScript

[4.0.3]

Marker are removed from the TypoScript and are replaced by the field names.

Former TypoScript snippet:

```
value = ###TX_QUICKSHOP_PRODUCT.TITLE###
```

Current TypoScript

```
field = tx_quickshop_product.title
```

## RealURL template

[4.0.2]

Quick Shop is delivered with a sample for RealURL. See:

- \* #54872: SEO: move support from Browser - TYPO3 without PHP - to SEO Dynamic 2
- \* #54793: RealURL: Template

## SEO by SEO Dynamic Tag2

[4.0.2]

SEO – Search Engine Optimization – was supported to version 4.0.1 by the Browser – TYPO3 without PHP.

SEO – Search Engine Optimization – ist supported from version 4.0.2 by SEO Dynamic Tag 2.

## Stock Management

[4.0.4]

Stock management: decrease item quantity after ordering.

Stock management is supported by Caddy – your TYPO3 shopping cart.

## TYPO3: fit for 6.1

[4.0.0]

Quick Shop fits into TYPO3 6.1 (and TYPO3 4.5, 4.6 and 4.7 of course).

## 3.x

### Caddy

[3.0.0]

Quick Shop is using the shopping cart Caddy. Caddy has a lot of new features like

- e-mail attachments
- database with orders

among others.

### Field SKU in tab [Product]

[2.2.0]

Products have the new property

- SKU - stock keeping unit

### Invoice and packing list as PDF file

[2.2.0]

The shop provider get an e-mail with the order and with to attached PDF files: the invoice and the packing list.

PDF files are configurable completely.

### Powermail version 1.x and 2.x

[3.0.0]

Quick Shop supports both Powermail versions – 1.x and 2.x.

### Support for Quick Shop 1.x is closed

[3.0.0]

We closed the support for Quick Shop version 1.x. \*.tmpl files and TypoScript files for 1.x are deleted.

Details: See #46379 and #46378 in the file ChangeLog.

### Tab [Controlling]

[2.2.0]

You can control the availability of products by

- starttime, endtime and usergroups

### Tab [Price & Quantity]

[2.2.0]

Products have the new properties

- minimum order quantity and
- maximum order quantity

### Tab [Search engines]

[2.2.0]

Products have the new properties

- keywords and description

for search engines.

## 2.x

### Individual layout for each product

[2.0.0]

You can layout all product differently:

1. Select a position for your images with text:
  - above,
  - below,
  - in text right,
  - or, or, or ...
2. Columns:
  - How many do you like?
  - 1, 2 or 7?
3. Image dimensions:
  - Take the width and height you need.
4. Every image can get a different link.
5. Captions alignment
6. SEO: Search Engine Optimisation
7. Image quality
8. Image effects

### Page tree icon

[2.0.0]

See the section 'Error: Reference source not found' on page Error: Reference source not found Error: Reference source not found.

### HTML templates are CSS controlled

All elements in the HTML template for the list and single view got CSS classes.

This simplifies, to adapt the layout to your needs.

Path: /quick shop/Quick Shop - Products

Edit Quick Shop Product "Secret Images" on page "Quick Shop - Products"

Product Images

**Image**

book\_1294230523.jpg  
been.gif  
Foto-0001.jpg

GIF JPG JPEG TIF TIFF BMP PCX TGA PNG  
PDF AI

Durchsuchen...

**Position:**

Beside text, left 1

2 Columns: No rows: Border:

1

**Image Dimensions**

Width (pixels): Height (pixels): 3

200

**Image Links**

Link: Click-enlarge: 4

**Caption**

Secret images: the book  
Mr. Been at the 20th snow board party  
Unknown TYPO3 fan

Align: 5

**Description for search engines (SEO)**

Quick Shop: secret images - the book  
Mr. Been visited the 20th TYPO3 snow board party  
Unknown TYPO3 fan - we don't know him 6

**Image Options**

Image quality/processing: 7

Default

Effects: 8

(None)

Frames:

(None)

Quick Shop Product [1]

Illustration 35: The new tab [Images]

# Upgrades

## From version < 6.0

### Non possible without manual editing

Bad news: It isn't possible to upgrade from a former version to 6.x automatically.

You must do some jobs manually. See the section "Workflow" below.

I'm sorry.

### Reasons

The relation management is simplified: All relations need one table only, in the past each relation had needed an own table. See details in the sections

- "One table for all relations" on page 33 above and
- "Migration" on page 43 below.

Quick Shop took some new conventions from TYPO3 6.x. In the follow TypoScript templates got another path.

Quick Shop has new CSS classes, because of the movement to a responsive Shop.

### Don't remove not needed MM-tables!

If you upgrade to version 6.x, please don't remove the former relation tables before you have migrated the SQL relation data. See details below.

### Workflow

#### Recommended: Quick Shop Installer

- Install a new Quick Shop with the Quick Shop Installer.
- Don't remove not needed tables.
- Migrate the former relation data to the new relation table. Remove some field labels. See "Migration SQL" on page 43 below.
- Update your database.

Move your items and categories to the new item folder. Link each item to the proper categories again.

#### Not recommended: manual update

- Migrate the former relation data to the new relation table. Remove some field labels. See "Migration SQL" on page 43 below.
- Include the lost static templates again. See "Migration Include Static Templates" on page 45 below.
- Include the needed static templates for foundation or create your own CSS.

### Update your database

You have to upgrade your database.

- Web modul > SYSTEM > Install
- Important actions: [Compare current database with specifications]

### Support

If you have a need for an upgrade, maybe you have some hundred items, you can get professional support by the developer. See "Professional Support" on page 50 below.

## From version < 3.0

Quick Shop 3.0 has two important innovations:

1. Quick Shop 3.0 supports Powermail 1.x and 2.x
2. Quick Shop 3.0 is using the TYPO3 shopping cart Caddy.

The easiest way of an update is:

- Update your extensions. Powermail 2.x is recommended but not obligated.
- Install quick shop with the quick shop installer.
- Replace your previous cart page<sup>1</sup> with the new installed caddy page.
- Adapt TypoScript, the configuration of the plugins caddy and powermail to your needs.

See details below.

## Workflow

### Update Extensions

Update the extensions

- browser
- base\_quickshop<sup>2</sup>
- quick\_shop
  - Update the database
- quickshop\_installer

### Upgrade Powermail from 1.x to 2.x, if you like

The update is not obligate! Quick Shop is running with Powermail 1.x and Powermail 2.x.

It is more comfortable, to install the needed Powermail data and configuration by the Quick Shop Installer, than by doing this job manually.

Powermail Update:

- Upgrade Powermail with your Extension Manager from 1.x to 2.x.
- Don't upgrade your database now.
- Update Powermail supported by the modul Web > Powermail.  
This will migrate the data of your Powermail 1.x tables to the Powermail 2.x tables.
- Update your database.
- Maintain the tabs [Billing Address] and [Delivery Address] of the Caddy plugin.

### Install Quick Shop with the Quick Shop Installer

TIP: If you like a more detailed manual, please use the manual of the quick shop installer.

- Install Quick Shop with the Quick Shop Installer 3.x.
- Create the installer page by the extension manager. See: tab [Configuration].
- Move the installer page from the top level into your page tree.
- Configure the installer plugin:
  - Tab [Plugin]
    - Installation: [Quick Shop only]
    - Choose the preferred backend user
    - Add the e-mail of the shop owner.
- Call the installer page in the frontend.
- Install Quick Shop.
- Reload your page tree in the backend.

<sup>1</sup> It contains the wt\_cart plugin and the powermail plugin.

<sup>2</sup> If you are using The Quick Shop Basic Template.

- If your previous caddy and your new caddy have the same page label, please redefine the label of your pervious caddy like "Caddy" -> "Caddy old" or "Warenkorb" -> "Warenkorb alt"
- Move the new caddy page near the previous caddy page.
- Maintain the list of included TypoScript templates at the page, where you have configured Quick Shop in main.<sup>1</sup> This should be the list of the included templates<sup>2</sup>:
  - ...
  - Browser (browser)
  - Quick Shop – Basic Template (base\_quickshop)<sup>3</sup>
  - Quick Shop (quick\_shop)
  - Caddy (caddy)
  - +Caddy CSS (caddy)<sup>4</sup>
  - +Caddy Quick Shop (quick\_shop)
  - ...
- Maintain page ids on the current page with the TypoScript Constant Editor:
  - Web Modul > Template
  - Page tree: your page
  - Edit area: Constant Editor [CADDY – PAGES]
    - Caddy: Uid of the page with the caddy - your shopping cart.  
TIP: Don't use the uid of your "Caddy old" or "Warenkorb alt"
    - Caddy mini: Uid of the page with the caddy mini - the cart for marginal column.  
TIP: Don't use the uid of your Caddy Mini in your "Caddy old" or "Warenkorb alt"
    - Shop: Uid of the page which contains the items. Usually the root page.  
TIP: Use the uid of your previous shop page, don't use the uid of the new installed page.
    - Power of Revocation: Uid of the page with the revocation info (German: Widerrufsbelehrung)  
TIP: Use the uid of your previous page with power of revocation, if you have this page.
    - Terms & Conditions: Uid of the page with the terms & conditions (German: AGB)  
TIP: Use the uid of your previous term & conditions page, don't use the uid of the new installed page.
  - Edit area: Constant Editor [QUICK SHOP – PAGES]
    - Shop / root page: Uid of the page which contains the quick shop items. Usually the root page.  
TIP: Use the uid of your previous shop page, don't use the uid of the new installed page.
    - Caddy: Uid of the page with the caddy - your shopping cart  
TIP: Don't use the uid of your "Caddy old" or "Warenkorb alt"
    - Shipping: Uid of the page with the shipping terms  
TIP: Use the uid of your previous page with power of revocation, if you have this page.
- Update your Browser Plugin at the page, where you are offering your shop (Quick Shop).<sup>5</sup> The HTML template is moved. You will get an error prompt in the Frontend.
  - Browser Plugin/Flexform > [Plug-In] > [Templating]  
Field: HTML-Template: [Browser: Main (browser)]
- Update the Powermail plugin in the Caddy page:  
Copy and paste the content of your text file into the Powermail plugin.
  - BE AWARE: Powermail 2.x is using fluid marker instead of hash marker.  
Take care of these marker. Caddy won't run proper without some of this marker.  
TIP: After configuration the Caddy plugin will check, if your marker are proper.
  - These were the tabs for paste your data:
    - [Sender]<sup>6</sup>

<sup>1</sup> This is often the root page.

<sup>2</sup> Take care of the order.

<sup>3</sup> If you are using The Quick Shop Basic Template.

<sup>4</sup> If you like to use the default Caddy CSS.

<sup>5</sup> This is often the root page.

<sup>6</sup> Customer



- [Receiver]<sup>1</sup> and
- [Submit page]
- Update links in the Powermail plugin in the Caddy page:
  - Fields: "Terms & Conditions" (or in German "AGB")
  - Fields: "Power of Revocation" (or in German "Wiederrufsbelehrung")
- Update label in the Powermail plugin in the Caddy page:
  - Fields: "Terms & Conditions" (or in German "AGB")
  - Fields: "Power of Revocation" (or in German "Wiederrufsbelehrung")
  - Fields: "Test Quick Shop" (the submit Button)<sup>2</sup>
- Remove not needed pages
  - The new installed pages:
    - Quick Shop
      - Shipping
      - Power of Revocation
      - Items
  - The previous pages
    - Shopping cart old (Warenkorb alt)
- Use the Recycler for clean up your database: Web > Recycler
  - Remove your "removed" pages finally<sup>3</sup>

That was a lot of stuff!

### Next steps

- Configure your Caddy plugin. See "Filter" on page 19 above. It is recommended to configure:
  - Minimum and maximum order quantity
  - Attachments in emails to the customer and to the quick shop owner
  - PDF drafts for the attachments (your corporate design)
- Check your configuration of Caddy and Powermail. See "Filter" on page 19 above.

### This properties are changed

#### CSS properties

Moved CSS properties:

- #form-order -> form.caddy

#### Marker

Moved marker

- ###MY\_CART\_BUTTON### -> ###MY\_CADDYLABEL###
- ###MY\_CART\_PAGE\_URL### -> ###MY\_CADDYURL###

Removed marker

- ###MY\_CART\_QUANTITY###

<sup>1</sup> Shop owner

<sup>2</sup> If your items aren't for free, the label of the button must be contain something like "with costs"

<sup>3</sup> Without a final removing you will get unproper results in context with relations (in the backend only). Background: A simple removing marks your pages as deleted only. And MM relations doesn't have this property. MM relations won't deleted till local records and foreign records are removed finally.

### Update your Browser Plugin/Flexform

The HTML template is moved. You will get an error prompt in the Frontend.

Please update your Browser Plugin/Flexform:

- Browser Plugin/Flexform > [Plug-In] > [Templating] > Field: HTML-Template

# Migration

In case of an update from 4.x to 6.x you must migrate the relations from several tables to one table.

You can use the SQL statements from below. Please copy it into PhpMyAdmin.

## SQL

### Backup your Database

It is recommended to backup your database.

### File

Ressources/Private/Upgrades/4x\_6x/migration.sql

### Statements

#### Fields

The statements from below will rename some fields.

You can use the statements from below once only.

```
ALTER TABLE tx_quickshop_products CHANGE category tx_quickshop_categories INT(11) NOT NULL
DEFAULT '0';
ALTER TABLE tx_quickshop_products CHANGE dimension tx_quickshop_dimension INT(11) NOT NULL
DEFAULT '0';
ALTER TABLE tx_quickshop_products CHANGE material tx_quickshop_material INT(11) NOT NULL DEFAULT
'0';
```

#### Relations

The statements from below

1. will empty your Quick Shop mm-table and
2. will import relations from the deprecated category mm-tables.

You can use the statements from below unlimited times.

```
TRUNCATE TABLE `tx_quickshop_mm`;

# Relation from tx_quickshop_products (local) to tx_quickshop_categories (foreign).
INSERT INTO tx_quickshop_mm (uid_local, uid_foreign, sorting, table_local, table_foreign)
SELECT uid_local, uid_foreign, sorting, 'tx_quickshop_products', 'tx_quickshop_categories' FROM
tx_quickshop_products_category_mm;

# Relation from tx_quickshop_products (local) to tx_quickshop_dimension (foreign).
INSERT INTO tx_quickshop_mm (uid_local, uid_foreign, sorting, table_local, table_foreign)
SELECT uid_local, uid_foreign, sorting, 'tx_quickshop_products', 'tx_quickshop_dimension' FROM
tx_quickshop_products_dimension_mm;

# Relation from tx_quickshop_products (local) to tx_quickshop_material (foreign).
INSERT INTO tx_quickshop_mm (uid_local, uid_foreign, sorting, table_local, table_foreign)
SELECT uid_local, uid_foreign, sorting, 'tx_quickshop_products', 'tx_quickshop_material' FROM
tx_quickshop_products_material_mm;
```

### Update the Reference Index

1. Modul: System > DB check
2. Edit area: Check and update global reference index  
[Update reference index]

### Next Steps

Please check, if relations are migrated proper.

If the migration is successful, you can remove the tables:

- tx\_quickshop\_products\_category\_mm

- tx\_quickshop\_products\_dimension\_mm
- tx\_quickshop\_products\_material\_mm

You can use

- Modul: System > Install > Important actions > Database analyzer
- Button [Compare current database with specification]

## Include Static Templates

### Sample

Possible example for included static templates in case of Quick Shop 4.x and Quick Shop 6.x:

#### Quick Shop 4.x

SEO (1) - reset page.meta (seo\_dynamic\_tag)  
 SEO (2) - main (seo\_dynamic\_tag)  
 Browser (browser)  
 Caddy [1] Basis (caddy)  
 Caddy [2.1] + orange (caddy)  
 Caddy [3] + Foundation 4.x (deprecated!) (caddy)  
 Caddy [3.1] + Foundation 4.x CSS (deprecated!) (caddy)  
 Caddy [7] + Language: German (caddy)  
 Quick Shop (1) (quick\_shop)  
 Quick Shop (2) Caddy (quick\_shop)  
 Quick Shop (3) ImageCycle: no conflict (quick\_shop)

#### Quick Shop 6.x

SEO [99] reset page.meta (seo\_dynamic\_tag)  
 SEO [1] Basis (seo\_dynamic\_tag)  
 Browser [1] Basis (browser)  
 Caddy [1] Basis (caddy)  
  
 Caddy [3] + Foundation 5.x (caddy)  
 Caddy [3.1] + Foundation 5.x CSS (caddy)  
 Caddy [7] + Language: German (caddy)  
 Quick Shop [1] Basis (quick\_shop)  
 Quick Shop [2] + Caddy (quick\_shop)  
 Quick Shop [9] + ImageCycle: no conflict (quick\_shop)

# Packages for Sponsors

Your donation and sponsoring is welcome.

Please order a package for sponsors at

- English: <http://typo3-quick-shop.de/en/sponsoring/>
- German: <http://typo3-quick-shop.de/sponsoring/>



## Fun – 50 EUR



You like to treat the TYPO3 Quick Shop project.

You don't expect any equivalent. No logo. No service.

Throw 50 EUR or any other old sum into the cash box.

You will get a receive. You can set the amount off against tax liability.

## Logo – 150 EUR



You are treating the TYPO3 Quick Shop project and you like to be a guide for others.

Your logo will appear in the manual, at the website and in the extension manager of the Quick Shop.

The period of validity is limited to one year.

You will get a receive. You can set the amount off against tax liability.

You can pay more than 150 EUR.

## Patron – 500 EUR



You are the patron. You are treating TYPO3 Quick Shop project and you like to pay the developer more than best for two hours service.

Your logo will appear in the manual, at the website and in the extension manager of Quick Shop.

You can book the developer of Quick Shop for two hours.

The period of validity for both – the logo and the two hours – is limited to one year. If you don't use the two hours in this period, you will lost it.

You will get a receive. You can set the amount off against tax liability.

You can pay more than 500 EUR.

## Credits

**made-in-nature.de**

made in nature | TYPO3 Agentur

Thanks to Stefan Grothus from <http://www.made-in-nature.de>, who contracted

- a part of the version 6.0 and
- some new features of caddy.

# Known Bugs

## fetch\_assoc()

### Prompt

Fatal error: Call to a member function fetch\_assoc() on a non-object in /opt/typo3\_src-6.2.5/typo3/sysext/core/Classes/Database/DatabaseConnection.php on line 1031

### Reason

Probably a corrupted database.

### Solution

Repair and optimise the tables of your TYPO3 database with PhpMyAdmin.



# Helpful suggestions

## Forum

If you have helpful suggestions, feel free to publish any question, bug or code snippet on

- Quick Shop forum  
<http://typo3-quick-shop.de/forum/>

Posts are welcome in English and German.

## Quick Shop on TYPO3 forge

Because of a bug with the repository, Quick Shop (quick\_shop) is using the extension key **qshop** at TYPO3 forge!

You find scheduled new features and bug reports on TYPO3 forge. See

- <http://forge.typo3.org/projects/show/extension-qshop>

## Latest versions

You find the latest versions (for developers) in the repository at

- <http://forge.typo3.org/projects/extension-qshop/repository>



Illustration 36: The TYPO3-Frontend-Engine Browser Forum

## Further Information

### Demo website

You find a Quick Shop demo at

- <http://typo3-quick-shop.de>

### Manual and tutorial in PDF

You find this manual and the tutorial in PDF format at

- [doc/manual.pdf](#)
- [doc/tutorial.pdf](#)

### Professional Support

If you need professional support, please contact the Developer:

- Dirk Wildt  
<http://wildt.at.die-netzmacher.de/>

E-Mails are welcome in English and German.

## Other extensions published by Die Netzmacher

-  +AOE Linkhandler Configurator: Configure the AOE linkhandler supported by userinterfaces. Out-of-the-box templates for cal, org, tt\_news and tt\_products. Don't edit page TSconfig any longer.  
<http://typo3.org/extensions/repository/view/linkhandlerconf/>
-  autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU.  
<http://typo3.org/extensions/repository/view/autositemap/>
-  Browser – TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need one line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. <http://typo3.org/extensions/repository/view/browser/>
-  Caddy – the TYPO3 shopping cart. You can use it for your own needs. You need a database with products or any other items only. You can install Caddy out of the box with one mouse click – see Quick Shop below.  
<http://typo3.org/extensions/repository/view/caddy/>
-  Deal! – TYPO3 Quick Shop interface for the marketplace ebay. Manage all items with TYPO3 and publish it on ebay. Amazon is under construction.  
<http://typo3.org/extensions/repository/view/deal/>
-  Duty – collection of helpful scheduler tasks. Here: remove deprecated files from directories.  
<http://typo3.org/extensions/repository/view/duty/>
-  Flip it! offers lovely and smooth page flip transitions. It enables you to run over pages in PDF documents like in a real magazine. It is based on flash. Flipt it! can convert PDF documents to swf files automatically.  
<http://typo3.org/extensions/repository/view/flipit/>
-  Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse. Job Market hasn't any PHP code, it should be easy to adapt it to your needs.  
[http://typo3.org/extensions/repository/view/job\\_market/](http://typo3.org/extensions/repository/view/job_market/)
-  Organiser – TYPO3 for the lobby and the organisers. Handle news, events, staff, headquarters, locations, workshops and a calendar with one extension. Sell online tickets! Install the Organiser with one mouse click!  
<http://typo3-organiser.de/>
-  Quick Shop – the fastest shop in the history of TYPO3. Install it with one mouse click! Quick Shop is based on the browser (see above) and powermail.  
<http://typo3-quick-shop.de/>
-  PDF Controller: Easy to install. Add to your HTML page the PDF-controller-button. Link from the button to the controller. Adjust the controller by mouseclicks. The PDF Controller supports CSS 3.  
<http://typo3-pdfcontroller.de/>
-  Radial Search (Umkreissuche) – Enable the browsing through your data by geo location. 'Your data must have a latitude and a longitude. Address data can geocoded automatically by the Browser - TYPO3 without PHP.  
<http://typo3.org/extensions/repository/view/radialsearch/>
-  Route – Publish your routes with GoogleMaps or OpenStreetMap. Routes have points of interest (POI). You can categorise and filter both: routes and POI. Address data can geocoded automatically.  
<http://typo3.org/extensions/repository/view/route/>
-  seo\_dynamic\_tag: Search Engine Optimization for the title tag, the canonical tag and the meta tags author, description and keywords. Configuration by a user interface.  
[http://typo3.org/extensions/repository/view/seo\\_dynamic\\_tag/](http://typo3.org/extensions/repository/view/seo_dynamic_tag/)
-  Slick - jQuery Carousel: Fully responsive. Scales with its container. Separate settings per breakpoint. Uses CSS3 when available. Swipe enabled. Desktop mouse dragging. Infinite looping. Fully accessible.  
<http://typo3.org/extensions/repository/view/slick/>
-  TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig porperties with the mouse - like page tree uids, activated extended view, activated clipboard, ...  
<http://typo3.org/extensions/repository/view/tsconf/>

# Change Log

- 6.1.1 **Feature**
  - \* #69258: Backend filter
- 6.1.0 **Improvement**
  - \* #i0034: clearing lightbox: update for Browser 7.0.7
  - \* #i0033: Update for Caddy 6.1 (mini caddy)
- 6.0.15 **Improvement**
  - \* #i0032: YouTube video installation
- 6.0.12 **Improvements**
  - \* #i0026: Fields are moved
    - Update: Please use SQL statement from
    - \* Ressources/Private/Upgrades/4x\_6x/migration.sql
- 6.0.11 **Improvements**
  - \* #i0024: Quick Shop hides all content elements but the Browser plugin
    - \* in the single view,
    - \* or if a pointer is given
    - See #i0021/#163
- 6.0.10 **New Feature**
  - \* #i0024: tax in list views
- 6.0.9 **New Feature**
  - \* #i0023: Table tx\_quickshop\_shippingcosts
- 6.0.8 **Improvements**
  - \* #i0022: Display link to shipping details in the list view
    - Link to shipping details can be disabled by
    - \* New property in the Constant Editor
      - plugin.quick\_shop.layout.caddy.shippingnote
  - \* #i0021/#163: Quick Shop displays in the single view the Browser plugin only: it hides other content elements
    - This is the default, if you have installed Quick Shop with the whole website.
    - See sample configuration at:
      - \* Configuration/TypoScript/62037/page/setup.ts
      - \* Ressources/Private/Samples/TypoScript/displayShopOnly
        - \* extension
          - \* automaketemplate/setup.txt
          - \* fluid/setup.txt
  - \* #i0020/#162: Caddy position can be [right in text] or [at the bottom]
    - \* New property in the Constant Editor
      - plugin.quick\_shop.layout.caddy.position
- 6.0.7 **Improvements**
  - \* #i0019: Upgrade for Browser 6.0.7
- 6.0.2 **Manual**
  - \* #i0018: Update
- 6.0.0 **Major Features**
  - \* #62059: teaser fields
  - \* #62036: Manage all relations in one table
  - \* #62029: Upgrade TYPO3 6.2
    - \* Browser 6.0
    - \* Foundation 5.4
    - \* TYPO3 6.2
- Improvement**
  - \* #62037: unique uid for the view: 62037
  - \* #i0015: showUid is moved to itemUid
- 4.0.6 **Improvement**
  - \* #i0014: Corporate design: modified icon
- 4.0.5 **Improvement**
  - \* #i0013: tca.php: exclude fields are maintained
  - \* #i0012: ean (new)

- \* #i0011: SKU isn't required
- \* #i0010: SKU is required
- Bugfix**
- \* #i0011: inkl. MwSt. wasn't localised
- 4.0.4 **Feature**
- \* #55726: (Caddy) Stock management: decrease item quantity after ordering
- \* Moving SQL fields:
  - \* in\_stock -> stockquantity
  - \* stock -> stockManagement
- 4.0.3 **Features**
- \* #55002: LinkHandlerConfiguration
  - ! without effect: linkhandler 0.3.1 has an error in TYPO3 6.x
- \* #55001: Template for Imagecycle no conflict
- \* #i0009: List view: thumbnail links to single view (former: image popup)
- \* #54992: Replace marker
- 4.0.2 **Features**
- \* #54872: SEO: move support from Browser - TYPO3 without PHP - to SEO Dynamic 2
- \* #54793: RealURL: Template
- 4.0.1 **Feature**
- \* #i0008: TCA search fields
- 4.0.0 **Features**
- \* #53422: In stock amount
- \* #i0009: Filter can enable and disable by the constant editor
- \* #i0008: Backend thumbnails
- \* #53378: Table field for data
- \* #53377: Filter for size and material
- \* #53362: Fit it into TYPO3 6.x
- 3.0.8 **Improvement**
- # \*i0006: caddy icon is controlled by Caddy constant
- # \*i0007: caddy button is simplified
  - \* my\_caddybutton substitutes
  - \* my\_caddyimgsrc
  - \* my\_caddyimgalt
  - \* my\_caddylabel
- 3.0.7 **Bugfix**
- # \*i0005: double div-tag in single view
- 3.0.6 **Improvements**
- # \*i0004: Update for Caddy 2.0.8
- 3.0.5 **Improvement**
- \* #i0003: Improved caddy table structure
- 3.0.4 **Feature**
- \* #47068: Remove HTML template
- 3.0.3 **Feature**
- \* #47017: Ready TypeScript SEO configuration
- 3.0.2 **Feature**
- \* #42072: nested categories
- 3.0.0 **Features**
- \* #46387: Caddy for list view
- \* #46386: Update CSS
- \* #46380: Introduce sponsors
- \* #46377: Button Caddy with an Icon
  - \* marker is moved: ###MY\_CART\_BUTTON### -> ###MY\_CADDYLABEL###
- \* #45775: FORK from wt\_cart to caddy
  - \* marker are moved
  - \* ###MY\_CART\_PAGE\_URL### -> ###MY\_CADDYURL###
  - \* my\_cart\_quantity (removed)
  - \* CSS properties are moved
  - \* #form-order -> form.caddy

### Improvement

- \* #i0002: Configuring of caddy constants is moved from installer to quick\_shop
- \* #46381: See #46379
- \* #46379: Clean up TypoScript files
- \* #46378: Clean up \*.tpl files
- \* #i0001: Key for page tree icon moved from quick\_shop to quickshop

### 2.2.3 New Feature

- \* #00000: RealUrl configuration file

### 2.2.2 Update TYPO3 4.7

- \* #00000: \$ICON\_TYPES -> t3lib\_SpriteManager::addTcaTypeIcon

### Update

- \* #00000: Update to Browser version 3.9.14

### 2.2.1 Improvements

- \* #00000: Update for wt\_cart\_orderpdf 0.0.9

### 2.2.0 Improvements

- \* #00000: New fields
  - \* sku - stock keeping unit
  - \* quantity\_min - minimum of order quantity
  - \* quantity\_max - maximum of order quantity
  - \* starttime
  - \* endtime
  - \* fe\_group
  - \* seo\_keywords
  - \* seo\_description
  - \* Effected files
    - \* ext\_tables.php
    - \* ext\_tables.sql
    - \* locallang\_db.xml
    - \* tca.php
    - \* res/v1.4/default.css
    - \* static/setup.txt
- \* #00000: Additional template res/v1.4/default\_select\_30.tpl
  - \* Select box for quantity instead of an input field
- Update for**
  - \* wt\_cart 1.4.3
    - \* #00000: field quantity\_min - minimum of order quantity
    - field quantity\_max - maximum of order quantity
  - \* wt\_cart 1.4.2
    - \* #00000: field sku - stock keeping unit
  - \* Browser version 4.0 - step 1
    - \* #00000: a-z-browser is renamed as index browser
    - Effects
      - \* CSS : azSelector -> indexBrowser
      - \* HTML : AZSELECTOR -> INDEXBROWSER

### 2.1.5 Update Manual

### 2.1.0 New Feature

- \* #27041: Record browser for the single view / Prev-next Switcher in the single view

### 2.0.1 New Feature

- \* #13145: Number formats: userfunc

### 2.0.0 Improvement

- Individual layout for each product

### 1.3.3 Bugfixes

- 12236: Possible conflict with TypoScript constant  
myConst.pages.root is moved to myConst.pages.quick\_shop

### 1.3.2 Improvement

- CSS is extended for wt\_cart 1.2.1
- quick\_shop provides the quick\_shop\_header\_image\_210px.jpg
- static template was extended for browser 3.6.0

### 1.3.1 Improvement

- 11114: Make Javascript Backbutton invisible

### 1.3.0 **New Features**

- #11054: Quick Shop supports German and English by default

### 1.2.0 **New Features**

- #9659: AJAX
  - default.tpl
  - reset button got the class reset
  - listarea is wrapped with <div class="listarea">...</div>
- #10224: Integration of templates of 3rd party extensions
- #00000: Template integration into the Browser plugin/flexform

### 1.1.1 **Manual**

- New section: Integration in Facebook

### 1.1.0 **New Feature**

- Optional manual ordering of records added

### 1.0.1 **Initial release**

# Illustration Index

Illustration 1: Quick Shop list view with items on the desktop .....	3	Illustration 19: Filter category, dimension material .....	19
Illustration 2: List with a closed menu and an ... ..	3	Illustration 20: TypoScript Constant Editor .....	19
Illustration 3: ... opened menu on the Smartphone .....	3	Illustration 21: Controlling Quick Shop with the Browser plugin .....	20
Illustration 4: Caddy on the desktop .....	3	Illustration 22: Controlling Caddy with the Caddy plugin .....	20
Illustration 5: Caddy with an opened accordion on the smartphone .	3	Illustration 23: Caddy with e-payment interface .....	23
Illustration 6: Caddy with a clodsed accordion on the smartphone ...	3	Illustration 24: Transactions .....	23
Illustration 7: Quick Shop – list view categories and items .....	4	Illustration 25: ebay interface .....	24
Illustration 8: Quick Shop – Individual layout for each item .....	4	Illustration 26: Your item on ebay .....	24
Illustration 9: Searchform in the Backend – backend filter .....	4	Illustration 27: Quick Shop application on facebook.com .....	26
Illustration 10: Controlling the frontend by the Browser plugin .....	5	Illustration 28: Your application (here: Quick Shop) in your profile ....	26
Illustration 11: Controlling the Caddy with the Caddy plugin .....	5	Illustration 29: The products will be ordered by TypoScript .....	27
Illustration 12: E-mail attachments in your corporate design .....	6	Illustration 30: Order Products by the field sorting .....	28
Illustration 13: Installation with one click: Installer (1), the result in		Illustration 31: Extension Manager .....	28
the backend (2) and in the frontend (3) .....	7	Illustration 32: Labelling and sorting by TypoScript .....	29
Illustration 14: Caddy with e-payment interface .....	8	Illustration 33: Drop down for ordering .....	30
Illustration 15: The item on Quick Shop (sample) .....	9	Illustration 34: Enable localisation support .....	31
Illustration 16: The item on ebay (sample) .....	9	Illustration 35: The new tab [Images] .....	37
Illustration 17: Quick Shop Video .....	12	Illustration 36: The TYPO3-Frontend-Engine Browser Forum .....	49
Illustration 18: Page tree .....	15		



# Alphabetical Index

Attachments .....	mode .....	PDF .....
PDF ..... 6	live ..... 23	Attachments ..... 6
Backend .....	test ..... 23	Plugins .....
Backend filter ..... 4	Requirements ..... 23	Browser ..... 20
Search form ..... 4	Setup ..... 23	Powermail ..... 20
Bugs .....	Test it! ..... 23	Powermail .....
fetch_assoc() ..... 48	TypoScript ..... 23	Upgrade from 1.x to 2.x ..... 39
Controlling .....	ebay .....	Responsive .....
Attachments ..... 20	Deal! ..... 24	Screenshot .....
Browser ..... 20	interface ..... 24	Desktop ..... 3
Caddy ..... 20	Requirements ..... 24	Smartphone ..... 3
Plugin ..... 20	sandbox ..... 24	Search Engine Optimisation .....
Powermail ..... 20	setup ..... 24	RealUrl ..... 32
Shop ..... 20	Features ..... 10	SEO Dynamic Tag ..... 35
Shopping Cart ..... 20	fetch_assoc() .....	Sponsoring .....
Deal! .....	Bug ..... 48	Packages ..... 46
ebay interface ..... 24	Filter .....	Stock Management ..... 35
Demo ..... 50	Backend ..... 4	Support ..... 50
Development .....	Category ..... 22	TypoScript .....
TYPO3 forge ..... 49	Dimensions ..... 22	Caddy ..... 20
Documentation .....	Material ..... 22	Home page ..... 15
Browser ..... 11	Forum ..... 49	Shop ..... 16
Caddy ..... 11	Installation .....	Upgrades .....
Foundation ..... 11	Manually ..... 14	Migration ..... 43
PDF ..... 50	One-mouse-click ..... 14	Versioning .....
Powermail ..... 11	Localisation ..... 31	non supported ..... 11
RSS Feed ..... 25	Configure languages ..... 31	Video ..... 12
E-Commerce .....	Migration ..... 43	Workspaces .....
ebay Interface ..... 24	Include Static Templates ..... 45	non supported ..... 11
E-Payment ..... 23	SQL ..... 43	