

jQuery Coda Slider

Extension Key: rzslider

Language: en

Keywords: Coda Slider, jQuery

Copyright 2010, Raphael Zschorsch, <rafu1987@gmail.com>

This document is published under the Open Content License
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3
- a GNU/GPL CMS/Framework available from www.typo3.org

Table of Contents

| | | | |
|--------------------------|----------|----------------------------|----------|
| jQuery Coda Slider..... | 1 | Configuration..... | 5 |
| Introduction..... | 3 | Reference..... | 5 |
| What does it do?..... | 3 | Known problems..... | 6 |
| Screenshots..... | 3 | To-Do list..... | 7 |
| Users manual..... | 4 | ChangeLog..... | 8 |
| Features..... | 4 | | |


Introduction

What does it do?


- The extension includes the jQuery Coda Slider for content elements. A demo can be found here: <http://www.ndoherty.biz/demos/coda-slider/2.0/>
- You have plenty of possibilities to configure the extension to fit your needs. This can easily be done via Flexform configuration or globally via TypoScript. See configuration section for more information.
- rzslider uses jQuery version 1.4.2 and Coda-Slider version 2.0

Screenshots

- The backend view of the plugin (Tab 1 // General)




- The backend view of the plugin (Tab 2 // Options – not all the options are displayed)



Users manual

- Simply install the extension through the extension manager and include the static TypeScript Template on your root page, described as below:



- Then go to a page, where you would like to include the Coda Slider and you should see something like this, to include the plugin:



- Configure the plugin to your needs, select the content elements, which you would like to show in the Coda-Slider and happy sliding...;)

Features

- Multiple Coda-Sliders on one page
- Auto slide (enable/disable)
- Tabs (Tab titles are the one's of the content elements or you can overwrite them) (enable/disable)
- Define which content element should be seen at first. You can also set this to random
- Multiple easing functions

Configuration

- You can do all the settings via Flexform. On the other hand, if you would like to globally have some settings throughout your whole site, you can also define some TypeScript.

Reference

- plugin.rzslider (TypeScript Constants)

| Property: | Data type: | Description: | Default: |
|--------------|------------|---|----------|
| enableGlobal | boolean | If you already have jQuery included in your page, you can set this to "1" and rzslider won't include the jQuery file. | 0 |

- plugin.tx_rzslider_pi1 (TypeScript Setup)

| Property: | Data type: | Description: | Default: |
|------------------------|------------|---|----------|
| slideEaseFunction | string | Globally set the easing for the slides. | |
| slideEaseDuration | string | Globally set the easing duration for the slides. | |
| autoHeightEaseFunction | string | Globally set the easing for the auto height (only works, if auto height is enabled). | |
| autoHeightEaseDuration | string | Globally set the easing duration for the auto height (only works, if auto height is enabled). | |

Known problems

- None so far...
- Report bugs here: <http://forge.typo3.org/projects/show/extension-rzslider>

To-Do list

- Feature requests here: <http://forge.typo3.org/projects/show/extension-rzslider>

ChangeLog

| Version | Changes: |
|---------|----------------|
| 0.0.1 | Initial upload |