

# EXT: AJAX Social Network Components, developer manual

Extension Key: toctoc\_comments

Language: en

Version: 4.0.0.

Keywords: forDeveloper, translation, marker

Copyright 2012-2013, Gisèle Wendl, gisele.wendl@toctoc.ch

This document is published under the Open Content License  
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3

- a GNU/GPL CMS/Framework available from [www.typo3.org](http://www.typo3.org)

# Table of Contents

## EXT: AJAX Social Network

### Components, developer manual.....1

#### Developers manual V.4.0.0.....3

##### What's in this manual .....3

#### pi1/locallang.xml.....4

##### Backend, general.....4

##### Backend, Plugin.....4

##### Frontend, Report bad comments form.....6

##### Frontend, Error messages.....7

##### Email notifications for admin.....8

##### Frontend, Commenting, Picture browsing, form

##### fields.....9

##### Frontend, used in JavaScript-Dialogs.....10

##### Frontend, Comments browser.....10

##### Frontend, some more Captcha-labels.....10

##### Frontend, date display.....10

##### Frontend, user card / Email, commentator

##### information.....11

##### Frontend, replies on comments by admin or users. 11

##### Frontend, Icon tip texts.....12

##### Frontend, comment cropping in comments list.....12

##### Frontend, web page preview.....12

##### Frontend, image upload.....12

##### Frontend, Link to bad comments form.....13

##### Frontend, Email notification.....13

##### Frontend, Comments counter.....13

##### Frontend, Comments in communities, preview

##### comment, fe\_users status, integrity check-messages

##### .....13

##### Top ratings.....13

##### eid HTML pages.....14

##### Frontend, No comments message.....14

##### Frontend, sharing.....14

##### Frontend, voting.....14

##### Frontend, iLike / iDislike.....15

##### Email, Commentator notification.....18

##### Frontend, recent comments list.....18

### Use in other extensions.....19

##### Example: Patching tt\_products for

##### toctoc\_comments display in LIST-View:.....20

# Developers manual V.4.0.0

## What's in this manual

In this manual developers find a map of the language label in `pil/locallang.xml`.

This is also useful for translators – the big language labels file `locallang.xml` is explained in chapters, additional info on some items may help for translation.

In section “Use in other extensions” you find how to implement a call for *toctoc\_comments* in the PHP-code of other pil-extensions and how to add a custom marker.

The manual is under construction still and more content will be added on every version of *toctoc\_comments*

# pil/locallang.xml

The xml-file contains labels used in the frontend and some labels used in the backend

## Backend, general

XML Label	Text in English	Used in/Purpose	Marker ?
tt_content.list_type_pil	AJAX Social Network Components	Backend	
pil_plus_wiz_description	AJAX Social Network Components for content elements and records (news, products and more)	plugin title/description in Backend	

## Backend, Plugin

XML Label	Text in English	Used in/Purpose	Marker ?
sheet.general	General	Sheets of the plugin	
sheet.advanced	Advanced		
sheet.spamprotect	Anti-spam		
sheet.ratings	Rating options		
sheet.attachments	Attachments		
tt_content.toctoc_comments_pil.code	Mode:		
tt_content.toctoc_comments_pil.code.I.0	Normal		
tt_content.toctoc_comments_pil.code.I.1	Recent comments		
tt_content.toctoc_comments_pil.code.I.2	Report bad comment		
tt_content.toctoc_comments_pil.code.I.3	Top ratings		
tt_content.toctoc_comments_pil.code.I.u	Check the plugin configuration		
tt_content.toctoc_comments_pil.numbertopRatings	Number of top ratings		
tt_content.toctoc_comments_pil.topRatingsDays	Number of past days for top ratings		
tt_content.toctoc_comments_pil.topRatingsminimumvotesrequired	minimum of votes required		
tt_content.toctoc_comments_pil.additionalClearCachePagesLocal	Additional pages to clear cache		
tt_content.toctoc_comments_pil.restrictToExternalPrefix	Restrict to triggering prefix:		
tt_content.toctoc_comments_pil.restrictToExternalPrefix.I.0	All		
tt_content.toctoc_comments_pil.restrictToExternalPrefix.I.1	Only Pages		
tt_content.toctoc_comments_pil.restrictToExternalPrefix.I.2	Custom prefix		
tt_content.toctoc_comments_pil.topRatingsrestrictToExternalPrefix	Restrict to triggering prefix for top ratings::		
tt_content.toctoc_comments_pil.topRatingsrestrictToExternalPrefix.I.0	All		
tt_content.toctoc_comments_pil.topRatingsrestrictToExternalPrefix.I.1	Only Comments		

XML Label	Text in English	Used in/Purpose	Marker ?
tt_content.toctoc_comments_pil.topRatingsrestrictToExternalPrefix.I.2	Custom prefix		
tt_content.toctoc_comments_pil.topRatingsrestrictToExternalPrefix.I.3	Only Content		
tt_content.toctoc_comments_pil.topRatings	Show top ratings for		
tt_content.toctoc_comments_pil.topRatings.I.0	Only Likes and Dislikes		
tt_content.toctoc_comments_pil.topRatings.I.1	Only votings		
tt_content.toctoc_comments_pil.topRatings.I.2	All, sort by voting		
tt_content.toctoc_comments_pil.topRatings.I.3	All, Sort by iLikes		
tt_content.toctoc_comments_pil.topRatingsExternalPrefix	Custom triggering prefix for top ratings		
tt_content.toctoc_comments_pil.topRatingsAlignResultsWithMaxVotesAndAvgVote	Align results with the result with most votes:		
tt_content.toctoc_comments_pil.usets	Use TypoScript setting		
tt_content.toctoc_comments_pil.useno	No		
tt_content.toctoc_comments_pil.useyes	Yes		
tt_content.toctoc_comments_pil.storage.page	Store records at page:		
tt_content.toctoc_comments_pil.trigger.prefix	Triggering prefix:		
tt_content.toctoc_comments_pil.optionalRecordIdTrigger	optional Record:		
tt_content.toctoc_comments_pil.template_file	Template file for comments:		
tt_content.toctoc_comments_pil.templatereatingsfile	Template file for ratings:		
tt_content.toctoc_comments_pil.useVotes	use voting and show rating stars		
tt_content.toctoc_comments_pil.useMyVote	use "My vote"		
tt_content.toctoc_comments_pil.userStats	Enable User Statistics		
tt_content.toctoc_comments_pil.useLikeDislike	use iLike AND iDislike:		
tt_content.toctoc_comments_pil.useDislike	use or don't use iDislike:		
tt_content.toctoc_comments_pil.ratingsOnly	enable only Ratings:		
tt_content.toctoc_comments_pil.enableRatings	Enable ratings:		
tt_content.toctoc_comments_pil.useScopesForVote	Use scope(s) for voting:		
tt_content.toctoc_comments_pil.useOverallScopeForVote	Use overall for scoped voting:		
tt_content.toctoc_comments_pil.useSharing	use Sharing:		
tt_content.toctoc_comments_pil.dontUseSharingFacebook	don't use Sharing for Facebook:		
tt_content.toctoc_comments_pil.dontUseSharingGoogle	don't use Sharing for Google+:		
tt_content.toctoc_comments_pil.dontUseSharingTwitter	don't use Sharing for Twitter:		
tt_content.toctoc_comments_pil.dontUseSharingLinkedIn	don't use Sharing for LinkedIn:		
tt_content.toctoc_comments_pil.dontUseSharingStumbleupon	don't use Sharing for Stumbleupon:		
tt_content.toctoc_comments_pil.numberrecentcomments	Number of recent comments to display:		

XML Label	Text in English	Used in/Purpose	Marker ?
tt_content.toctoc_comments_pil.PreviewPictureNumber	Index of preview picture (must exist, default is 0)		
tt_content.toctoc_comments_pil.useWebpagePreview	Use attachment type webpage preview:		
tt_content.toctoc_comments_pil.topwebpagepreviewlink	Optional webpage preview on top:		
toctoc_comments_pil.topwebpagepreview.wizard	Use existing Webpage Preview:	flexform_ds_attachments.xml, wizard	
tt_content.toctoc_comments_pil.commentsPerPage	Comments per page:		
tt_content.toctoc_comments_pil.closeCommentsAfter	Close commenting after:		
tt_content.toctoc_comments_pil.requireApproval	Require approval of each comment:		
tt_content.toctoc_comments_pil.checkTypicalSpam	Check for typical spam:		
tt_content.toctoc_comments_pil.considerReferrer	Check referrer:		
tt_content.toctoc_comments_pil.notificationEmail	Send notification to this email:		
tt_content.toctoc_comments_pil.fromEmail	Send email from this address:		
tt_content.toctoc_comments_pil.emailTemplate	Template file for emails:		
tt_content.toctoc_comments_pil.useCaptcha	Use captcha:		
tt_content.toctoc_comments_pil.useCaptcha.I.0	None		
tt_content.toctoc_comments_pil.useCaptcha.I.1	sr_freecap clone		
tt_content.toctoc_comments_pil.useCaptcha.I.2	recaptcha clone		
tt_content.toctoc_comments_pil.commentingClosed	Commenting closed for this plugin-instance		
tt_content.toctoc_comments_pil.commentingUserStats	Enable/Disable Userstatistics for this plugin-instance		

## Frontend, Report bad comments form

XML Label	Text in English	Used in/Purpose	Marker ?
commentreport.error.required.fieldcorrect	This field is required to be filled out correctly!		
commentreport.error_cannot_get_info	Internal error: unable to decode internal information		
commentreport.error_cannot_get_comment	Unable to retrieve comment		
commentreport.report_subject	Notification about bad comment		
commentreport.error_bad_email	Bad email address		
commentreport.text_from	Your name:		
commentreport.text_text	Your complaint:		
commentreport.text_thankyou	Thank you! Your message has been sent.		
commentreport.text_inappropriate	The following comment was reported as inappropriate		
commentreport.text_complaint	Complaint		

XML Label	Text in English	Used in/Purpose	Marker ?
commentreport.text_sentby	Complaint has been Sent by	toctoc_comment_lib.php: showReportForm (Bad comments reporting)	
comments_report.report_link_title	Report this comment		

## Frontend, Error messages

XML Label	Text in English	Used in/Purpose	Marker ?
error.required.field	This field is required!	toctoc_comment_lib.php: processReportForm, processSubmission_validate	
error_too_many_spam_points	Message cannot be posted because it looks like spam.	toctoc_comment_lib.php: processSubmission	
error.invalid.email	Email is incorrect	toctoc_comment_lib.php: processReportForm, processSubmission_validate	
error.invalid.useremail	No Email defined on your account - to enable posting please add a valid email to your account or ask your administrator for help	toctoc_comment_lib.php: form, processSubmission_validate	
error.wrong.captcha	The code is incorrect	toctoc_comment_lib.php processReportForm	
error.empty.field	Field must not be empty		
requires.approval	Notice: your message has been recorded and will appear as soon as it is approved by moderator.		
error.double.post	This message is already posted. If you do not see it, it may be waiting moderator's approval.	toctoc_comment_lib.php processSubmission	
error.no.ts.template	Message from "toctoc_comments" extension: it appears that extension's TypeScript template is not added to main TypeScript template. Please, read "Administration" section of the manual in order to see how to add the extension's TypeScript template to main TypeScript template.	class.toctoc_comments_pil.php: main	
error	Error	toctoc_comment_lib.php: form_wrapError	
error.undefined.foreign.table	Foreign table with prefixID %d and externalPrefix %s is not defined	class.toctoc_comments_pil.php: main	

XML Label	Text in English	Used in/Purpose	Marker ?
error.prefix.table	toctoc_comments did not find an external prefix for this record: %s	class.toctoc_comments_pi1.php: main	
error.no.css.defaulttheme	Missing default CSS-theme		
error.no.css.themetxt	Missing theme definition file		
error.no.css.theme	Missing CSS-theme	toctoc_comments_pi1.php: checkCSSTheme	
error.automaticcidfail	The content element ID containing the plugin could not be found automatically. The reason for this might be the settings of TS Options UseMainColPos (%) or UseTemplavoilaField (%s). Please read the FAQ and related information in the manual.		

## Email notifications for admin

XML Label	Text in English	Used in/Purpose	Marker ?
email.subject	Notification about new comment		
email.textresponsetothecomment	Response to the comment as administrator:		
email.textnewcomment	New comment was posted to		
email.textrequiresyourapproval	It requires your approval to appear on the web site		
email.textnotrequiresyourapproval	It does not require your approval		
email.textitgot	It got		
email.textpostedfromip	Posted from IP		
email.textspampoints	spam points		
email.textapprovecomment	Approve the comment		
email.textdeletecomment	Delete the comment		
email.textkillcomment	Remove the comment from the database permanently		
email.textdeleteblock	Delete the comment and block IP address		
email.textkillblock	Remove the comment from the database permanently and block IP address		
email.approvaemail	Comment approval		
email.notificationemail	Comment notification		
email.commentatoremail	Notification about new comment on your comment		
email.commentingsystem	Commenting System	toctoc_comment_lib.php: used for emails, see markers in the templates	
email.commenthasattachment	Comment has attachment		



XML Label	Text in English	Used in/Purpose	Marker ?
email.noattachmentforcomment	No attachment for this comment		
email.attachment_mmnotfounderror	Database error: No data found for attachment_mm.uid		
email.attachment_webpagepreview	Web page preview attachment		
email.attachment_pdfpicture	Picture or PDF attachment		
email.attachment_video	Videolink attachment		
email.attachment_nohtml5picture	HTML5-Video has no preview picture		
email.textdenotifycomment	Cancel notifications for new comments on your comment	Notification email, link for user where he can cancel notifications	
email.textrequirescoi	The comment will be shown only after Confirmed Opt-In has been made by the user.		

## Frontend, Commenting, Picture browsing, form fields

XML Label	Text in English	Used in/Purpose	Marker ?
commenting.closed	Commenting is closed for this item	toctoc_comment_lib.php: commentingClosed, flexform_ds_advanced.xml	
pil_template.previous	Previous		
pil_template.next	Next		
pil_template.nopreviewpics	Hide preview images	toctoc_comment_lib.php form, for the web page preview picture zone	
pil_template.add_comment	Add comment		
pil_template.add_comment_top	Comment		
pil_template.add_comment_title	leave a comment		
pil_template.add_emoji	Add emoji or internal smileie to comment		
pil_template.close_emoji	Close emoji panel here		
pil_template.required_field	- required field		
pil_template.first_name	First name:		
pil_template.last_name	Last name:		
pil_template.image	Image:		
pil_template.email	Email:		
pil_template.web_site	Web site:		
pil_template.location	Location:		
pil_template.submit	Submit		
pil_template.deletelink	Delete Comment		
pil_template.denotifylink	Disable Notification on new comments		
pil_template.reset	Reset		

XML Label	Text in English	Used in/Purpose	Marker ?
pil_template.enter_code	Enter the captcha:		
pil_template.content	Content:		
pil_template.textcommentlink	Comment:		

## Frontend, used in JavaScript-Dialogs

XML Label	Text in English	Used in/Purpose	Marker ?
pil_template.texterrorlength	The comment must contain %ld characters at least		
pil_template.texterrornull	Please enter a comment		
pil_template.deletecommentconfirm	Do you really want to delete this comment?		
pil_template.dialogboxclose	Close		
pil_template.confirm	Please confirm		
pil_template.ok	Ok		
pil_template.information	Information		

## Frontend, Comments browser

XML Label	Text in English	Used in/Purpose	Marker ?
pil_template.commentsbrowse.older_rows_available	older comments		
pil_template.commentsbrowse.older_row_available	older comment		
pil_template.commentsbrowse.show_older_rows_text	Show		
pil_template.commentsbrowse.hide_older_rows_text	Hide older comments		

## Frontend, some more Captcha-labels

XML Label	Text in English	Used in/Purpose	Marker ?
pil_template.captchaInputNeeded	Please resolve this Captcha		
pil_template.captchaInputNeededErrMsg	Please enter the letters from the picture		
pil_template.captcha_cant_read	Click here if you want a new captcha		

## Frontend, date display

XML Label	Text in English	Used in/Purpose	Marker ?
pil_template.timeconv.hour	hour		
pil_template.timeconv.minute	minute		
pil_template.timeconv.year	year		
pil_template.timeconv.month	month		
pil_template.timeconv.week	week		
pil_template.timeconv.day	day		
pil_template.timeconv.second	second		

XML Label	Text in English	Used in/Purpose	Marker ?
<code>pil_template.timeconv.hours</code>	hours		
<code>pil_template.timeconv.minutes</code>	minutes		
<code>pil_template.timeconv.years</code>	years		
<code>pil_template.timeconv.months</code>	months		
<code>pil_template.timeconv.weeks</code>	weeks		
<code>pil_template.timeconv.days</code>	days		
<code>pil_template.timeconv.seconds</code>	seconds		
<code>pil_template.timeconv.textbefore</code>	-		
<code>pil_template.timeconv.textafter</code>	ago		

## Frontend, user card / Email, commentator information

XML Label	Text in English	Used in/Purpose	Marker ?
<code>pil_template.uc.contact</code>	Contact information		
<code>pil_template.uc.livesin</code>	lives in		
<code>pil_template.uc.comments</code>	Comments:		
<code>pil_template.uc.rateditems</code>	Ratings:		
<code>pil_template.uc.averagerating</code>	Average rating:		
<code>pil_template.uc.likes</code>	Likes:		
<code>pil_template.uc.joined</code>	Joined:		
<code>pil_template.uc.lastactivity</code>	Last activity:		
<code>pil_template.uc.stats</code>	Statistics about rating, likes and dislikes		
<code>pil_template.uc.dislikes</code>	Dislikes		
<code>pil_template.uc.lastIP</code>	last IP:		
<code>pil_template.uc.IPinfo</code>	Information about the IP of the user		
<code>pil_template.uc.noucoptions</code>	Nothing to display (all Usercard options are turned off)		
<code>pil_template.uc.nodata</code>	No data to display		
<code>pil_template.uc.herepostingas</code>	here posting as		
<code>pil_template.informationaboutcommentator</code>	Information about the commentator		

## Frontend, replies on comments by admin or users

XML Label	Text in English	Used in/Purpose	Marker ?
<code>pil_template.entercommentoncomment</code>	Your comment will be a reply on the following comment:		
<code>pil_template.admincommenttitle</code>	Our reply to your comment:	Administrator response	
<code>pil_template.replytocomment</code>	Reply		
<code>pil_template.closereply</code>	Cancel reply		

## Frontend, Icon tip texts

XML Label	Text in English	Used in/Purpose	Marker ?
<code>pil_template.closepreview</code>	Close webpage preview		
<code>pil_template.closecommentpreview</code>	Close comment preview		
<code>pil_template.editlink</code>	Edit		
<code>pil_template.canceleditcomment</code>	Cancel editing		
<code>pil_template.savecomment</code>	Save edits		
<code>pil_template.expand</code>	Expand Comments		
<code>pil_template.collapse</code>	Collapse Comments		
<code>pil_template.usemaleavatar</code>	Use male avatar for my comments		
<code>pil_template.usefemaleavatar</code>	Use lady avatar for my comments		

## Frontend, comment cropping in comments list

XML Label	Text in English	Used in/Purpose	Marker ?
<code>pil_template.showmore</code>	show more ...		
<code>pil_template.clicktoshowtherest</code>	Click to show the rest of this comment		

## Frontend, web page preview

XML Label	Text in English	Used in/Purpose	Marker ?
<code>pil_template.txtimage</code>	image found		
<code>pil_template.txtimages</code>	images found		
<code>pil_template.awaitgoogle</code>	Awaiting reply from Google		
<code>pil_template.xmllang</code>	de-DE	Used in scanner	
<code>pil_template.loadingpreview</code>	Loading preview ...		
<code>pil_template.notitle</code>	Title not available		
<code>pil_template.nodescription</code>	No description available		

## Frontend, image upload

XML Label	Text in English	Used in/Purpose	Marker ?
<code>pil_template.closeimageupload</code>	Cancel image upload	Part of the subtemplate for uploading images	TXTCLSFUP
<code>pil_template.closepdfupload</code>	Cancel pdf upload		
<code>pil_template.tippimageupload</code>	Preview of your uploaded image		TXTTIPPUP
<code>pil_template.imageuploadfiletoobig</code>	File is too big		
<code>pil_template.imageuploadfiletypeerror</code>	File must be png, jpg or gif		
<code>pil_template.imageuploadfiletypeerrorpdf</code>	File must be pdf		
<code>pil_template.imageuploadpic</code>	Upload photo		
<code>pil_template.imagedescribe</code>	Describe photo	Watermark	
<code>pil_template.pdfdescribe</code>	Describe pdf		

## Frontend, Link to bad comments form

XML Label	Text in English	Used in/Purpose	Marker ?
pi1_template.textyourcomplaint	This is the bad comment you want to report		

## Frontend, Email notification

XML Label	Text in English	Used in/Purpose	Marker ?
pi1_template.notificationforcommentator	Email Notification:		
pi1_template.notificationforcommentator_desc	Notify me on new comments		

## Frontend, Comments counter

XML Label	Text in English	Used in/Purpose	Marker ?
pi1_template.commentsavailable	comments available	comments	###COMMENTS COUNT###
pi1_template.commentavailable	comment available		
pi1_template.postsavailable	main comments available		
pi1_template.postavailable	main comment available		

## Frontend, Comments in communities, preview comment, fe\_users status, integrity check-messages

XML Label	Text in English	Used in/Purpose	Marker ?
pi1_template.via	via	comments in community walls	###NAMEPART ###
pi1_template.fe_users.isonline	Online		
pi1_template.fe_users.you	You		
pi1_template.textmessagecannotdelete	Comment cannot be deleted, child comments already exist		
pi1_template.textmessagecannotinsert	Comment cannot be inserted, the comment you are replying on has been removed		
pi1_template.previewcomment	Preview Comment		
pi1_template.playvideo	Play video		

## Top ratings

XML Label	Text in English	Used in/Purpose	Marker ?
pi1_template.text_no_topratings	No top ratings found		
pi1_template.text_topratings	Top %s ratings		
pi1_template.text_topratings_conf0	ILikes in the last		
pi1_template.text_topratings_conf1	Votes in the last		
pi1_template.text_topratings_conf2	Votes and Likes together in the last		
pi1_template.text_topratings_conf3	Likes and Votes together in the last		

XML Label	Text in English	Used in/Purpose	Marker ?
pil_template.text_topratings_minimumvotesrequired	minimum of votes required		
pil_template.text_topratings_likes	Likes		
pil_template.text_topratings_dislikes	Dislikes		
pil_template.text_topratings_rating	Rating		
pil_template.text_topratings_allratedrecords	all rated records		
pil_template.text_topratings_pagecontent	on page content		
pil_template.text_topratings_comments	on comments		
pil_template.text_topratings_calalign	Results are calculated as if %s votes would have been given to each item, added votes have overall average of		

## eid HTML pages

XML Label	Text in English	Used in/Purpose	Marker ?
eid_template.titleprocessing	Processing		
eid_template.pleasewaitprocessing	Please wait, processing ...		
eid_template.processingdone	Processing finished		
eid_template.messagesettype	Comments administration		

## Frontend, No comments message

XML Label	Text in English	Used in/Purpose	Marker ?
text_no_comments	No comments		
text_share	Share		

## Frontend, sharing

XML Label	Text in English	Used in/Purpose	Marker ?
text_share_this_page	Share this page		
text_share_datatext	Found this comments on		
text_share_title	Share this on your social network		

## Frontend, voting

XML Label	Text in English	Used in/Purpose	Marker ?
api_rating.vote	vote		
api_rating	%1\$.1f of %2\$d		
api_rating.votes	votes		
api_not_rated	Not rated yet.		
api_submitting	Submitting your vote...		
api_already_rated	You have already rated here.		
api_rating.votescopeoveraall	Overall		
api_rating.votescopeoveraalldesc	Overall assessment of the scoped reviews		

XML Label	Text in English	Used in/Purpose	Marker ?
api_tip	Click on a star to send your rating.		
api_tipstar_1	Really don't like it		
api_tipstar_2	I dislike it		
api_tipstar_3	bad		
api_tipstar_4	quite bad		
api_tipstar_5	below ok		
api_tipstar_6	It's ok		
api_tipstar_7	above ok		
api_tipstar_8	nice		
api_tipstar_9	very nice		
api_tipstar_10	I really like it		
api_tipstar_11	I love it		
api_yourrating	Your rating:		

## Frontend, iLike / iDislike

XML Label	Text in English	Used in/Purpose	Marker ?
api_likemaybe	I like		
api_like	Like		
api_likethis	Stop like this		
api_ilike	I like		
api_ilike_topline_onelike	Like		
api_ilike_topline_oneunlike	Unlike		
api_ilike_you	You		
api_ilike_you_lat	You	Toi/Tu	
api_ilike_and	and		
api_ilike_others	others		
api_ilike_otheruser	other user	Used in the tiptext about other users for iLike or iDislike – single person form	
api_ilike_otherusers	other users	Used in the tiptext about other users for iLike or iDislike – more than 1 person form	
api_ilike_another	another user		
api_ilike_likethis	like this		
api_ilike_likethis	likes this		
api_ilike_likethis_lat_tu	like this		
api_ilike_like	like		
api_ilike_like_lat_tu	like		
api_ilike_likethis_fem	like this		
api_ilike_likethis_fem	likes this		
api_ilike_likethis_femplur	like this		

XML Label	Text in English	Used in/Purpose	Marker ?
api_iline_likethis_femplur	likes this		
api_dislikemaybe	I dislike	Same for disliking	
api_dislike	Dislike		
api_idislikethis	Stop dislike this		
api_idislike	I dislike		
api_idislike_topline_onelike	Dislike		
api_idislike_topline_oneunlike	Undislike		
api_idislike_likethis	dislike this		
api_idislike_likethis	dislikes this		
api_idislike_likethis_lat_tu	dislike this		
api_idislike_likethis_fem	dislike this		
api_idislike_likethis_fem	dislikes this		
api_idislike_likethis_femplur	dislike this		
api_idislike_likethis_femplur	dislikes this		

### like / iDislike for normal commenting, top area of the comments list

XML Label	Text in English	Used in/Purpose	Marker ?
api_toppageslikemaybe	I like		
api_toppageslike	Like		
api_toppagesilikethis	Stop like this		
api_toppagesilike	I like		
api_toppagesdislikemaybe	I dislike		
api_toppagesdislike	Dislike		
api_toppagesidislikethis	Stop dislike this		
api_toppagesidislike	I dislike		
api_iline_pagestopline_onelike	Like		
api_iline_pagestopline_oneunlike	Unlike		
api_idislike_pagestopline_onelike	Dislike		
api_idislike_pagestopline_oneunlike	Undislike		

### like / iDislike for commenting on news, top area of the comments list

XML Label	Text in English	Used in/Purpose	Marker ?
api_toptx_tnewslikemaybe	I like these news		
api_toptx_tnewslike	Like news		
api_toptx_tnewsilikethis	Stop like these news		
api_toptx_tnewsilike	I like these news		
api_toptx_tnewsdislikemaybe	I dislike this news		
api_toptx_tnewsdislike	Dislike news		
api_toptx_tnewsidislikethis	Stop dislike this news		
api_toptx_tnewsidislike	I dislike this news		
api_toptx_tnewsitem	news		
api_iline_tx_tnewstopline_onelike	Like news		
api_iline_tx_tnewstopline_oneunlike	Unlike news		
api_idislike_tx_tnewstopline_onelike	Dislike news		



XML Label	Text in English	Used in/Purpose	Marker ?
api_idislike_tx_tnewstopline_oneunlike	Undislike news		

## like / iDislike for commenting on products, top area of the comments list

XML Label	Text in English	Used in/Purpose	Marker ?
api_toptt_productslikemaybe	I like the product		
api_toptt_productslike	Like product		
api_toptt_productsilikethis	Stop like this product		
api_toptt_productsilike	I like the product		
api_toptt_productsdislikemaybe	I don't like this product		
api_toptt_productsdislike	Dislike product		
api_toptt_productsdislikethis	Stop dislike this product		
api_toptt_productsdislike	I dislike the product		
api_toptt_productsitem	product		
api_ilike_tt_productstopline_onelike	Like product		
api_ilike_tt_productstopline_oneunlike	Unlike product		
api_idislike_tt_productstopline_onelike	Dislike product		
api_idislike_tt_productstopline_oneunlike	Undislike product		

## like / iDislike for commenting on images by extension tx\_album3x\_pi1, top area of the comments list

XML Label	Text in English	Used in/Purpose	Marker ?
api_toptx_album3x_pillikemaybe	I like this image		
api_toptx_album3x_pillike	Like image		
api_toptx_album3x_pililikethis	Stop like this image		
api_toptx_album3x_pililike	I like this image		
api_toptx_album3x_pildislikemaybe	I dislike this image		
api_toptx_album3x_pildislike	Dislike image		
api_toptx_album3x_pilidislikethis	Stop dislike this image		
api_toptx_album3x_pilidislike	I dislike this image		
api_toptx_album3x_piliitem	image		
api_ilike_tx_album3x_piltopline_onelike	Like image		
api_ilike_tx_album3x_piltopline_oneunlike	Unlike image		
api_idislike_tx_album3x_piltopline_onelike	Dislike image		
api_idislike_tx_album3x_piltopline_oneunlike	Undislike image		

## like / iDislike for commenting on persons, top area of the comments list

XML Label	Text in English	Used in/Purpose	Marker ?
api_toptx_wecstaffdirectory_pillikemaybe	I like this person		
api_toptx_wecstaffdirectory_pillike	Like person		
api_toptx_wecstaffdirectory_pililikethis	Stop like this person		
api_toptx_wecstaffdirectory_pililike	I like this person		
api_toptx_wecstaffdirectory_pildislikemaybe	I dislike this person		
api_toptx_wecstaffdirectory_pildislike	Dislike person		
api_toptx_wecstaffdirectory_pilidislikethis	Stop dislike this person		

XML Label	Text in English	Used in/Purpose	Marker ?
api_toptx_wecstaffdirectory_pilidislike	I dislike this person		
api_toptx_wecstaffdirectory_pilitem	person		
api_ilike_tx_wecstaffdirectory_piltopline_onelike	Like person		
api_ilike_tx_wecstaffdirectory_piltopline_oneunlike	Unlike person		
api_idislike_tx_wecstaffdirectory_piltopline_onelike	Dislike person		
api_idislike_tx_wecstaffdirectory_piltopline_oneunlike	Undislike person		

## like / iDislike for commenting on girls, top area of the comments list

XML Label	Text in English	Used in/Purpose	Marker ?
api_toptx_rougellikemaybe	I like this girl		
api_toptx_rougellike	Like girl		
api_toptx_rougelilikethis	Stop like this girl		
api_toptx_rougelilike	I like this girl		
api_toptx_rougeldislikemaybe	I dislike this girl		
api_toptx_rougeldislike	Dislike girl		
api_toptx_rougeldislikethis	Stop dislike this girl		
api_toptx_rougeldislike	I dislike this girl		
api_toptx_rougeitem	girl		
api_ilike_tx_rougetopline_onelike	Like girl		
api_ilike_tx_rougetopline_oneunlike	Unlike girl		
api_idislike_tx_rougetopline_onelike	Dislike girl		
api_idislike_tx_rougetopline_oneunlike	Undislike girl		

## Email, Commentator notification

XML Label	Text in English	Used in/Purpose	Marker ?
commentatorEmail.subject	New Comment on %s		
commentatorEmail.notificationsentto	Notification sent to		
commentatorEmail.salutation	Hello		
commentatorEmail.salutationformal	Dear		
commentatorEmail.message	Someone has added a new comment. Use the link below to get to the page and read it.		

## Frontend, recent comments list

XML Label	Text in English	Used in/Purpose	Marker ?
comments_recent.pages	Webpage		
comments_recent.tt_content	Content		
comments_recent.tx_toccomments_comments	Comment		
comments_recent.tt_news	News		

XML Label	Text in English	Used in/Purpose	Marker ?
comments_recent.tt_products	Product		
comments_recent.tx_wecstaffdirectory_info	Person		
tt_content.toctoc_comments_pil.recentcommentsPluginRecords	Associated records to show for the selected pages containing plugins		
tt_content.toctoc_comments_pil.recentcommentsPluginpages	List of pages where a record of a contained plugin should be shown		
tt_content.toctoc_comments_pil.restrictToCustomExternalPrefix	Custom triggering prefix for recent comments		

## Use in other extensions

Extension authors can place calls to *toctoc\_comments* anywhere in their PHP-code where they want their records being commented or rated.

You call *toctoc\_comments* in “hook-mode”.

You can render the plugin directly to a marker in your code and then display the marker.

*toctoc\_comments* can be called with the uid of your record and your extensions externalPrefix (Key of “Plug-in-to-Table map”)

In TS-Setup of your extension you can overwrite the default setup of *toctoc\_comments*

```
tx_yourextension_pil.toctoc_comments {
    (place usual toctoc_comments TS Setup here)
}
```

In your PHP-Code, where you want to get the Plugins output, the following conditions must be met:

1. You need a cObj if you don't have one yet:

```
$this->cObj = t3lib_div::makeInstance('t3lib_cObj');
$this->cObj->start('', '');
```

2. Check if toctoc\_Comments is installed and loaded

```
if (t3lib_extMgm::isLoaded('toctoc_comments')) { ...
```

3. Make sure that a Plugin-to-Table map exists for your extension in table

```
$where = 'pil_table="" . $your_extension_recordtable .""';
$rows = $GLOBALS['TYP03_DB']->exec_SELECTgetRows(
    'tx_toctoc_comments_prefixtotable.pil_key AS pil_key,
    tx_toctoc_comments_prefixtotable.pil_table AS pil_table',
    'tx_toctoc_comments_prefixtotable',
    $where,
    '',
    '',
    ''
);

if (count($rows)>0) {
    // Plug-to-table map exists already
} else {
    // Insert your record
    ...
}
```

If this is ok, the following code will call the output of a *toctoc\_comments* plugin instance:

```
// Make a reference on toctoc_comments pil-PHP-file
include_once (t3lib_extMgm::extPath('toctoc_comments',
'pil/class.toctoc_comments_pil.php'));
$lib = new tx_toctoccomments_pil;

//Get the default configuration of toctoc_comments
$conftc=array();
$conftc= $GLOBALS['TSFE']->tmpl->setup['plugin.']['tx_toctoccomments_pil.'];

// In your extension you can set TS-Options for toctoc_comments
// In TypoScript Setup this can be done by setting up
// tx_yourextension.toctoc_comments {
//     externalPrefix = your Plugin-to-table-map-Key
//     advanced {...}
// }
// Also, in PHP-code you can setup the values in your $pObj->conf['toctoc_comments.']
directly

if (is_array($pObj->conf['toctoc_comments.'])) {
    // merge default configuration and your extensions configuration

    $conftc = array_replace_recursive($conftc, $pObj->conf['toctoc_comments.']);
}

// $row['uid'] is the record you want to let make comments or ratings on

$toctocHTML = $lib->main($content, $conftc, 'tx_your_extension', $row['uid'],$this->cObj);

// $content can be an empty string
```

## Example: Patching *tt\_products* for *toctoc\_comments* display in LIST-View:

In view/class.tx\_ttproducts\_list\_view.php

In function &printView find

```
$markerArray['###FORM_NAME###'] = $formName.$formCount;
```

After this insert:

```
// toctoc_comments marker

include_once (t3lib_extMgm::extPath('toctoc_comments',
'pil/class.toctoc_comments_pil.php'));

$lib = new tx_toctoccomments_pil;

$conftc=array();

$conftc= $GLOBALS['TSFE']->tmpl->setup['plugin.']['tx_toctoccomments_pil.'];

if (is_array($this->conf['toctoc_comments.'])) {
    // merge default configuration and your extensions toctoc_comments configuration

    $conftc = array_replace_recursive($conftc, $this->conf['toctoc_comments.']);
}
// take the uid from somewhere...here's a not so very standard way to obtain it in
tt_news...
$arrwithuid = explode('tt_products','list',",$markerArray['###PRODUCT_SIZE_FUNCTION1###']);
$arrwithuid2= explode('',$arrwithuid[1]);
$ttuid=intval($arrwithuid2[0]);

if ($ttuid>0) {
    $content='';
    $toctocHTML = $lib->main($content, $conftc, 'tt_products', $ttuid,$this->pibase-
>cObj);
```

```
}  
  
$markerArray['###TOCTOCCOMMENTS###'] = $toctocHTML;
```

// toctoc\_comments marker, done

Now, in your `products_xx.html` template for *tt\_products*, you can use marker `###TOCTOCCOMMENTS###` in subtemplate `###ITEM_SINGLE###` of `###ITEM_LIST###` (where the products list is rendered)