

# EXT: AJAX Social Network Components, developer manual

Extension Key: toctoc\_comments

Language: en

Version: 3.5.0.

Keywords: forDeveloper, translation, marker

Copyright 2012-2013, Gisèle Wendl, gisele.wendl@toctoc.ch

This document is published under the Open Content License  
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3

- a GNU/GPL CMS/Framework available from [www.typo3.org](http://www.typo3.org)

# Table of Contents

## EXT: AJAX Social Network

### Components, developer manual.....1

#### Developers manual V.1.1.0.....3

##### What's in this manual .....3

#### pi1/locallang.xml.....4

##### Backend, general.....4

##### Backend, Plugin.....4

##### Frontend, Report bad comments form.....6

##### Frontend, Error messages.....6

##### Email notifications for admin.....7

##### Frontend, Commenting, Picture browsing, form

##### fields.....8

##### Frontend, used in JavaScript-Dialogs.....9

##### Frontend, Comments browser.....9

##### Frontend, some more Captcha-labels.....9

##### Frontend, date display.....10

##### Frontend, user card / Email, commentator

##### information.....10

##### Frontend, replies on comments by admin or users. 11

##### Frontend, Icon tip texts.....11

##### Frontend, comment cropping in comments list.....11

##### Frontend, web page preview.....11

##### Frontend, image upload.....11

##### Frontend, Link to bad comments form.....12

##### Frontend, Email notification.....12

##### Frontend, Comments counter.....12

##### Frontend, Comments in communities, preview

##### comment, fe\_users status, integrity check-messages

##### .....12

##### eid HTML pages.....13

##### Frontend, No comments message.....13

##### Frontend, sharing.....13

##### Frontend, voting.....13

##### Frontend, iLike / iDislike.....13

##### Email, Commentator notification.....17

##### Frontend, recent comments list.....17

### Use in other extensions.....17

##### Example: Patching tt\_products for

##### toctoc\_comments display in LIST-View:.....18

### Tutorial.....20

# Developers manual V.1.1.0

## What's in this manual

In this manual developers find a map of the language label in `pi1/locallang.xml`.

This is also useful for translators – the big language labels file `locallang.xml` is explained in chapters, additional info on some items may help for translation.

In section “Use in other extensions” you find how to implement a call for *toctoc\_comments* in PHP

The manual is under construction still and more content will be added on every version of *toctoc\_comments*

# pi1/locallang.xml

The xml-file contains labels used in the frontend and some labels used in the backend

## Backend, general

XML Label	Text in English	Used in/Purpose	Marker ?
tt_content.list_type_pi1	AJAX Social Network Components	Backend	
pi1_plus_wiz_description	AJAX Social Network Components for content elements and records (news, products and more)	plugin title/description in Backend	

## Backend, Plugin

XML Label	Text in English	Used in/Purpose	Marker ?
sheet.general	General	Sheets of the plugin	
sheet.advanced	Advanced		
sheet.spamprotect	Anti-spam		
sheet.ratings	Rating options		
sheet.attachments	Attachments		
tt_content.toctoc_comments_pi1.code	Mode:		
tt_content.toctoc_comments_pi1.code.I.0	Normal		
tt_content.toctoc_comments_pi1.code.I.1	Recent comments		
tt_content.toctoc_comments_pi1.code.I.2	Report bad comment		
tt_content.toctoc_comments_pi1.code.I.u	Check the plugin configuration		
tt_content.toctoc_comments_pi1.restrictToExternalPrefix	Restrict to triggering prefix:		
tt_content.toctoc_comments_pi1.restrictToExternalPrefix.I.0	All		
tt_content.toctoc_comments_pi1.restrictToExternalPrefix.I.1	Only Pages		
tt_content.toctoc_comments_pi1.restrictToExternalPrefix.I.2	Custom prefix		
tt_content.toctoc_comments_pi1.usets	Use TypoScript setting		
tt_content.toctoc_comments_pi1.useno	No		
tt_content.toctoc_comments_pi1.useyes	Yes		
tt_content.toctoc_comments_pi1.storage.page	Store records at page:		
tt_content.toctoc_comments_pi1.trigger.prefix	Triggering prefix:		
tt_content.toctoc_comments_pi1.optionalRecordIdTrigger	optional Record:		
tt_content.toctoc_comments_pi1.template_file	Template file for comments:		
tt_content.toctoc_comments_pi1.templatereatingsfile	Template file for ratings:		
tt_content.toctoc_comments_pi1.useVotes	use voting and show rating stars		
tt_content.toctoc_comments_pi1.useMyVote	use "My vote"		
tt_content.toctoc_comments_pi1.userStats	Enable User Statistics		

XML Label	Text in English	Used in/Purpose	Marker ?
tt_content.toctoc_comments_pil.useLikeDislike	use iLike AND iDislike:		
tt_content.toctoc_comments_pil.useDislike	use or don't use iDislike:		
tt_content.toctoc_comments_pil.ratingsOnly	enable only Ratings:		
tt_content.toctoc_comments_pil.enableRatings	Enable ratings:		
tt_content.toctoc_comments_pil.useSharing	use Sharing:		
tt_content.toctoc_comments_pil.dontUseSharin gFacebook	don't use Sharing for Facebook:		
tt_content.toctoc_comments_pil.dontUseSharin gGoogle	don't use Sharing for Google+:		
tt_content.toctoc_comments_pil.dontUseSharin gTwitter	don't use Sharing for Twitter:		
tt_content.toctoc_comments_pil.dontUseSharin gLinkedIn	don't use Sharing for LinkedIn:		
tt_content.toctoc_comments_pil.dontUseSharin gStumbleupon	don't use Sharing for Stumbleupon:		
tt_content.toctoc_comments_pil.numberrecent comments	Number of recent comments to display:		
tt_content.toctoc_comments_pil.PreviewPicture Number	Index of preview picture (must exist, default is 0)		
tt_content.toctoc_comments_pil.useWebpagePr eview	Use attachment type webpage preview:		
tt_content.toctoc_comments_pil.topwebpagepr eviewlink	Optional webpage preview on top:		
toctoc_comments_pil.topwebpagepreview.wizar d	Use existing Webpage Preview:	flexform_ds_attach ments.xml, wizard	
tt_content.toctoc_comments_pil.commentsPerP age	Comments per page:		
tt_content.toctoc_comments_pil.closeComment sAfter	Close commenting after:		
tt_content.toctoc_comments_pil.requireApprov al	Require approval of each comment:		
tt_content.toctoc_comments_pil.checkTypicalS pam	Check for typical spam:		
tt_content.toctoc_comments_pil.considerRefere r	Check referrer:		
tt_content.toctoc_comments_pil.notificationEm ail	Send notification to this email:		
tt_content.toctoc_comments_pil.fromEmail	Send email from this address:		
tt_content.toctoc_comments_pil.emailTemplate	Template file for emails:		
tt_content.toctoc_comments_pil.useCaptcha	Use captcha:		
tt_content.toctoc_comments_pil.useCaptcha.I.0	None		
tt_content.toctoc_comments_pil.useCaptcha.I.1	sr_freecap clone		
tt_content.toctoc_comments_pil.useCaptcha.I.2	recaptcha clone		
tt_content.toctoc_comments_pil.commenting.cl osed	Commenting closed for this plugin-instance		
tt_content.toctoc_comments_pil.commenting.u serStats	Enable/Disable Userstatistics for this plugin-instance		

## Frontend, Report bad comments form

XML Label	Text in English	Used in/Purpose	Marker ?
commentreport.error.required.fieldcorrect	This field is required to be filled out correctly!		
commentreport.error_cannot_get_info	Internal error: unable to decode internal information		
commentreport.error_cannot_get_comment	Unable to retrieve comment		
commentreport.report_subject	Notification about bad comment		
commentreport.error_bad_email	Bad email address		
commentreport.text_from	Your name:		
commentreport.text_text	Your complaint:		
commentreport.text_thankyou	Thank you! Your message has been sent.		
commentreport.text_inappropriate	The following comment was reported as inappropriate		
commentreport.text_complaint	Complaint		
commentreport.text_sentby	Complaint has been Sent by	toctoc_comment_lib.php: showReportForm (Bad comments reporting)	
comments_report.report_link_title	Report this comment		

## Frontend, Error messages

XML Label	Text in English	Used in/Purpose	Marker ?
error.required.field	This field is required!	toctoc_comment_lib.php: processReportForm, processSubmission_validate	
error_too_many_spam_points	Message cannot be posted because it looks like spam.	toctoc_comment_lib.php: processSubmission	
error.invalid.email	Email is incorrect	toctoc_comment_lib.php: processReportForm, processSubmission_validate	
error.invalid.useremail	No Email defined on your account - to enable posting please add a valid email to your account or ask your administrator for help	toctoc_comment_lib.php: form, processSubmission_validate	
error.wrong.captcha	The code is incorrect	toctoc_comment_lib.php processReportForm	
error.empty.field	Field must not be empty		
requires.approval	Notice: your message has been recorded and will appear as soon as it is approved by moderator.		

XML Label	Text in English	Used in/Purpose	Marker ?
error.double.post	This message is already posted. If you do not see it, it may be waiting moderator's approval.	toctoc_comment_lib.php processSubmission	
error.no.ts.template	Message from "toctoc_comments" extension: it appears that extension's TypoScript template is not added to main TypoScript template. Please, read "Administration" section of the manual in order to see how to add the extension's TypoScript template to main TypoScript template.	class.toctoc_comments_pil.php: main	
error	Error	toctoc_comment_lib.php: form_wrapError	
error.undefined.foreign.table	Foreign table with prefixID %d and externalPrefix %s is not defined	class.toctoc_comments_pil.php: main	
error.prefix.table	toctoc_comments did not find an external prefix for this record: %s	class.toctoc_comments_pil.php: main	
error.no.css.defaulttheme	Missing default CSS-theme		
error.no.css.themetxt	Missing theme definition file		
error.no.css.theme	Missing CSS-theme	toctoc_comments_pil.php: checkCSSTheme	
error.automaticcidfail	The content element ID containing the plugin could not be found automatically. The reason for this might be the settings of TS Options UseMainColPos (%) or UseTemplavoilaField (%). Please read the FAQ and related information in the manual.		

## Email notifications for admin

XML Label	Text in English	Used in/Purpose	Marker ?
email.subject	Notification about new comment		
email.textresponsetothecomment	Response to the comment as administrator:		
email.textnewcomment	New comment was posted to		
email.textrequiresyourapproval	It requires your approval to appear on the web site		
email.textnotrequiresyourapproval	It does not require your approval		
email.textitgot	It got		
email.textpostedfromip	Posted from IP		
email.textspampoints	spam points		

XML Label	Text in English	Used in/Purpose	Marker ?
email.textapprovecomment	Approve the comment		
email.textdeletecomment	Delete the comment		
email.textkillcomment	Remove the comment from the database permanently		
email.textdeleteblock	Delete the comment and block IP address		
email.textkillblock	Remove the comment from the database permanently and block IP address		
email.approvaemail	Comment approval		
email.notificationemail	Comment notification		
email.commentatoremail	Notification about new comment on your comment		
email.commentingsystem	Commenting System	toctoc_comment_lib.php: used for emails, see markers in the templates	
email.commenthasattachment	Comment has attachment		
email.noattachmentforcomment	No attachment for this comment		
email.attachment_mmnotfounderror	Database error: No data found for attachment_mm.uid		
email.attachment_webpagepreview	Web page preview attachment		
email.attachment_pdfpicture	Picture or PDF attachment		
email.attachment_video	Videolink attachment		
email.attachment_nohtml5picture	HTML5-Video has no preview picture		
email.textdenotifycomment	Cancel notifications for new comments on your comment	Notification email, link for user where he can cancel notifications	

## Frontend, Commenting, Picture browsing, form fields

XML Label	Text in English	Used in/Purpose	Marker ?
commenting.closed	Commenting is closed for this item	toctoc_comment_lib.php: commentingClosed, flexform_ds_advanced.xml	
pil_template.previous	Previous		
pil_template.next	Next		
pil_template.nopreviewpics	Hide preview images	toctoc_comment_lib.php form, for the web page preview picture zone	
pil_template.add_comment	Add comment		
pil_template.add_comment_top	Comment		
pil_template.add_comment_title	leave a comment		
pil_template.required_field	- required field		



XML Label	Text in English	Used in/Purpose	Marker ?
<code>pil_template.first_name</code>	First name:		
<code>pil_template.last_name</code>	Last name:		
<code>pil_template.image</code>	Image:		
<code>pil_template.email</code>	Email:		
<code>pil_template.web_site</code>	Web site:		
<code>pil_template.location</code>	Location:		
<code>pil_template.submit</code>	Submit		
<code>pil_template.deletelink</code>	Delete Comment		
<code>pil_template.denotifylink</code>	Disable Notification on new comments		
<code>pil_template.reset</code>	Reset		
<code>pil_template.enter_code</code>	Enter the captcha:		
<code>pil_template.content</code>	Content:		
<code>pil_template.textcommentlink</code>	Comment:		

## Frontend, used in JavaScript-Dialogs

XML Label	Text in English	Used in/Purpose	Marker ?
<code>pil_template.texterrorlength</code>	The comment must contain %1\$d characters at least		
<code>pil_template.texterrornull</code>	Please enter a comment		
<code>pil_template.deletecommentconfirm</code>	Do you really want to delete this comment?		
<code>pil_template.dialogboxclose</code>	Close		
<code>pil_template.confirm</code>	Please confirm		
<code>pil_template.ok</code>	Ok		
<code>pil_template.information</code>	Information		

## Frontend, Comments browser

XML Label	Text in English	Used in/Purpose	Marker ?
<code>pil_template.commentsbrowse.older_rows_available</code>	older comments		
<code>pil_template.commentsbrowse.older_row_available</code>	older comment		
<code>pil_template.commentsbrowse.show_older_rows_text</code>	Show		
<code>pil_template.commentsbrowse.hide_older_rows_text</code>	Hide older comments		

## Frontend, some more Captcha-labels

XML Label	Text in English	Used in/Purpose	Marker ?
<code>pil_template.captchaInputNeeded</code>	Please resolve this Captcha		
<code>pil_template.captchaInputNeededErrMsg</code>	Please enter the letters from the picture		
<code>pil_template.captcha_cant_read</code>	Click here if you want a new captcha		

## Frontend, date display

XML Label	Text in English	Used in/Purpose	Marker ?
<code>pil_template.timeconv.hour</code>	hour		
<code>pil_template.timeconv.minute</code>	minute		
<code>pil_template.timeconv.year</code>	year		
<code>pil_template.timeconv.month</code>	month		
<code>pil_template.timeconv.week</code>	week		
<code>pil_template.timeconv.day</code>	day		
<code>pil_template.timeconv.second</code>	second		
<code>pil_template.timeconv.hours</code>	hours		
<code>pil_template.timeconv.minutes</code>	minutes		
<code>pil_template.timeconv.years</code>	years		
<code>pil_template.timeconv.months</code>	months		
<code>pil_template.timeconv.weeks</code>	weeks		
<code>pil_template.timeconv.days</code>	days		
<code>pil_template.timeconv.seconds</code>	seconds		
<code>pil_template.timeconv.textbefore</code>	-		
<code>pil_template.timeconv.textafter</code>	ago		

## Frontend, user card / Email, commentator information

XML Label	Text in English	Used in/Purpose	Marker ?
<code>pil_template.uc.contact</code>	Contact information		
<code>pil_template.uc.livesin</code>	lives in		
<code>pil_template.uc.comments</code>	Comments:		
<code>pil_template.uc.rateditems</code>	Ratings:		
<code>pil_template.uc.averagerating</code>	Average rating:		
<code>pil_template.uc.likes</code>	Likes:		
<code>pil_template.uc.joined</code>	Joined:		
<code>pil_template.uc.lastactivity</code>	Last activity:		
<code>pil_template.uc.stats</code>	Statistics about rating, likes and dislikes		
<code>pil_template.uc.dislikes</code>	Dislikes		
<code>pil_template.uc.lastIP</code>	last IP:		
<code>pil_template.uc.IPinfo</code>	Information about the IP of the user		
<code>pil_template.uc.noucoptions</code>	Nothing to display (all Usercard options are turned off)		
<code>pil_template.uc.nodata</code>	No data to display		
<code>pil_template.uc.herepostingas</code>	here posting as		
<code>pil_template.informationaboutcommentator</code>	Information about the commentator		

## Frontend, replies on comments by admin or users

XML Label	Text in English	Used in/Purpose	Marker ?
pi1_template.entercommentoncomment	Your comment will be a reply on the following comment:		
pi1_template.admincommenttitle	Our reply to your comment:	Administrator response	
pi1_template.replytocomment	Reply		
pi1_template.closereply	Cancel reply		

## Frontend, Icon tip texts

XML Label	Text in English	Used in/Purpose	Marker ?
pi1_template.closepreview	Close webpage preview		
pi1_template.closecommentpreview	Close comment preview		
pi1_template.editlink	Edit		
pi1_template.canceleditcomment	Cancel editing		
pi1_template.savecomment	Save edits		
pi1_template.expand	Expand Comments		
pi1_template.collapse	Collapse Comments		
pi1_template.usemaleavatar	Use male avatar for my comments		
pi1_template.usefemaleavatar	Use lady avatar for my comments		

## Frontend, comment cropping in comments list

XML Label	Text in English	Used in/Purpose	Marker ?
pi1_template.showmore	show more ...		
pi1_template.clicktoshowtherest	Click to show the rest of this comment		

## Frontend, web page preview

XML Label	Text in English	Used in/Purpose	Marker ?
pi1_template.txtimage	image found		
pi1_template.txtimages	images found		
pi1_template.awaitgoogle	Awaiting reply from Google		
pi1_template.xmllang	de-DE	Used in scanner	
pi1_template.loadingpreview	Loading preview ...		
pi1_template.notitle	Title not available		
pi1_template.nodedescription	No description available		

## Frontend, image upload

XML Label	Text in English	Used in/Purpose	Marker ?
pi1_template.closeimageupload	Cancel image upload	Part of the subtemplate for uploading images	TXTCLSFUP

XML Label	Text in English	Used in/Purpose	Marker ?
pil_template.closepdfupload	Cancel pdf upload		
pil_template.tippimageupload	Preview of your uploaded image		TXTTIPPUP
pil_template.imageuploadfiletobig	File is too big		
pil_template.imageuploadfiletypeerror	File must be png, jpg or gif		
pil_template.imageuploadfiletypeerrorpdf	File must be pdf		
pil_template.imageuploadpic	Upload photo		
pil_template.imagedescribe	Describe photo	Watermark	
pil_template.pdfdescribe	Describe pdf		

## Frontend, Link to bad comments form

XML Label	Text in English	Used in/Purpose	Marker ?
pil_template.textyourcomplaint	This is the bad comment you want to report		

## Frontend, Email notification

XML Label	Text in English	Used in/Purpose	Marker ?
pil_template.notificationforcommentator	Email Notification:		
pil_template.notificationforcommentator_desc	Notify me on new comments		

## Frontend, Comments counter

XML Label	Text in English	Used in/Purpose	Marker ?
pil_template.commentsavailable	comments available	comments	###COMMENTS COUNT###
pil_template.commentavailable	comment available		
pil_template.postsavailable	main comments available		
pil_template.postavailable	main comment available		

## Frontend, Comments in communities, preview comment, fe\_users status, integrity check-messages

XML Label	Text in English	Used in/Purpose	Marker ?
pil_template.via	via	comments in community walls	###NAMEPART ###
pil_template.fe_users.isonline	Online		
pil_template.fe_users.you	You		
pil_template.textmessagecannotdelete	Comment cannot be deleted, child comments already exist		
pil_template.textmessagecannotinsert	Comment cannot be inserted, the comment you are replying on has been removed		
pil_template.previewcomment	Preview Comment		
pil_template.playvideo	Play video		

## eid HTML pages

XML Label	Text in English	Used in/Purpose	Marker ?
eid_template.titleprocessing	Processing		
eid_template.pleasewaitprocessing	Please wait, processing ...		
eid_template.processingdone	Processing finished		
eid_template.messagestype	Comments administration		

## Frontend, No comments message

XML Label	Text in English	Used in/Purpose	Marker ?
text_no_comments	No comments		
text_share	Share		

## Frontend, sharing

XML Label	Text in English	Used in/Purpose	Marker ?
text_share_this_page	Share this page		
text_share_datatext	Found this comments on		
text_share_title	Share this on your social network		

## Frontend, voting

XML Label	Text in English	Used in/Purpose	Marker ?
api_rating.vote	vote		
api_rating	%1\$.1f of %2\$d		
api_rating.votes	votes		
api_not_rated	Not rated yet.		
api_submitting	Submitting your vote...		
api_already_rated	You have already rated here.		
api_tip	Click on a star to send your rating.		
api_yourrating	Your rating:		

## Frontend, iLike / iDislike

XML Label	Text in English	Used in/Purpose	Marker ?
api_likemaybe	I like		
api_like	Like		
api_likethis	Stop like this		
api_ilike	I like		
api_ilike_topline_onelike	Like		
api_ilike_topline_oneunlike	Unlike		
api_ilike_you	You		
api_ilike_you_lat	You	Toi/Tu	
api_ilike_and	and		

XML Label	Text in English	Used in/Purpose	Marker ?
api_iline_others	others		
api_iline_otheruser	other user	Used in the tiptext about other users for iLike or iDislike – single person form	
api_iline_otherusers	other users	Used in the tiptext about other users for iLike or iDislike – more than 1 person form	
api_iline_another	another user		
api_iline_likethis	like this		
api_iline_likethis	likes this		
api_iline_likethis_lat_tu	like this		
api_iline_like	like		
api_iline_like_lat_tu	like		
api_iline_likethis_fem	like this		
api_iline_likethis_fem	likes this		
api_iline_likethis_femplur	like this		
api_iline_likethis_femplur	likes this		
api_dislikemaybe	I dislike	Same for disliking	
api_dislike	Dislike		
api_idislikethis	Stop dislike this		
api_idislike	I dislike		
api_idislike_topline_onelike	Dislike		
api_idislike_topline_oneunlike	Undislike		
api_idislike_likethis	dislike this		
api_idislike_likethis	dislikes this		
api_idislike_likethis_lat_tu	dislike this		
api_idislike_likethis_fem	dislike this		
api_idislike_likethis_fem	dislikes this		
api_idislike_likethis_femplur	dislike this		
api_idislike_likethis_femplur	dislikes this		

## like / iDislike for normal commenting, top area of the comments list

XML Label	Text in English	Used in/Purpose	Marker ?
api_toppageslikemaybe	I like		
api_toppageslike	Like		
api_toppagesilikethis	Stop like this		
api_toppagesilike	I like		
api_toppagesdislikemaybe	I dislike		
api_toppagesdislike	Dislike		
api_toppagesidislikethis	Stop dislike this		
api_toppagesidislike	I dislike		
api_iline_pagestopline_onelike	Like		
api_iline_pagestopline_oneunlike	Unlike		

XML Label	Text in English	Used in/Purpose	Marker ?
api_idislike_pagestopline_onelike	Dislike		
api_idislike_pagestopline_oneunlike	Undislike		

## like / iDislike for commenting on news, top area of the comments list

XML Label	Text in English	Used in/Purpose	Marker ?
api_toptx_tnewslikemaybe	I like these news		
api_toptx_tnewslike	Like news		
api_toptx_tnewsilikethis	Stop like these news		
api_toptx_tnewsilike	I like these news		
api_toptx_tnewsdislikemaybe	I dislike this news		
api_toptx_tnewsdislike	Dislike news		
api_toptx_tnewsidislikethis	Stop dislike this news		
api_toptx_tnewsidislike	I dislike this news		
api_toptx_tnewsitem	news		
api_ilike_tx_tnewstopline_onelike	Like news		
api_ilike_tx_tnewstopline_oneunlike	Unlike news		
api_idislike_tx_tnewstopline_onelike	Dislike news		
api_idislike_tx_tnewstopline_oneunlike	Undislike news		

## like / iDislike for commenting on products, top area of the comments list

XML Label	Text in English	Used in/Purpose	Marker ?
api_toptt_productslikemaybe	I like the product		
api_toptt_productslike	Like product		
api_toptt_productsilikethis	Stop like this product		
api_toptt_productsilike	I like the product		
api_toptt_productsdislikemaybe	I don't like this product		
api_toptt_productsdislike	Dislike product		
api_toptt_productsidislikethis	Stop dislike this product		
api_toptt_productsidislike	I dislike the product		
api_toptt_productsitem	product		
api_ilike_tt_productstopline_onelike	Like product		
api_ilike_tt_productstopline_oneunlike	Unlike product		
api_idislike_tt_productstopline_onelike	Dislike product		
api_idislike_tt_productstopline_oneunlike	Undislike product		

## like / iDislike for commenting on images by extension tx\_album3x\_pi1, top area of the comments list

XML Label	Text in English	Used in/Purpose	Marker ?
api_toptx_album3x_pillikemaybe	I like this image		
api_toptx_album3x_pillike	Like image		
api_toptx_album3x_pililikethis	Stop like this image		
api_toptx_album3x_pililike	I like this image		
api_toptx_album3x_pildislikemaybe	I dislike this image		
api_toptx_album3x_pildislike	Dislike image		

XML Label	Text in English	Used in/Purpose	Marker ?
api_toptx_album3x_pilidislikethis	Stop dislike this image		
api_toptx_album3x_pilidislike	I dislike this image		
api_toptx_album3x_piliitem	image		
api_ilike_tx_album3x_piltopline_onelike	Like image		
api_ilike_tx_album3x_piltopline_oneunlike	Unlike image		
api_idislike_tx_album3x_piltopline_onelike	Dislike image		
api_idislike_tx_album3x_piltopline_oneunlike	Undislike image		

## like / iDislike for commenting on persons, top area of the comments list

XML Label	Text in English	Used in/Purpose	Marker ?
api_toptx_wecstaffdirectory_pillikemaybe	I like this person		
api_toptx_wecstaffdirectory_pillike	Like person		
api_toptx_wecstaffdirectory_pililikethis	Stop like this person		
api_toptx_wecstaffdirectory_pililike	I like this person		
api_toptx_wecstaffdirectory_pildislikemaybe	I dislike this person		
api_toptx_wecstaffdirectory_pildislike	Dislike person		
api_toptx_wecstaffdirectory_pilidislikethis	Stop dislike this person		
api_toptx_wecstaffdirectory_pilidislike	I dislike this person		
api_toptx_wecstaffdirectory_pilitem	person		
api_ilike_tx_wecstaffdirectory_piltopline_onelike	Like person		
api_ilike_tx_wecstaffdirectory_piltopline_oneunlike	Unlike person		
api_idislike_tx_wecstaffdirectory_piltopline_onelike	Dislike person		
api_idislike_tx_wecstaffdirectory_piltopline_oneunlike	Undislike person		

## like / iDislike for commenting on girls, top area of the comments list

XML Label	Text in English	Used in/Purpose	Marker ?
api_toptx_rougellikemaybe	I like this girl		
api_toptx_rougellike	Like girl		
api_toptx_rougelilikethis	Stop like this girl		
api_toptx_rougelilike	I like this girl		
api_toptx_rougeldislikemaybe	I dislike this girl		
api_toptx_rougeldislike	Dislike girl		
api_toptx_rougelidislikethis	Stop dislike this girl		
api_toptx_rougelidislike	I dislike this girl		
api_toptx_rougeitem	girl		
api_ilike_tx_rougetopline_onelike	Like girl		
api_ilike_tx_rougetopline_oneunlike	Unlike girl		
api_idislike_tx_rougetopline_onelike	Dislike girl		
api_idislike_tx_rougetopline_oneunlike	Undislike girl		



## Email, Commentator notification

XML Label	Text in English	Used in/Purpose	Marker ?
commentatorEmail.subject	New Comment on %s		
commentatorEmail.notificationsentto	Notification sent to		
commentatorEmail.salutation	Hello		
commentatorEmail.salutationformal	Dear		
commentatorEmail.message	Someone has added a new comment. Use the link below to get to the page and read it.		

## Frontend, recent comments list

XML Label	Text in English	Used in/Purpose	Marker ?
comments_recent.pages	Webpage		
comments_recent.tt_news	News		
comments_recent.tt_products	Product		
comments_recent.tx_wecstaffdirectory_info	Person		
tt_content.toctoc_comments_pi1.recentcommentPluginRecords	Associated records to show for the selected pages containing plugins		
tt_content.toctoc_comments_pi1.recentcommentPluginpages	List of pages where a record of a contained plugin should be shown		
tt_content.toctoc_comments_pi1.restrictToCustomExternalPrefix	Custom triggering prefix for recent comments		

## Use in other extensions

Extension authors can place calls to *toctoc\_comments* anywhere in their PHP-code where they want their records being commented or rated.

You call *toctoc\_comments* in “hook-mode”.

You can render the plugin directly to a marker in your code and then display the marker.

*toctoc\_comments* can be called with the uid of your record and your extensions externalPrefix (Key of “Plug-in-to-Table map”)

In TS-Setup of your extension you can overwrite the default setup of *toctoc\_comments*

```
tx_yourextension_pi1.toctoc_comments {
    (place usual toctoc_comments TS Setup here)
}
```

In your PHP-Code, where you want to get the Plugins output, the following conditions must be met:

1. You need a cObj if you don't have one yet:

```
$this->cObj = t3lib_div::makeInstance('t3lib_cObj');
$this->cObj->start('', '');;
```

2. Check if toctoc\_Comments is installed and loaded

```
if (t3lib_extMgm::isLoaded('toctoc_comments')) { ...
```

### 3. Make sure that a Plugin-to-Table map exists for your extension in table

```
$where = 'pil_table="" . $your_extension_recordtable .''';
$rows = $GLOBALS['TYP03_DB']->exec_SELECTgetRows(
    'tx_toc_toc_comments_prefixtable.pil_key AS pil_key,
    tx_toc_toc_comments_prefixtable.pil_table AS pil_table',
    'tx_toc_toc_comments_prefixtable',
    $where,
    '',
    '',
    ''
);

if (count($rows)>0) {
    // Plug-to-table map exists already

} else {
    // Insert your record
    ...
}
```

If this is ok, the following code will call the output of a *toctoc\_comments* plugin instance:

```
// Make a reference on toctoc_comments pil-PHP-file
include_once (t3lib_extMgm::extPath('toctoc_comments',
    'pil/class.toctoc_comments_pil.php'));
$lib = new tx_toc_toc_comments_pil;

//Get the default configuration of toctoc_comments
$conftc=array();
$conftc= $GLOBALS['TSFE']->tmpl->setup['plugin.']['tx_toc_toc_comments_pil.'];

// In your extension you can set TS-Options for toctoc_comments
// In TypoScript Setup this can be done by setting up
// tx_yourextension.toctoc_comments {
//     externalPrefix = your Plugin-to-table-map-Key
//     advanced {...}
// }
// Also, in PHP-code you can setup the values in your $pObj->conf['toctoc_comments.']
directly

if (is_array($pObj->conf['toctoc_comments.'])) {
    // merge default configuration and your extensions configuration

    $conftc = array_replace_recursive($conftc, $pObj->conf['toctoc_comments.']);
}

// $row['uid'] is the record you want to let make comments or ratings on

$toctocHTML = $lib->main($content, $conftc, 'tx_your_extension', $row['uid'],$this->cObj);

// $content can be an empty string
```

## Example: Patching *tt\_products* for *toctoc\_comments* display in LIST-View:

In view/class.tx\_ttproducts\_list\_view.php

In function &printView find

```
$markerArray['###FORM_NAME###'] = $formName.$formCount;
```

After this insert:

```
// toctoc_comments marker

include_once (t3lib_extMgm::extPath('toctoc_comments',
```

```
'pil/class.toctoc_comments_pil.php')));

$lib = new tx_toctoccomments_pil;

$conftc=array();

$conftc= $GLOBALS['TSFE']->tmpl->setup['plugin.']['tx_toctoccomments_pil.'];

if (is_array($this->conf['toctoc_comments.'])) {
// merge default configuration and your extensions toctoc_comments configuration

    $conftc = array_replace_recursive($conftc, $this->conf['toctoc_comments.']);
}
// take the uid from somewhere...here's a not so very standard way to obtain it in
tt_news...
$arrwithuid = explode("'tt_products','list'", $markerArray['###PRODUCT_SIZE_FUNCTION1###']);
$arrwithuid2= explode(')', $arrwithuid[1]);
$ttuid=intval($arrwithuid2[0]);

if ($ttuid>0) {
    $content='';
    $toctocHTML = $lib->main($content, $conftc, 'tt_products', $ttuid,$this->pibase-
>cObj);
}

$markerArray['###TOCTOCCOMMENTS###'] = $toctocHTML;
```

// toctoc\_comments marker, done

Now, in your products\_xx.html template for *tt\_products*, you can use marker  
 ###TOCTOCCOMMENTS### in subtemplate ###ITEM\_SINGLE### of ###ITEM\_LIST### (where the  
 products list is rendered)

# Tutorial

Target group: Developers and translators.