Sol: demo cheat sheet

Every command, what it means, and what you should see. The example responses are copied word for word from a real test run.

The idea in 20 seconds

Sol is a phone line, not an app. When it's hot, Sol **calls** farmworkers to check on them, and it **texts or calls** the supervisor when someone is in trouble. Nobody looks at a screen.

Until real phones are connected, the **terminal plays the phones**. You play three roles by typing:

Role	What it stands for	How you play it
Director	Controls the fake farm: heat, time, which worker gets into trouble.	Commands that start with `/`, e.g. `/temp 104`
Worker (Phone A)	The farmworker Sol is calling.	When it rings: press **Enter** to answer, then just type what they say.
Supervisor (Phone B)	The crew boss who gets alerts.	`/ack` = pressing 1 on the phone; `/sms ...` = sending a text.

Start it

Step	Do this	You'll see
1	Open a terminal (VS Code: *Terminal* > *New Terminal*).	A prompt.
2	`cd "C:\Users\dtani\Documents\2026 Projects\heat"`	Nothing; you're in the project folder.
3	`npm start`	The banner, a help box, and a table of 6 workers (below).
4	`/temp 104`	`temperature 104°F`. Sol only calls at 80°F or above.

```
Twilio not configured: worker calls ring in this terminal. (listening on :3000)
Sol heat-safety line · Sunrise Farms  (simulated field, 30x)
03:57 PM · 98°F · speed 30x · routine off · Claude $0.000
  María López     unknown   40 min since shade  0 min still  normal       row 3, ...
  José Hernández  unknown   25 min since shade  0 min still  normal       row 5, ...
  Ana Ruiz        unknown  105 min since shade  0 min still  skips_breaks  row 8, ...
  ... (Luis, Tom, Rosa)
sol> /temp 104
temperature 104°F
```

> **If you see** `WARNING: ANTHROPIC_API_KEY is not set`, the key in `.env` is missing. Sol will still ring, but it only says "I'm having trouble with the line" and raises a warning.

All commands

Type a command and press Enter. Names can be first names in any case, with or without accents (`jose` = José Hernández).

Director: control the fake farm

Type	What it does (plain English)	You'll see
`/status`	Shows every worker: how long since shade, how long standing still, where they are, and whether they're OK.	The worker table.
`/temp 104`	Pretend it's 104°F. Below 80°F Sol makes no calls.	`temperature 104°F`
`/temp auto`	Go back to the real heat index for the farm.	e.g. `temperature 86°F`
`/speed 60`	Make farm time run faster (60 = one real second is one farm minute). Default 30.	`speed 60x`
`/pause`	Freeze or unfreeze farm time. Farm time also freezes on its own during calls.	`paused` / `resumed`
`/skip ana`	That worker stops taking shade breaks, so Sol calls after 2 hours without shade.	`Ana Ruiz -> skips_breaks`
`/stop jose`	That worker stops moving, so Sol calls after 10 still minutes (about 20 s real time).	`José Hernández -> stops_moving`
`/normal jose`	Back to normal: walks the rows and takes breaks.	`José Hernández -> normal`
`/call maria`	Make Sol call someone right now (good for demos). You can add a reason: `routine`, `break_overdue` or `not_moving`.	`Sol is calling María López ...`
`/routine on`	Also do regular check-in calls every 1–2 hours (off by default so the demo stays focused).	`routine calls on`
`/help` `/quit`	Show the command list. Stop the app (or press Ctrl+C).	

Worker (Phone A): when the phone is ringing

Type	What it means	You'll see
Enter (empty line)	Answer the phone.	`Ana Ruiz picked up`, then Sol's greeting.
any words	Say this to Sol (Spanish or English; Sol switches language if you do).	Sol's reply, a few seconds later.
`/silent`	Say nothing this turn. Twice in one call = emergency.	`(silence)`, then Sol asks if you can hear it.
`/hangup`	Hang up mid-call. If Sol hadn't finished its check, that counts as an emergency.	`report_status: EMERGENCY`
`/decline`	Don't answer. Sol retries in 30 s; a second miss = emergency.	`did not answer` / `will retry`

Supervisor (Phone B)

Type	Real-phone equivalent	You'll see
`/ack`	Pressing **1** on the emergency call ("I'm going"). Stops the repeat calls.	`Supervisor pressed 1: on the way to José Hernández`
`/sms OK JOSE`	Texting **OK JOSE** to Sol's number: the worker is safe and the alert is closed.	`José Hernández marked safe`
`/sms OK`	Same, when only one alert is open.	Asks which name if several are open.
`/sms STATUS`	Texting **STATUS**: get a crew summary back.	`Sol: 6 workers. 1 emergency: ...`

Walkthrough 1: headache -> WARNING (real run)

Ana keeps skipping breaks. Sol calls her about the overdue break, hears a headache, tells her to rest, and texts the supervisor.

```
sol> /call ana break_overdue
Sol is calling Ana Ruiz · break_overdue · via terminal
PHONE A RINGING  You are Ana Ruiz (Spanish). Press Enter to answer, /decline to ignore.
sol> (press Enter)
   Ana Ruiz picked up
   Sol › Hola, Ana Ruiz. Soy Sol, la línea de seguridad contra el calor de Sunrise Farms. Esta llamada se graba por seguridad. ¿Cómo se siente? ¿Tiene dolor de cabeza, mareo o náuseas?
        Hi Ana Ruiz. I'm Sol, the heat-safety line for Sunrise Farms. This call is recorded for safety. How do you feel? Any headache, dizziness or nausea?
sol> Estoy bien, pero me duele un poco la cabeza.
   Sol › Gracias por decírmelo, Ana. El dolor de cabeza con este calor es una señal importante. Por favor, deje de trabajar ahora. Vaya a la sombra, siéntese y tome agua despacio. Ya le toca su descanso para refrescarse. Su supervisor va a venir a verla. ¿Puede ir a la sombra ahora mismo?
        Thanks for telling me. A headache in this heat is an important sign. Please stop working now, go to the shade, sit, and sip water. You're due for your cool-down break. Your supervisor will come see you. Can you go to the shade right now?
sol> Sí, voy a la sombra ahora.
   report_status: WARNING · mild headache, shade break overdue (105 minutes) · took_break=yes
ALERT #1 WARNING · Ana Ruiz · mild headache, shade break overdue (105 minutes)
   SMS -> Supervisor: SOL WARNING – Ana Ruiz: mild headache, shade break overdue (105 minutes). Row 8, about 99 m from Shade tent B. https://maps.google.com/?q=33.681737,-116.170661 Sol told them to rest in shade. Reply OK ANA after you check on them.
   Sol › Muy bien, Ana. Descanse en la sombra, tome agua y no esté sola. Su supervisor ya viene, y yo la llamo pronto otra vez.
        Very good. Rest in the shade, drink water and don't be alone. Your supervisor is coming, and I'll call you again soon.
   call ended · Ana Ruiz · warning
```

What happens next on its own: in the simulation Ana walks to the shade tent. Because her status is *warning*, Sol calls her again about 20 farm-minutes later to re-check. Text **`/sms OK ANA`** after the supervisor has checked on her to clear it.

Walkthrough 2: confused -> EMERGENCY (real run)

José has stopped moving. When Sol calls, his answer is confused. Sol hears *how* he talks, calls it an emergency, and rings the supervisor. (In this run one confused answer was enough. If you stay silent twice instead, the result is the same.)

```
sol> /stop jose        (or, to skip the wait:  /call jose not_moving)
José Hernández: not_moving (no shade 37 min, still 11 min, 104°F)
PHONE A RINGING  You are José Hernández (Spanish). Press Enter to answer, /decline to ignore.
sol> (press Enter)
   Sol › ¡Hola, José Hernández! Soy Sol, la línea de seguridad contra el calor de Sunrise Farms. Esta llamada se graba por su seguridad. ¿Cómo se siente? ¿Tiene dolor de cabeza, mareo o náuseas? Notamos que no se ha movido en un rato. ¿Está bien?
       Hi José! ... How do you feel? Any headache, dizziness or nausea? We noticed you haven't moved in a while. Are you okay?
sol> qué... dónde... no sé... el sol
   report_status: EMERGENCY · confused speech, fragmented answers, disoriented, not moving · took_break=no
ALERT #2 EMERGENCY · José Hernández · confused speech, fragmented answers, disoriented, not moving
   SMS -> Supervisor: SOL EMERGENCY – José Hernández: confused speech, ... Row 5, about 185 m from Shade tent B. https://maps.google.com/?q=... Call 911 if life-threatening. Reply OK JOSE when safe.
   Calling Supervisor (attempt 1/3): "Sol heat-safety emergency. José Hernández, row 5, about 185 m from Shade tent B. Signs: confused speech, ... If this is life-threatening, call 911 now. Press 1 if you are going to them."
   Sol › José, ya viene ayuda. No se quede solo. Busque la sombra si puede y llame a un compañero.
       José, help is coming. Don't stay alone. Get to the shade if you can and call a coworker.
   call ended · José Hernández · emergency
```

Now act as the supervisor

```
sol> /ack
Supervisor pressed 1: on the way to José Hernández
sol> /sms STATUS
   reply: Sol: 6 workers. 1 emergency: José Hernández, confused speech, ..., row 5, about 147 m from Shade tent B. 1 warning: Ana Ruiz, mild headache, shade break overdue (105 minutes).
sol> /sms OK JOSE
José Hernández marked safe; normal check-ins resume
   reply: Sol: José Hernández marked safe. Normal check-ins resume.
```

Cost of both calls together: $0.067 of Claude usage (shown in the `/status` header).

Other situations to try

These follow fixed rules in the code, so the outcome is predictable. Sol's exact words will vary.

Try this	What should happen
Answer, then `/silent` twice	**EMERGENCY**, even if Sol guessed OK: two silences always count as an emergency. The supervisor is called.
`/decline` when it rings	`did not answer`, then Sol retries 30 s later. Decline again: **EMERGENCY** ("did not answer two calls in a row").
Answer, then `/hangup` before Sol finishes	**EMERGENCY** ("call dropped before Sol could confirm they are okay").
Skip the break, e.g. answer `No puedo parar` on a break_overdue call	At least **WARNING**: refusing an overdue break is never OK.
Get an emergency, then type nothing for 6 minutes	Sol re-calls the supervisor every 2 min. After 3 tries: a red **STUCK** line plus a final SMS. `/ack` still works afterwards.
Speak English on a Spanish call	Sol switches to English for the rest of the call.
`/temp 75`	No calls at all (below 80°F).
No API key / no internet	Sol says "I'm having trouble with the line, rest in the shade..." (marked **[fail-safe]**) and raises a **WARNING**.

How to read the screen

Line starts with	Meaning
`Sol is calling ...` / `PHONE A RINGING`	Sol is calling a worker. Answer with Enter.
`Sol ›`	What Sol says out loud on the call.
`Ana ›`	What the worker said (what you typed).
`report_status: OK / WARNING / EMERGENCY`	Sol's verdict at the end of the call. "raised from ok" means a safety rule made it stricter.
`ALERT #n`	An alert was opened for the supervisor.
`SMS -> Supervisor`	The text that would go to the supervisor's phone.
`Calling Supervisor (attempt 1/3)`	The emergency phone call to the supervisor, with exactly what it would say.
`not_moving` / `break_overdue`	Why Sol decided to call (a rule fired).
`-- 04:00 PM · 104°F --`	Farm clock: a summary line every farm hour.
`STUCK` / `SYSTEM`	Something needs a human now: nobody answered the emergency, or a cost limit was hit.

If something looks off

Symptom	Fix
Nobody gets called	Check the temperature (`/temp 104`). Only one call happens at a time, so finish the current one. Or force one with `/call ana`.
`(Sol is thinking...)`	Normal. Wait 2–5 s for Sol's reply before typing again.
`No call right now`	You typed words while no phone was ringing. Commands need a `/`.
`Unknown command /silent`	The call already ended, so there's nothing to be silent on.
`EADDRINUSE :3000`	Sol is already running in another terminal. Close it, or set `PORT=3001` in `.env`.
A phone rings in the middle of typing	That's a check-in Sol decided to make (for example a warning follow-up). Answer it or `/decline`.

Next: the same demo on real phones

Nothing about the app changes. Once Twilio is set up in `.env`, the terminal stops pretending to be the phones and the real phones ring. The terminal becomes the projected backstage log for the judges. Director commands (`/temp`, `/stop`, `/call`, ...) still work.

In the terminal today	With real phones
PHONE A RINGING + Enter	Phone A rings. (Trial account: a short Twilio message plays, press any key.) Then Sol speaks.
Typing what the worker says	Talk. After each answer Sol says "Ajá…" or "Okay…" while it thinks.
`/silent`	Just stay quiet for about 7 seconds.
`/hangup` / `/decline`	Hang up, or don't answer.
SMS -> Supervisor line	A real text arrives on Phone B.
Calling Supervisor line	Phone B rings and reads the emergency out loud.
`/ack`	Press **1** on Phone B during that call.
`/sms OK JOSE` / `/sms STATUS`	Text **OK JOSE** or **STATUS** from Phone B to Sol's number.
(not available)	Phone B calls Sol's number and hears the crew summary out loud.

Setup checklist (next step)

- [ ] Twilio account (trial is fine), a Twilio phone number, Account SID and Auth Token
- [ ] Phone A and Phone B added under *Verified Caller IDs* (required on trial accounts)
- [ ] Tunnel: `winget install Cloudflare.cloudflared`, then `cloudflared tunnel --url http://localhost:3000`
- [ ] `.env`: TWILIO_ACCOUNT_SID, TWILIO_AUTH_TOKEN, TWILIO_FROM, PUBLIC_URL (tunnel URL), DEMO_PHONE (Phone A), SUPERVISOR_PHONE (Phone B)
- [ ] In the Twilio console, the number's webhooks point to /twilio/inbound, /twilio/status and /twilio/sms (README has exact values)