

TABAIX SEO SUITE PRO — COMPLETE WORDPRESS.ORG FIX INSTRUCTIONS

Give this entire document to Claude Code with this message:

"Fix all issues in my WordPress plugin exactly as described in this document.

Work through each fix one by one and confirm completion before moving to next."

CONTEXT FOR CLAUDE CODE

This is a WordPress plugin called "Tabaix SEO Suite Pro" submitted to WordPress.org public directory. The review team identified multiple issues that must be fixed before approval. Fix every single issue in this document exactly as described.

Plugin structure:

- Main file: tabaix-seo-suite.php (or similar)
 - readme.txt
 - includes/class-uam-seo-meta.php
 - includes/class-uam-admin.php
 - includes/class-tsp-toc.php
 - includes/class-tsp-imagetight.php
 - includes/class-tsp-pros-cons.php
 - includes/class-tsp-head-deduplicator.php
 - includes/class-uam-api.php
 - includes/class-uam-internal-links.php
-

FIX 1 — SLUG AND PLUGIN NAME

Files: readme.txt AND main plugin PHP file **Priority:** CRITICAL — Must fix before anything else

In readme.txt change:

FIND THIS:

```
=== Tabaix SEO Suite Pro ===
Contributors: tabaidev

# REPLACE WITH:
=== Tabaix SEO Suite Pro ===
Contributors: tabaix
```

In readme.txt also add GitHub link:

```
# ADD THIS LINE after "Stable tag:" line:
Development: https://github.com/Tabaix/image-tight
```

In main plugin PHP file header change:

```
php

# FIND THIS in plugin header:
* Plugin Name: Tabaix SEO Suite Pro
* Text Domain: seo-suite-pro

# REPLACE WITH:
* Plugin Name: Tabaix SEO Suite Pro
* Text Domain: tabaix-seo-suite-pro
```

Also update all internationalization functions throughout ALL plugin files:

```
php

# FIND ALL instances of:
__( 'text', 'seo-suite-pro' )
_e( 'text', 'seo-suite-pro' )
esc_html__( 'text', 'seo-suite-pro' )
esc_attr__( 'text', 'seo-suite-pro' )

# REPLACE ALL WITH:
__( 'text', 'tabaix-seo-suite-pro' )
_e( 'text', 'tabaix-seo-suite-pro' )
esc_html__( 'text', 'tabaix-seo-suite-pro' )
esc_attr__( 'text', 'tabaix-seo-suite-pro' )
```

FIX 2 — NONCE SANITIZATION

Files:

- includes/class-uam-seo-meta.php (line ~334)
- includes/class-uam-admin.php (line ~1425) **Priority:** CRITICAL — Security vulnerability

Rule: Every nonce verification must use `sanitize_text_field` + `wp_unslash`

In class-uam-seo-meta.php find and fix:

```
php

# FIND THIS:
if (!wp_verify_nonce($_POST['uam_seo_meta_nonce'], 'uam_seo_meta_nonce'))

# REPLACE WITH:
if (!isset($_POST['uam_seo_meta_nonce']) || !wp_verify_nonce(sanitize_text_field(wp_
```

In class-uam-admin.php find and fix:

```
php

# FIND THIS:
if (isset($_POST['_wpnonce']) && wp_verify_nonce($_POST['_wpnonce'], 'uam_settings_n

# REPLACE WITH:
if (isset($_POST['_wpnonce']) && wp_verify_nonce(sanitize_text_field(wp_unslash($_PO
```

Search ALL plugin files for any other wp_verify_nonce calls and apply same fix:

```
php

# PATTERN TO FIND (any variation):
wp_verify_nonce($_POST[

# REPLACE PATTERN:
wp_verify_nonce(sanitize_text_field(wp_unslash($_POST[
```

FIX 3 — MOVE ALL JS AND CSS TO WP_ENQUEUE

Files:

- includes/class-uam-seo-meta.php (line ~221)

- includes/class-tsp-toc.php (lines ~47 and ~102)
- includes/class-tsp-imagetight.php (line ~231)
- includes/class-tsp-pros-cons.php (line ~36) **Priority:** CRITICAL — WordPress standards violation

Rule: No `<script>` or `<style>` tags should be echo'd directly in PHP

Step 1 — Create these new files if they don't exist:

```
assets/  
├─ js/  
│   ├─ tsp-toc.js           (move TOC JavaScript here)  
│   ├─ tsp-imagetight.js    (move ImageTight JavaScript here)  
│   └─ uam-seo-meta.js      (move SEO meta JavaScript here)  
└─ css/  
    ├─ tsp-toc.css          (move TOC styles here)  
    ├─ tsp-pros-cons.css     (move pros/cons styles here)  
    └─ uam-seo-meta.css      (move SEO meta styles here)
```

Step 2 — In each file, find echo'd script/style tags:

For class-tsp-toc.php:

```
php
```

```

# FIND lines like:
echo '<style id="tsp-toc-styles">...</style>';
echo '<script>...</script>';

# REPLACE WITH – add enqueue function at top of class:
private function enqueue_assets() {
    wp_enqueue_style(
        'tsp-toc-styles',
        plugins_url('assets/css/tsp-toc.css', dirname(__FILE__)),
        array(),
        '1.0.0'
    );
    wp_enqueue_script(
        'tsp-toc-script',
        plugins_url('assets/js/tsp-toc.js', dirname(__FILE__)),
        array('jquery'),
        '1.0.0',
        true
    );
}

# Then call: add_action('wp_enqueue_scripts', [$this, 'enqueue_assets']);
# And: add_action('admin_enqueue_scripts', [$this, 'enqueue_assets']);

```

For class-tsp-pros-cons.php:

```

php

# FIND:
echo '<style id="tsp-pros-cons-styles">...</style>';

# REPLACE WITH:
private function enqueue_assets() {
    wp_enqueue_style(
        'tsp-pros-cons-styles',
        plugins_url('assets/css/tsp-pros-cons.css', dirname(__FILE__)),
        array(),
        '1.0.0'
    );
}

add_action('wp_enqueue_scripts', [$this, 'enqueue_assets']);

```

For class-uam-seo-meta.php:

php

FIND:

```
echo '<script>...</script>';
```

```
echo '<style>...</style>';
```

REPLACE WITH:

```
public function enqueue_admin_assets($hook) {
    // Only load on post edit screens
    if (!in_array($hook, array('post.php', 'post-new.php'))) {
        return;
    }
    wp_enqueue_style(
        'uam-seo-meta-style',
        plugins_url('assets/css/uam-seo-meta.css', dirname(__FILE__)),
        array(),
        '1.0.0'
    );
    wp_enqueue_script(
        'uam-seo-meta-script',
        plugins_url('assets/js/uam-seo-meta.js', dirname(__FILE__)),
        array('jquery'),
        '1.0.0',
        true
    );
    // Pass PHP variables to JS using wp_localize_script
    wp_localize_script('uam-seo-meta-script', 'uamSeoMeta', array(
        'ajaxUrl' => admin_url('admin-ajax.php'),
        'nonce'   => wp_create_nonce('uam_seo_meta_nonce'),
    ));
}
add_action('admin_enqueue_scripts', [$this, 'enqueue_admin_assets']);
```

For class-tsp-imagetight.php:

php

```
# FIND:
echo '<script>...</script>';

# REPLACE WITH:
public function enqueue_admin_assets($hook) {
    wp_enqueue_script(
        'tsp-imagetight-script',
        plugins_url('assets/js/tsp-imagetight.js', dirname(__FILE__)),
        array('jquery'),
        '1.0.0',
        true
    );
    wp_localize_script('tsp-imagetight-script', 'tspImageTight', array(
        'ajaxUrl' => admin_url('admin-ajax.php'),
        'nonce'    => wp_create_nonce('tsp_imagetight_nonce'),
        'apiEndpoint' => 'https://imagetight-api.vercel.app/api/compress',
    ));
}
add_action('admin_enqueue_scripts', [$this, 'enqueue_admin_assets']);
```

FIX 4 — OUTPUT ESCAPING

Files:

- includes/class-tsp-head-deduplicator.php (line ~83)
- includes/class-tsp-pros-cons.php (line ~28) **Priority:** CRITICAL — XSS security vulnerability

In class-tsp-head-deduplicator.php:

```
php

# FIND:
echo $html; // phpcs:ignore WordPress.Security.EscapeOutput.OutputNotEscaped

# REPLACE WITH:
echo wp_kses_post($html);
```

In class-tsp-pros-cons.php shortcode callback:

```
php
```

```
# FIND pattern like:
return '<script type="application/ld+json">' . $json_string . '</script>';

# REPLACE WITH:
$data = array(
    '@context' => 'https://schema.org',
    '@type'     => 'Product',
    // ... your schema data built from sanitized variables
);
return '<script type="application/ld+json">' . wp_json_encode($data) . '</script>';

# Also ensure ALL shortcode attributes are sanitized:
$atts = shortcode_atts(array(
    'title'     => '',
    'verdict'   => '',
), $atts, 'tsp_pros_cons');

$title     = sanitize_text_field($atts['title']);
$verdict   = sanitize_text_field($atts['verdict']);
```

FIX 5 — SANITIZE ALL \$_POST AND \$_GET INPUTS

Files: ALL plugin files **Priority:** CRITICAL — Security vulnerability

Search ALL files for unsanitized inputs and fix:

```
php
```



```
# FIND patterns like:
$_POST['field_name']
$_GET['field_name']
$_REQUEST['field_name']

# REPLACE based on expected content type:

# For plain text:
sanitize_text_field(wp_unslash($_POST['field_name']))

# For email:
sanitize_email(wp_unslash($_POST['email']))

# For URL:
esc_url_raw(wp_unslash($_POST['url']))

# For integer:
absint($_POST['number'])

# For HTML content:
wp_kses_post(wp_unslash($_POST['content']))

# For API key or similar:
sanitize_key(wp_unslash($_POST['api_key']))
```

Add permissions check to ALL admin actions:

```
php

# ADD AT TOP of every function that processes form data:
if (!current_user_can('manage_options')) {
    wp_send_json_error('Insufficient permissions.');
```

```
    return;
}
```

FIX 6 — FIX BACKUP FILE LOCATION

File: includes/class-tsp-imagetight.php (line ~432) **Priority:** HIGH

```
php
```

```

# FIND:
copy($file_path, $backup_path);
# Where $backup_path is something like $file_path . '.itc_backup'

# REPLACE WITH:
$upload_dir = wp_upload_dir();
$backup_dir = trailingslashit($upload_dir['basedir']) . 'imagetight-backups/';

// Create directory if it doesn't exist
if (!file_exists($backup_dir)) {
    wp_mkdir_p($backup_dir);
    // Add index.php for security
    file_put_contents($backup_dir . 'index.php', '<?php // Silence is golden.');
}

$backup_filename = md5($file_path) . '_' . basename($file_path) . '.itc_backup';
$backup_path      = $backup_dir . $backup_filename;

if (file_exists($file_path)) {
    copy($file_path, $backup_path);
}

```

FIX 7 — ADD PREFIXES EVERYWHERE

Files: ALL plugin files **Priority:** HIGH — Prevents conflicts with other plugins

Rule: Every function, class, constant, option name must start with `tabaix_` or `TABAIX_` or `Tabaix_`

Search and replace patterns:

php

```

# Functions – FIND any unprefixed functions:
function save_post(           → function tabaix_save_post(
function get_settings(       → function tabaix_get_settings(
function enqueue_scripts(    → function tabaix_enqueue_scripts(

# Constants – FIND:
define('PLUGIN_VERSION'     → define('TABAIX_PLUGIN_VERSION'
define('PLUGIN_DIR'          → define('TABAIX_PLUGIN_DIR'

# Options – FIND:
update_option('settings'    → update_option('tabaix_settings'
get_option('settings'       → get_option('tabaix_settings'
delete_option('settings'    → delete_option('tabaix_settings'

# Ajax actions – FIND:
add_action('wp_ajax_save_data'      → add_action('wp_ajax_tabaix_save_data'
add_action('wp_ajax_nopriv_save'    → add_action('wp_ajax_nopriv_tabaix_save'

# Script/style handles – FIND:
wp_enqueue_script('main-script'    → wp_enqueue_script('tabaix-main-script'
wp_enqueue_style('main-style'      → wp_enqueue_style('tabaix-main-style'

# Shortcodes – FIND:
add_shortcode('pros_cons'          → add_shortcode('tabaix_pros_cons'
add_shortcode('toc'                → add_shortcode('tabaix_toc'

```

FIX 8 — FIX MINIFIED SOURCE CODE ISSUE

File: includes/toc-build/index.js **Priority:** HIGH — WordPress.org requires source code

Step 1 — Make GitHub repository PUBLIC:

Go to GitHub → Repository Settings → Danger Zone → Change to Public

Step 2 — Add build documentation to readme.txt:

```
== Source Code & Build Process ==
```

The full unminified source code is available at:
<https://github.com/Tabaix/image-tight>

The TOC block (includes/toc-build/) is built using:

- Node.js v18+
- npm install
- npm run build

To rebuild after changes:
cd includes/toc-build
npm install
npm run build

Step 3 — Add source file comments to minified files:

```
js

// At TOP of includes/toc-build/index.js add:
/*!
 * Tabaix TOC Block
 * Source: https://github.com/Tabaix/image-tight/tree/main/includes/toc-build/src
 * Built with: webpack
 */
```

FIX 9 — ADD COMPLETE EXTERNAL SERVICES DOCUMENTATION

File: readme.txt **Priority:** CRITICAL — Required by WordPress.org guidelines

Add this COMPLETE section to readme.txt:

```
== External Services ==
```

This plugin connects to the following external services. Please review each service's terms and privacy policy before using the related features.

```
= ImageTight API (Required for image compression) =
* What it does: Compresses and optimizes images in your WordPress media library
* What data is sent: Image files from your media library when you run compression
* When data is sent: Only when you manually trigger image compression
* API endpoint: https://imagetight-api.vercel.app
* Service website: https://imagetight.com
* Terms of Service: https://imagetight.com/terms
* Privacy Policy: https://imagetight.com/privacy

= OpenAI API (Optional - for AI-powered features) =
* What it does: Provides AI-powered SEO suggestions and content analysis
```

- * What data is sent: Post titles, content excerpts, and meta data
- * When data is sent: Only when you use AI suggestion features
- * You must provide your own OpenAI API key in plugin settings
- * Service website: <https://openai.com>
- * Terms of Service: <https://openai.com/terms>
- * Privacy Policy: <https://openai.com/privacy>

= Google Gemini API (Optional - for AI image generation) =

- * What it does: Generates AI-powered images and content suggestions
- * What data is sent: Text prompts you enter when using generation features
- * When data is sent: Only when you manually use AI generation features
- * You must provide your own Google AI Studio API key in plugin settings
- * Service website: <https://ai.google.dev>
- * Terms of Service: <https://ai.google.dev/terms>
- * Privacy Policy: <https://policies.google.com/privacy>

IMPORTANT: The ImageTight image compression feature sends image files to imagetight-api.vercel.app for processing. Images are processed and returned compressed. They are not permanently stored on ImageTight servers. See <https://imagetight.com/privacy> for full details.

If you do not provide API keys for OpenAI or Google Gemini, those features will be disabled and no data will be sent to those services.

FIX 10 — COMPLETE readme.txt REWRITE

File: readme.txt **Priority:** CRITICAL — Must follow exact WordPress.org format

Replace entire readme.txt with this template:

```
=== Tabaix SEO Suite Pro ===
```

```
Contributors: tabaix
```

```
Tags: seo, image optimizer, table of contents, internal links, ai seo
```

```
Requires at least: 5.8
```

```
Tested up to: 6.7
```

```
Stable tag: 1.0.0
```

```
Requires PHP: 7.4
```

```
License: GPLv2 or later
```

```
License URI: https://www.gnu.org/licenses/gpl-2.0.html
```

A complete SEO suite with AI-powered optimization, bulk image compression, table of contents, and internal linking tools for WordPress.

== Description ==

Tabaix SEO Suite Pro is a comprehensive WordPress SEO plugin that combines multiple essential tools into one powerful suite:

****Image Optimization****

Automatically compress and optimize your WordPress media library images using the ImageTight compression engine. Reduce image file sizes by up to 80% without visible quality loss.

****AI-Powered SEO****

Get AI-powered meta title and description suggestions for your posts and pages. Optionally connect your own OpenAI or Google Gemini API key.

****Table of Contents****

Automatically generate beautiful, customizable tables of contents for your long-form content.

****Internal Linking****

Automatically scan and suggest internal linking opportunities across your WordPress content.

****Pros & Cons Blocks****

Add beautiful, SEO-friendly pros and cons blocks to your content using simple shortcodes.

= Privacy =

This plugin connects to external services. See the "External Services" section below for full details of what data is sent and when.

== Installation ==

1. Upload the plugin folder to /wp-content/plugins/tabaix-seo-suite-pro
2. Activate the plugin through the Plugins menu in WordPress
3. Go to Settings > Tabaix SEO to configure the plugin
4. Optionally add your ImageTight API key from imagetight.com
5. Optionally add your OpenAI or Google Gemini API key for AI features

== Frequently Asked Questions ==

= Do I need an API key to use this plugin? =

The basic features work without any API key. An ImageTight API key (free at imagetight.com) is required for image compression. OpenAI

and Google Gemini API keys are optional and only needed for AI features.

= Is my data safe? =

Image compression sends image files to imagetight-api.vercel.app for processing only. Images are not permanently stored. See our privacy policy at imagetight.com/privacy for full details.

= Does this plugin slow down my website? =

No. Scripts and styles are only loaded on pages where the plugin features are active.

= Where can I get support? =

Visit imagetight.com or email hello@tabaix.com

== External Services ==

This plugin connects to the following external services:

= ImageTight API (Required for image compression) =

- * What it does: Compresses images in your WordPress media library
- * What data is sent: Image files when you run compression
- * When data is sent: Only when you manually trigger compression
- * API endpoint: <https://imagetight-api.vercel.app>
- * Terms of Service: <https://imagetight.com/terms>
- * Privacy Policy: <https://imagetight.com/privacy>

= OpenAI API (Optional) =

- * What it does: AI-powered SEO suggestions and content analysis
- * What data is sent: Post content when you use AI features
- * When data is sent: Only when you manually use AI features
- * Terms of Service: <https://openai.com/terms>
- * Privacy Policy: <https://openai.com/privacy>

= Google Gemini API (Optional) =

- * What it does: AI image generation and content suggestions
- * What data is sent: Text prompts when using generation features
- * When data is sent: Only when you manually use AI generation
- * Terms of Service: <https://ai.google.dev/terms>
- * Privacy Policy: <https://policies.google.com/privacy>

== Source Code & Build Process ==

Full source code available at:

<https://github.com/Tabaix/image-tight>

```
The TOC Gutenberg block (includes/toc-build/) is built using:  
Node.js v18+ and webpack. Run npm install then npm run build.
```

```
== Screenshots ==
```

1. Plugin settings page
2. Image compression dashboard
3. SEO meta editor on post edit screen
4. Table of contents example
5. Internal links scanner

```
== Changelog ==
```

```
= 1.0.0 =
```

```
* Initial release
```

```
== Upgrade Notice ==
```

```
= 1.0.0 =
```

```
Initial release of Tabaix SEO Suite Pro.
```

FIX 11 — CREATE REQUIRED PAGES ON imagetight.com

Not a code fix — needs to be done on imagetight.com website Priority: CRITICAL —
readme.txt links to these pages

Create these pages on imagetight.com:

Page 1: imagetight.com/terms Must include:

- Service description
- Acceptable use policy
- API usage terms
- Data processing terms
- Contact information

Page 2: imagetight.com/privacy Must include:

- What data is collected
- How data is used

- Data retention policy
 - User rights
 - Contact information: hello@tabaix.com
-

REPLY EMAIL TO SEND AFTER ALL FIXES

Send this SHORT reply to plugins@wordpress.org:

Hello,

Thank you for the detailed review. All issues have been addressed:

1. SLUG: Changed to tabaix-seo-suite-pro (please reserve this slug)
2. CONTRIBUTOR: Updated to tabaix (my WordPress.org username)
3. OWNERSHIP: DNS TXT record added to tabaix.com for verification
4. NONCES: All wp_verify_nonce calls now use sanitize_text_field + wp_unslash
5. ENQUEUE: All <script> and <style> tags replaced with wp_enqueue functions
6. ESCAPING: All outputs now properly escaped with appropriate WordPress functions
7. EXTERNAL SERVICES: Full documentation added to readme.txt including terms and privacy links for ImageTight, OpenAI, and Google Gemini APIs
8. BACKUP FILES: Now saved to uploads/imagetight-backups/ directory
9. PREFIXES: All functions, options, and handles now use tabaix_ prefix
10. SOURCE CODE: GitHub repository made public at github.com/Tabaix/image-tight
11. TEXT DOMAIN: Updated to tabaix-seo-suite-pro throughout all files

New version uploaded. Please review at your convenience.

Tayyab Ali
tabaix.com | hello@tabaix.com

COMPLETE CHECKLIST FOR CLAUDE CODE

Work through these in exact order:

#	Fix	File(s)	Done?
1	Update slug + contributor in readme.txt	readme.txt	☐
2	Update text domain in all files	All PHP files	☐
3	Fix nonce sanitization	class-uam-seo-meta.php, class-uam-admin.php	☐
4	Move CSS to enqueue	class-tsp-toc.php, class-tsp-pros-cons.php, class-uam-seo-meta.php	☐
5	Move JS to enqueue	class-tsp-toc.php, class-tsp-imagetight.php, class-uam-seo-meta.php	☐
6	Fix output escaping	class-tsp-head-deduplicator.php	☐
7	Fix shortcode escaping	class-tsp-pros-cons.php	☐
8	Sanitize all POST/GET inputs	All PHP files	☐
9	Add permissions checks	All AJAX handlers	☐
10	Fix backup file location	class-tsp-imagetight.php	☐
11	Add tabaix_ prefixes everywhere	All PHP files	☐
12	Add source comment to minified JS	includes/toc-build/index.js	☐
13	Rewrite complete readme.txt	readme.txt	☐
14	Create assets/js/ and assets/css/ folders	New files	☐

IMPORTANT NOTES FOR CLAUDE CODE

1. After EVERY fix — run a search to make sure there are no remaining instances of the same problem anywhere else in the codebase
2. Do NOT break any existing functionality — only fix the security and standards issues described above

3. After completing all fixes — run WordPress Plugin Check tool if available to verify no remaining issues
4. The plugin must still work correctly after all fixes are applied — test activation does not cause fatal errors
5. Maintain backward compatibility — do not change database option names that existing users may already have saved