



REPUBLIC OF SOUTH SUDAN
MINISTRY OF HEALTH
Public Health Laboratory

COVID-19 TEST RESULTS

**APPLICATION NO: PHL0921-
WBSARL**

**LAB: NATIONAL PUBLIC HEALTH
LABORATORY**

CLIENT IDENTIFICATION DETAILS

FULL NAME

ABRAHAM AKEN NOON

PURPOSE OF TESTING

TRAVEL

GENDER: **M**

AGE: **29 YEARS**

NATIONALITY: **SOUTH SUDAN**

ID/PP NO.:
R000437038

STATE: **CENTRAL
EQUATORIA**

TOWN: **JUBA**

TESTING LAB INFORMATION

CASE ID: **PHL0921-WBSARL**

SPECIMEN INFORMATION

SPECIMEN TYPE:

OROPHARYNGEAL/NASOPHARYNGEAL SWAB

TEST METHOD: **RT-PCR**

SPECIMEN COLLECTED DATE: **10 SEPTEMBER**

2021

TEST PLATFORM: **ABI 7500**

SPECIMEN COLLECTED TIME: **09:55 AM**

SARS-COV-2 TEST RESULTS

NEGATIVE

COMMENTS

A NEGATIVE result indicates lack of detectable virus and not necessarily absence of infection. A negative result in an infected individual could occur in the following situations:

- a) Sample collection too early in the disease especially before the onset of symptoms
- b) Sample collection too late in the disease
- c) Inadequate sample collected
- d) Poor sample handling and transportation
- e) Mutated virus that cannot be detected by PCR

AUTHORISED BY

DIRECTOR OF QUALITY ASSURANCE

Abe Gordon Abias



DIRECTOR OF RESEARCH

Dr Bior Kuer Bior



LABORATORY MANAGER

James Ayei Maror

