

All Errors Encountered & Their Fixes & flow

Facebook / LinkedIn
client_secret is missing

Cause

Postman is sending credentials as Basic Auth header. LinkedIn and Facebook both require credentials in the **request body**, not headers.

Fix

In Postman OAuth config, change **Client Authentication** from "Send as Basic Auth header" to "**Send client credentials in body**".

Facebook
Invalid Scopes: instagram_business_basic,
instagram_business_content_publish

Cause

The new `instagram_business_*` permission names shown in the Meta dashboard **cannot be used directly** in the OAuth authorization URL scope parameter.

Fix

Use only Page scopes in the Postman OAuth flow for Facebook login: `pages_show_list`, `pages_manage_posts`, `pages_read_engagement`. For Instagram, use the separate "**API setup with Instagram Login**" flow instead.

Instagram
Invalid platform app / Invalid Request

Cause

Fix

Trying to use Graph API Explorer's "Generate Instagram Access Token" without the **Business Login for Instagram** product properly configured, or the app type is wrong.

Go to **Use cases** → **Manage messaging & content on Instagram** → **API setup with Instagram Login**. Use that specific section to generate tokens, not the Graph API Explorer's generic flow.

Instagram Insufficient Developer Role

Cause

The Instagram account being added hasn't been assigned the Tester role in the Meta app. Any account that logs in must have a role on the app.

Fix

Go to **App roles** → **Roles** → **Add People** → **Instagram Testers** tab → add your Instagram username. Then go to instagram.com/accounts/manage and accept the invite.

Instagram IGApiException code 100 / error_subcode 33 — Image URL Failed

Cause

Meta's publishing crawler is blocked from fetching the image. Common CDNs like picsum.photos, Unsplash, fastly CDN block Meta's bot via robots.txt. Also occurs if image is not JPEG, wrong aspect ratio, or non-ASCII URL.

Fix

Use **Cloudinary** (free at cloudinary.com). Upload your .jpg and use the `res.cloudinary.com/...` delivery URL. Cloudinary is whitelisted by Meta's crawler and works reliably every time.

Facebook Instagram Business Account ID not returned from /me/accounts

Cause

Instagram account was not connected to the Facebook Page, OR the token was generated without Instagram scopes, OR the Instagram account is Personal (not Business/Creator).

Fix

1. Connect Instagram to Facebook Page via Page Settings → Linked Accounts. 2. Confirm Instagram is Business/Creator type. 3. Generate a fresh token. 4. Use the **Instagram Login flow** (not Facebook Login) to get the Instagram token directly.



Complete Flow Summary

🎵 TikTok

```
Developer Portal → Create App → Add Login Kit + Content Posting API → Set Redirect URI
↓
Postman OAuth (client_key not client_id!) → Get access_token + refresh_token
↓
GET /v2/user/info/ → Get open_id
↓
POST /creator_info/query/ → POST /video/init/ → Video published
↓
POST /oauth/token/ (grant_type=refresh_token) → New token every 24hrs
```



Facebook

```
Meta Developer Portal → Business App → Use Cases → Add Page + Instagram permissions
↓
Facebook Login for Business → Add Postman redirect URI → Save
↓
```

Postman OAuth (pages scopes only) → Get User Token
↓
GET /me/accounts → Get Page Token + Page ID
↓
POST /{page_id}/feed + Page Token → Post live on Facebook Page

Instagram

Connect Instagram (Business/Creator) to Facebook Page
↓
Meta App → Use Cases → Manage Instagram → API setup with Instagram Login
↓
App Roles → Add Instagram Tester → Accept invite on instagram.com
↓
Add account → Instagram login popup → Token generated in dashboard
↓
GET /me → Get Instagram User ID
↓
POST /{id}/media (Cloudinary image URL) → Get container_id
↓
POST /{id}/media_publish (creation_id) → Post live on Instagram

Security Checklist

- All client secrets stored in environment variables — never in code
- Access tokens and refresh tokens stored securely (encrypted DB or secret manager)
- Redirect URIs use HTTPS in production
- State parameter is random and validated on callback to prevent CSRF
- Refresh tokens rotated — old ones discarded after each use
- All credentials regenerated if accidentally exposed publicly

- Instagram images hosted on Cloudinary or equivalent whitelisted CDN
- TikTok: use `client_key` not `client_id` in all requests
- Facebook: use Page Token (not User Token) for all Page posting
- Instagram: account must be Business/Creator type — not Personal