
Cucumber Report



Feature			Scer	nario			Step		
Name	Duration	T	P	F	S	T	P	F	S
Checking the billing Module	1 m 36.890 s	1	0	1	0	7	6	1	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Checking the billing Module	Intentionally failing in billig module

TAG		Scei	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@BillingNotMandatory	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	Checking the billing Module	1	0	1	0	1 m 36.890 s	

SCENARIOS SUMMARY -- 6




#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	Checking the billing Module	Intentionally failing in billig module	7	6	1	0	1 m 36.884 s	

DETAILED SECTION -- 7 -

Checking the billing Module

FAILED	DURATION - 1 m 36.890 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 6:56:55.684 pm // 6	6:58:32.574 pm /	Pass - 0	1	Pass - 6	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Intentionally failing in billig module



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	21.801 s
2	Given user enters into Billing	PASSED	4.601 s
3	When user clicks the opd	PASSED	4.316 s
4	And clicks the Add patient	PASSED	0.083 s
5	And clicks the new patient	PASSED	0.302 s
6	And Missing Mandatory fields only	PASSED	23.559 s
7	Then Assert the intentional error	FAILED	12.373 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[text()='The Paid Amount field is required.]"} (Session info: MicrosoftEdge=119.0.2151.58) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [4ea7ee39fc2e74bb7ee72bdafaa63e86, findElement {using=xpath, value=//p[text()='The Paid Amount field is required.']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:58773}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47, userDataDir: C:\Users\DMANOH~1\AppData\L}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58773/devtoo, se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		

#	Step / Hook Details	Status	Duration
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 4ea7ee39fc2e74bb7ee72bdafaa63e86		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy21.getText(Unknown Source)		
	at com.actions.BillingActions.getPaidErrorMessage(BillingActions.java:101)		
	at com.stepdefinition.AdminLoginStepDefinition.assert_the_intentional_error(AdminLoginStepDefinition.java:108)		
	at ?.Assert the intentional error(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Billing.feature:45)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	11.701 s
	Intentionally failing in billig module		
	N		
	Second S		
	I .		