

Cucumber Report

22 Nov 2023, 11:02:38

Start : Nov 22, 11:00:48.360 am

End : Nov 22, 11:02:31.902 am

Duration : 1 m 43.542 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0

PASSED - 1
FAILED - 4
SKIPPED - 24




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checking the billing Module</u>	1 m 43.542 s	4	0	4	0	29	1	4	24

#	Feature Name	Scenario Name
1	<u>Checking the billing Module</u>	<u>Checking the mandatory fields for the new patient details</u>
2		<u>Missing the mandatory fields intentionally in new patient</u>
3		<u>Intentionally failing in billig module</u>
4		<u>checking the new patient</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@FullBilling	1	0	1	0	1	0	1	0
@NotMandatory	1	0	1	0	1	0	1	0
@BillingNotMandatory	1	0	1	0	1	0	1	0
@MandatoryBill	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Checking the billing Module</u>	4	0	4	0	1 m 43.542 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the billing Module</u>	<u>Checking the mandatory fields for the new patient details</u>	8	0	1	7	1 m 41.569 s
2		<u>Missing the mandatory fields intentionally in new patient</u>	7	1	1	5	1 m 43.533 s
3		<u>Intentionally failing in billig module</u>	7	0	1	6	1 m 41.513 s
4		<u>checking the new patient</u>	7	0	1	6	1 m 41.512 s


Checking the billing Module

FAILED	DURATION - 1 m 43.542 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 29 Pass - 1 Fail - 4 Skip - 24	
/ 11:00:48.360 am // 11:02:31.902 am /					



Checking the mandatory fields for the new patient details

<div>FAILED</div> <div>DURATION - 1 m 41.569 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 11:00:48.365 am // 11:02:29.934 am /				
Checking the billing Module				
@FullBilling				

#	Step / Hook Details	Status	Duration
1	<p>Given user enters into the Admin portal</p> <p>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b494c6992fbfd97ea407509b502ad0f0, clickElement {id=2888605A73B9B69A73A3437424D0996C_element_9}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:53562}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53562/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (b494c6992fbfd97ea407509b502ad0f0)] -> xpath: //div[@class='form-bottom']/button[1]] Session ID: b494c6992fbfd97ea407509b502ad0f0</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p>	FAILED	23.370 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_the_admin_portal(AdminLoginStepDefinition.java:40) at ?.user enters into the Admin portal(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Billing.feature:4) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	Given user enters into Billing	SKIPPED	0.000 s
3	When user clicks the opd	SKIPPED	0.001 s
4	And clicks the Add patient	SKIPPED	0.000 s
5	And clicks the new patient	SKIPPED	0.001 s
6	And enter the Mandatory fields only	SKIPPED	0.000 s
7	Then enters the other OPD details	SKIPPED	0.000 s
8	And checks the name	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	7.847 s
	Checking the mandatory fields for the new patient details		
			



Missing the mandatory fields intentionally in new patient

<div>FAILED</div> <div>DURATION - 1 m 43.533 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 11:00:48.369 am // 11:02:31.902 am /				
Checking the billing Module				
@NotMandatory				

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	23.599 s
2	<p>Given user enters into Billing</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class='fas fa-file-invoice']/following-sibling::span[1]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a7b14cccf2eb022f997fb52ab3f092bb, findElement {using=xpath, value=//i[@class='fas fa-file-invoice']/following-sibling::span[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\Local\Temp\scoped_dir11405735_11405735_90}, goog:chromeOptions: {debuggerAddress: localhost:53561}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53561/devtools..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a7b14cccf2eb022f997fb52ab3f092bb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source) at com.actions.BillingActions.clickBilling(BillingActions.java:18) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_billing(AdminLoginStepDefinition.java:49) at ? user enters into Billing(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Billing.feature:9) * Not displayable characters are replaced by '?'. </pre>	FAILED	10.051 s
3	When user clicks the opd	SKIPPED	0.000 s
4	And clicks the Add patient	SKIPPED	0.000 s
5	And clicks the new patient	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
6	And enter some fields	SKIPPED	0.000 s
7	Then Assert the error	SKIPPED	0.000 s
	<p>AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:53562}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:53562/devtoo..., se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at com.stepdefinition.HookClass.tearDown(HookClass.java:21)</pre>	FAILED	0.003 s

Intentionally failing in billing module



FAILED DURATION - 1 m 41.513 s / 11:00:48.370 am // 11:02:29.883 am / Checking the billing Module @BillingNotMandatory		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
---	---	--	--

#	Step / Hook Details	Status	Duration
1	<p>Given user enters into the Admin portal</p> <pre>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b494c6992fbfd97ea407509b502ad0f0, clickElement {id=2888605A73B9B69A73A3437424D0996C_element_9}] Capabilities</pre>	FAILED	23.445 s

#	Step / Hook Details	Status	Duration
	<pre>{acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\Local\Temp\chrome-win-1064670\chrome-win-1064670}, goog:chromeOptions: {debuggerAddress: localhost:53562}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53562/devtools, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (b494c6992fbfd97ea407509b502ad0f0)] -> xpath: //div[@class='form-bottom']/button[1]] Session ID: b494c6992fbfd97ea407509b502ad0f0</pre> <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_the_admin_portal(AdminLoginStepDefinition.java:40) at ?.user enters into the Admin portal(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Billing.feature:4)</pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	Given user enters into Billing	SKIPPED	0.000 s
3	When user clicks the opd	SKIPPED	0.000 s
4	And clicks the Add patient	SKIPPED	0.000 s
5	And clicks the new patient	SKIPPED	0.000 s
6	And Missing Mandatory fields only	SKIPPED	0.000 s
7	Then Assert the intentional error	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	FAILED	7.794 s
	Intentionally failing in billing module		
	<pre>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b494c6992fbfd97ea407509b502ad0f0, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\Local\Temp\chrome-win-1064670\chrome-win-1064670}, goog:chromeOptions: {debuggerAddress: localhost:53562}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53562/devtools, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:</pre>		

#	Step / Hook Details	Status	Duration
	<pre> true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b494c6992fbfd97ea407509b502ad0f0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:409) at com.utility.HelperClass.tearDown(HelperClass.java:51) at com.stepdefinition.HookClass.tearDown(HookClass.java:24) </pre>		
			

checking the new patient

FAILED DURATION - 1 m 41.512 s / 11:00:48.370 am // 11:02:29.882 am / <i>Checking the billing Module</i> @MandatoryBill			Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
---	--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	FAILED	23.835 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b494c6992fbfd97ea407509b502ad0f0, clickElement {id=2888605A73B9B69A73A3437424D0996C_element_9}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:53562}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53562/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (b494c6992fbfd97ea407509b502ad0f0)] -> xpath: //div[@class='form-bottom']/button[1]] Session ID: b494c6992fbfd97ea407509b502ad0f0</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_the_admin_portal(AdminLoginStepDefinition.java:40) at ?.user enters into the Admin portal(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Billing.feature:4)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	Given user enters into Billing	SKIPPED	0.000 s
3	When user clicks the opd	SKIPPED	0.001 s
4	And clicks the Add patient	SKIPPED	0.000 s
5	And clicks the new patient	SKIPPED	0.000 s
6	And enter the Mandatory fields only	SKIPPED	0.000 s
7	Then Assert the successfull message	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	FAILED	7.792 s
	checking the new patient		
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration
	<p>[b494c6992fbfd97ea407509b502ad0f0, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:53562}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53562/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b494c6992fbfd97ea407509b502ad0f0</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:409) at com.utility.HelperClass.tearDown(HelperClass.java:51) at com.stepdefinition.HookClass.tearDown(HookClass.java:24)</p>		
	