Cucumber Report

Start : Nov 19, 9:20:09.731 am	*End : Nov 19, 9:20:16.339 am*	*Duration : 6.608 s*
Features	Scenarios	Steps

| Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 3

Features: 1

Scenarios: 1

Steps: 4

Pass % gauges: 0 %, 0 %, 0 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Checking the billing feature	6.608 s	1	0	1	0	4	0	1	3

#	Feature Name	Scenario Name
1	*Checking the billing feature*	*Adding patient and checking from patient list*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@IPD-InPatient	*1*	*0*	*1*	*0*	*1*	*0*	*1*	*0*

#	Feature Name	T	P	F	S	Duration
1	Checking the billing feature	1	0	1	0	6.608 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the billing feature	Adding patient and checking from patient list	4	0	1	3	6.604 s

Checking the billing feature

FAILED	DURATION - 6.608 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 4 Pass - 0 Fail - 1 Skip - 3
/ 9:20:09.731 am // 9:20:16.339 am /			

Adding patient and checking from patient list

FAILED	DURATION - 6.604 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3
/ 9:20:09.735 am // 9:20:16.339 am /			
Checking the billing feature			
@IPD-InPatient			

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	FAILED	0.512 s

	org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: MicrosoftEdge=119.0.2151.72) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [6822eed886c91d6e3ee695836f51a51a, get {url=https://demo.smart-hospital.in/site/login}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:60939}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\91908\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60939/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6822eed886c91d6e3ee695836f51a51a
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304)		
	at com.utility.HelperClass.openPage(HelperClass.java:24)		
	at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_the_admin_portal(AdminLoginStepDefinition.java:36)		
	at ?.user enters into the Admin portal(file:///C:/PilotDeepakGit/Test/smartHospital/src/test/resources/Features/AdminLogin1.feature:4)		
	* Not displayable characters are replaced by '?'.		
2	Given user enter into the IPD-InPatient	SKIPPED	0.002 s
3	And Added the In patient details	SKIPPED	0.001 s
4	Then Check the In patient added	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.295 s
	Adding patient and checking from patient list 		