Cucumber Report

| Start : Nov 22, 3:53:40.573 pm	End : Nov 22, 3:54:40.901 pm	Duration : 1 m 0.328 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 12 FAILED - 4 SKIPPED - 17

Features: 1

Scenarios: 4

Steps: 33

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 36 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Checking the billing Module	*1 m 0.328 s*	*4*	*0*	*4*	*0*	*33*	*12*	*4*	*17*

#	Feature Name	Scenario Name
1	*Checking the billing Module*	*Missing the mandatory fields intentionally in new patient*
2		*checking the new patient*
3		*Checking the mandatory fields for the new patient details*
4		*Intentionally failing in billig module*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@NotMandatory	1	0	1	0	1	0	1	0
@MandatoryBill	1	0	1	0	1	0	1	0
@FullBilling	1	0	1	0	1	0	1	0
@BillingNotMandatory	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Checking the billing Module*	4	0	4	0	1 m 0.328 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the billing Module	Missing the mandatory fields intentionally in new patient	8	3	1	4	15.140 s
2		checking the new patient	8	3	1	4	13.514 s
3		Checking the mandatory fields for the new patient details	9	3	1	5	14.375 s
4		Intentionally failing in billig module	8	3	1	4	17.268 s

Checking the billing Module

FAILED	DURATION - 1 m 0.328 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Steps Total - 33 Pass - 12 Fail - 4 Skip - 17	33
/ 3:53:40.573 pm // 3:54:40.901 pm /					

Missing the mandatory fields intentionally in new patient

FAILED	DURATION - 15.140 s		Steps Total - 8 Pass - 3 Fail - 1 Skip - 4	8
/ 3:53:40.578 pm // 3:53:55.718 pm /				
Checking the billing Module				
@NotMandatory				

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.814 s
2	Given user enters into Billing	PASSED	0.834 s
3	When user clicks the opd	PASSED	3.585 s
4	And clicks the Add patient	FAILED	1.122 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" id="add" onclick="holdModal('myModal')" class="btn btn-primary btn-sm addpatient">... is not clickable at point (713, 85). Other element would receive the click: ... (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0de2eeaa213419d8c1ef57e0b532370c, clickElement {id=AC3251B89350FB8D09D5093A96B6EB07_element_88}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49625/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (0de2eeaa213419d8c1ef57e0b532370c)] -> xpath: //a[contains(@class,'btn btn-primary')]] Session ID: 0de2eeaa213419d8c1ef57e0b532370c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)		
	at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)		
	at com.actions.BillingActions.AddPatient(BillingActions.java:27)		
	at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_patient(AdminLoginStepDefinition.java:59)		
	at ?.clicks the Add patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Billing.feature:11)		
	* Not displayable characters are replaced by '?'.		
5	And clicks the new patient	SKIPPED	0.001 s
6	And enter some fields	SKIPPED	0.000 s
7	Then Assert the error	SKIPPED	0.000 s
8	And Logout1	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.640 s
	Missing the mandatory fields intentionally in new patient		

checking the new patient

FAILED	*DURATION - 13.514 s*		**Steps**	
			Total - 8	
/ 3:53:55.734 pm // 3:54:09.248 pm /			Pass - 3	
			Fail - 1	8
Checking the billing Module			Skip - 4	
@MandatoryBill				

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.323 s
2	Given user enters into Billing	PASSED	0.725 s
3	When user clicks the opd	PASSED	3.597 s
4	And clicks the Add patient	FAILED	1.078 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" id="add" onclick="holdModal('myModal')" class="btn btn-primary btn-sm addpatient">... is not clickable at point (713, 85). Other element would receive the click: ... (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [89c4cf10d2f8e106590b939a46388cb3, clickElement {id=D252129C71B694651D4B0D556FD9A667_element_94}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49659}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49659/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (89c4cf10d2f8e106590b939a46388cb3)] -> xpath: //a[contains(@class,'btn btn-primary')]] Session ID: 89c4cf10d2f8e106590b939a46388cb3
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source) at com.actions.BillingActions.AddPatient(BillingActions.java:27) at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_patient(AdminLoginStepDefinition.java:59) at ?.clicks the Add patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Billing.feature:22) * Not displayable characters are replaced by '?'.		
5	And clicks the new patient	SKIPPED	0.000 s
6	And enter the Mandatory fields only	SKIPPED	0.000 s
7	Then Assert the successfull message	SKIPPED	0.000 s
8	And Logout1	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) checking the new patient 	PASSED	0.381 s

Checking the mandatory fields for the new patient details

FAILED	DURATION - 14.375 s		Steps
/ 3:54:09.253 pm // 3:54:23.628 pm /			Total - 9 Pass - 3 Fail - 1 Skip - 5
Checking the billing Module			
@FullBilling			

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.954 s
2	Given user enters into Billing	PASSED	0.916 s
3	When user clicks the opd	PASSED	3.622 s
4	And clicks the Add patient	FAILED	1.090 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element \<a data-toggle="modal" id="add" onclick="holdModal('myModal')" class="btn btn-primary btn-sm addpatient">...\ is not clickable at point (713, 85). Other element would receive the click: \...\ (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [464d4cd91a93c6fc44337dd3834b2957, clickElement {id=65F66B0718F5EBB26A2C8C19EF8A4754_element_99}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49704}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49704/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (464d4cd91a93c6fc44337dd3834b2957)] -> xpath: //a[contains(@class,'btn btn-primary')]] Session ID: 464d4cd91a93c6fc44337dd3834b2957
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)
	    at com.actions.BillingActions.AddPatient(BillingActions.java:27)
	    at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_patient(AdminLoginStepDefinition.java:59)
	    at ?.clicks the Add patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Billing.feature:33)
	* Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
5	And clicks the new patient	SKIPPED	0.000 s
6	And enter the Mandatory fields only	SKIPPED	0.000 s
7	Then enters the other OPD details	SKIPPED	0.000 s
8	And checks the name	SKIPPED	0.000 s
9	And Logout1	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.409 s
	Checking the mandatory fields for the new patient details 		

Intentionally failing in billig module

FAILED	DURATION - 17.268 s
/ 3:54:23.633 pm // 3:54:40.901 pm /	
Checking the billing Module	
@BillingNotMandatory	

Steps
Total - 8
Pass - 3
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	6.988 s
2	Given user enters into Billing	PASSED	0.896 s
3	When user clicks the opd	PASSED	3.598 s
4	And clicks the Add patient	FAILED	1.104 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" id="add" onclick="holdModal('myModal')" class="btn btn-primary btn-sm addpatient">... is not clickable at point (713, 85). Other element would receive the click: ... (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fc88636426b1e4bcb6219c933ced487d,		

#	Step / Hook Details	Status	Duration

	clickElement {id=CF3CD3F8321F5EA7996F6702F58C43CB_element_101}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49751}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49751/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (fc88636426b1e4bcb6219c933ced487d)] -> xpath: //a[contains(@class,'btn btn-primary')]] Session ID: fc88636426b1e4bcb6219c933ced487d
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)
	    at com.actions.BillingActions.AddPatient(BillingActions.java:27)
	    at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_patient(AdminLoginStepDefinition.java:59)
	    at ?.clicks the Add patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Billing.feature:45)
	* Not displayable characters are replaced by '?'.		

5	And clicks the new patient	SKIPPED	0.000 s
6	And Missing Mandatory fields only	SKIPPED	0.000 s
7	Then Assert the intentional error	SKIPPED	0.000 s
8	And Logout1	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Intentionally failing in billig module	PASSED	0.589 s

#	Step / Hook Details	Status	Duration