Cucumber Report

| Start : Nov 22, 3:50:20.200 pm	End : Nov 22, 3:53:00.508 pm	Duration : 2 m 40.308 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 0 FAILED - 13 SKIPPED - 0	PASSED - 30 FAILED - 13 SKIPPED - 41

Features: 4

Scenarios: 13

Steps: 84

Pass %: 0 %

Pass %: 0 %

Pass %: 35 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Checking the billing Module	*1 m 7.086 s*	*4*	*0*	*4*	*0*	*33*	*12*	*4*	*17*
Checking the Front office Module	*40.218 s*	*4*	*0*	*4*	*0*	*20*	*8*	*4*	*8*
Checking the Inpatient Module	*42.803 s*	*4*	*0*	*4*	*0*	*25*	*8*	*4*	*13*
Checking the Outpatient Module	*10.178 s*	*1*	*0*	*1*	*0*	*6*	*2*	*1*	*3*

#	Feature Name	Scenario Name
1	Checking the billing Module	Missing the mandatory fields intentionally in new patient
2		checking the new patient
3		Checking the mandatory fields for the new patient details
4		Intentionally failing in billig module
5	Checking the Front office Module	Enter all fields in front office as visitor and save
6		Missing the mandatory fields intentionally in new patient for front office
7		Enter all fields in front office as inquiry and save
8		Enter all fields in front office as seminar and save
9	Checking the Inpatient Module	Missing the mandatory fields intentionally in new patient for OutPatient office
10		checking the new patient at out patient
11		Checking the mandatory fields for the new patient details in Inpatient
12		Intentionally failing in InPatient module

#	Feature Name	Scenario Name
13	*Checking the Outpatient Module*	*Missing the mandatory fields intentionally in new patient for OutPatient office*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@NotMandatory	1	0	1	0	1	0	1	0
@MandatoryBill	1	0	1	0	1	0	1	0
@FullBilling	1	0	1	0	1	0	1	0
@BillingNotMandatory	1	0	1	0	1	0	1	0
@EnterAllFeildInFO	1	0	1	0	1	0	1	0
@NotEnterAllFeildInFO	1	0	1	0	1	0	1	0
@EnterAllFeildInFOasInquiry	1	0	1	0	1	0	1	0
@EnterAllFeildInFOasSeminar	1	0	1	0	1	0	1	0
@NotEnterAllFeildInOp	2	0	2	0	2	0	2	0
@MandatoryOp	1	0	1	0	1	0	1	0
@FullOutPatient	1	0	1	0	1	0	1	0
@OpNotMandatory	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Checking the billing Module*	4	0	4	0	1 m 7.086 s
2	*Checking the Front office Module*	4	0	4	0	40.218 s
3	*Checking the Inpatient Module*	4	0	4	0	42.803 s
4	*Checking the Outpatient Module*	1	0	1	0	10.178 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the billing Module	Missing the mandatory fields intentionally in new patient	8	3	1	4	21.841 s
2		checking the new patient	8	3	1	4	17.136 s
3		Checking the mandatory fields for the new patient details	9	3	1	5	14.413 s
4		Intentionally failing in billig module	8	3	1	4	13.590 s
5	Checking the Front office Module	Enter all fields in front office as visitor and save	5	2	1	2	10.398 s
6		Missing the mandatory fields intentionally in new patient for front office	5	2	1	2	9.684 s
7		Enter all fields in front office as inquiry and save	5	2	1	2	10.140 s
8		Enter all fields in front office as seminar and save	5	2	1	2	9.985 s
9	Checking the Inpatient Module	Missing the mandatory fields intentionally in new patient for OutPatient office	6	2	1	3	10.838 s
10		checking the new patient at out patient	6	2	1	3	10.795 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
11	Checking the Inpatient Module	Checking the mandatory fields for the new patient details in Inpatient	7	2	1	4	10.957 s
12		Intentionally failing in InPatient module	6	2	1	3	10.200 s
13	Checking the Outpatient Module	Missing the mandatory fields intentionally in new patient for OutPatient office	6	2	1	3	10.178 s

Checking the billing Module

FAILED	DURATION - 1 m 7.086 s	Scenarios		Steps	
		Total - 4		Total - 33	
/ 3:50:20.200 pm // 3:51:27.286 pm /		Pass - 0	4	Pass - 12	33
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 17	

Missing the mandatory fields intentionally in new patient

FAILED	DURATION - 21.841 s		Steps	
/ 3:50:20.206 pm // 3:50:42.047 pm /			Total - 8	
Checking the billing Module			Pass - 3	8
			Fail - 1	
@NotMandatory			Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	10.873 s
2	Given user enters into Billing	PASSED	0.856 s
3	When user clicks the opd	PASSED	4.103 s
4	And clicks the Add patient	FAILED	1.125 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" id="add" onclick="holdModal('myModal')" class="btn btn-primary btn-sm addpatient">... is not clickable at point (713, 85). Other element would receive the click: ... (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [48918bd3ba2db4427ee5953e76349042, clickElement {id=747C032219F7772173C9EAC4CB8512DB_element_99}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49182}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49182/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (48918bd3ba2db4427ee5953e76349042)] -> xpath: //a[contains(@class,'btn btn-primary')]] Session ID: 48918bd3ba2db4427ee5953e76349042		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source) at com.actions.BillingActions.AddPatient(BillingActions.java:27) at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_patient(AdminLoginStepDefinition.java:59) at ?.clicks the Add patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Billing.feature:11) * Not displayable characters are replaced by '?'.		
5	And clicks the new patient	SKIPPED	0.003 s
6	And enter some fields	SKIPPED	0.000 s
7	Then Assert the error	SKIPPED	0.001 s
8	And Logout1	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Missing the mandatory fields intentionally in new patient 	PASSED	0.442 s

checking the new patient

FAILED	DURATION - 17.136 s
/ 3:50:42.137 pm // 3:50:59.273 pm /	
Checking the billing Module	
@MandatoryBill	

Steps
Total - 8
Pass - 3
Fail - 1
Skip - 4

8

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	6.563 s
2	Given user enters into Billing	PASSED	1.605 s
3	When user clicks the opd	PASSED	3.589 s
4	And clicks the Add patient	FAILED	1.101 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" id="add" onclick="holdModal('myModal')" class="btn btn-primary btn-sm addpatient">... is not clickable at point (713, 85). Other element would receive the click: ...   (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [acd46a58b0e79671cb64f7d4121fe4b8, clickElement {id=25049430F431232281B44AD538F1CB04_element_100}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49221}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49221/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (acd46a58b0e79671cb64f7d4121fe4b8)] -> xpath: //a[contains(@class,'btn btn-primary')]] Session ID: acd46a58b0e79671cb64f7d4121fe4b8
        at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
        at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
        at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
        at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source) at com.actions.BillingActions.AddPatient(BillingActions.java:27) at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_patient(AdminLoginStepDefinition.java:59) at ?.clicks the Add patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Billing.feature:22) * Not displayable characters are replaced by '?'.		
5	And clicks the new patient	SKIPPED	0.000 s
6	And enter the Mandatory fields only	SKIPPED	0.000 s
7	Then Assert the successfull message	SKIPPED	0.000 s
8	And Logout1	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) checking the new patient 	PASSED	0.392 s

Checking the mandatory fields for the new patient details

FAILED	DURATION - 14.413 s		Steps
/ 3:50:59.279 pm // 3:51:13.692 pm /			Total - 9
Checking the billing Module			Pass - 3 Fail - 1
@FullBilling			Skip - 5

| #	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.888 s
2	Given user enters into Billing	PASSED	0.674 s
3	When user clicks the opd	PASSED	3.603 s
4	And clicks the Add patient	FAILED	1.108 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" id="add" onclick="holdModal('myModal')" class="btn btn-primary btn-sm addpatient">... is not clickable at point (713, 85). Other element would receive the click: ... (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c5a48a0b39d5d3cbfffc420f26ce26bf, clickElement {id=21BC46EEBB91BAFCEF37589001C0F19F_element_98}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49262}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49262/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (c5a48a0b39d5d3cbfffc420f26ce26bf)] -> xpath: //a[contains(@class,'btn btn-primary')]] Session ID: c5a48a0b39d5d3cbfffc420f26ce26bf
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)
	    at com.actions.BillingActions.AddPatient(BillingActions.java:27)
	    at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_patient(AdminLoginStepDefinition.java:59)
	    at ?.clicks the Add patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Billing.feature:33)
	* Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
5	And clicks the new patient	SKIPPED	0.000 s
6	And enter the Mandatory fields only	SKIPPED	0.000 s
7	Then enters the other OPD details	SKIPPED	0.000 s
8	And checks the name	SKIPPED	0.000 s
9	And Logout1	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Checking the mandatory fields for the new patient details 	PASSED	0.515 s

Intentionally failing in billig module

FAILED	DURATION - 13.590 s		Steps	
/ 3:51:13.696 pm // 3:51:27.286 pm /			Total - 8	
Checking the billing Module			Pass - 3 Fail - 1 Skip - 4	
@BillingNotMandatory				

| #	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.831 s
2	Given user enters into Billing	PASSED	0.832 s
3	When user clicks the opd	PASSED	3.597 s
4	And clicks the Add patient	FAILED	1.123 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" id="add" onclick="holdModal('myModal')" class="btn btn-primary btn-sm addpatient">... is not clickable at point (713, 85). Other element would receive the click: ... (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2172293b29dec13c7c32043e4448d08d,		

#	Step / Hook Details	Status	Duration

	clickElement {id=10F6BCC1C3AE6F6767450E0ED89E5EC2_element_98}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49292}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49292/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (2172293b29dec13c7c32043e4448d08d)] -> xpath: //a[contains(@class,'btn btn-primary')]] Session ID: 2172293b29dec13c7c32043e4448d08d
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	  at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)
	  at com.actions.BillingActions.AddPatient(BillingActions.java:27)
	  at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_patient(AdminLoginStepDefinition.java:59)
	  at ?.clicks the Add patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Billing.feature:45)
	* Not displayable characters are replaced by '?'.		

5	And clicks the new patient	SKIPPED	0.001 s
6	And Missing Mandatory fields only	SKIPPED	0.000 s
7	Then Assert the intentional error	SKIPPED	0.000 s
8	And Logout1	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Intentionally failing in billig module	PASSED	0.534 s

#	Step / Hook Details	Status	Duration

Checking the Front office Module

FAILED	DURATION - 40.218 s	Scenarios		Steps	
		Total - 4		Total - 20	
/ 3:51:27.296 pm // 3:52:07.514 pm /		Pass - 0		Pass - 8	
		Fail - 4	4	Fail - 4	20
		Skip - 0		Skip - 8	

Enter all fields in front office as visitor and save

FAILED	DURATION - 10.398 s		Steps	
/ 3:51:27.296 pm // 3:51:37.694 pm /			Total - 5	
			Pass - 2	
Checking the Front office Module			Fail - 1	5
@EnterAllFeildInFO			Skip - 2	

| #	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	6.170 s
2	Given user enters into front office	PASSED	1.139 s
3	When clicks the Add visitors	FAILED	1.121 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" data-target="#myModal" class="btn btn-primary btn-sm addvisitor">... is not clickable at point (427, 85). Other element would receive the click: <div class="pull-right">...</div> (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c3c8f76358ae5413c08927b31fe200bc, clickElement {id=253DE54A5483DBA6BAECDA5F9F5CA2AE_element_74}] Capabilities		

#	Step / Hook Details	Status	Duration
	{acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49324}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49324/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (c3c8f76358ae5413c08927b31fe200bc)] -> xpath: (//div[@class='box-tools pull-right']//a)[1]] Session ID: c3c8f76358ae5413c08927b31fe200bc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source) at com.actions.FrontOfficeAction.Addvisitor(FrontOfficeAction.java:20) at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_visitors(AdminLoginStepDefinition.java:126) at ?.clicks the Add visitors(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/FrontOffice.feature:9) * Not displayable characters are replaced by '?'.		
4	And enter all fields	SKIPPED	0.000 s
5	Then save the visitors	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Enter all fields in front office as visitor and save	PASSED	0.252 s

#	Step / Hook Details	Status	Duration

Missing the mandatory fields intentionally in new patient for front office

FAILED	DURATION - 9.684 s		Steps
/ 3:51:37.699 pm // 3:51:47.383 pm /			Total - 5
			Pass - 2
Checking the Front office Module			Fail - 1
			Skip - 2
@NotEnterAllFeildInFO			

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.651 s
2	Given user enters into front office	PASSED	0.959 s
3	When clicks the Add visitors	FAILED	1.117 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" data-target="#myModal" class="btn btn-primary btn-sm addvisitor">... is not clickable at point (427, 85). Other element would receive the click: <div class="pull-right">...</div> (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1f0b5aaef47e4469b022238376a71a35, clickElement {id=FA2EA1A4250013EDFD1FE4D6557374EE_element_74}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49356}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49356/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (1f0b5aaef47e4469b022238376a71a35)] -> xpath: (//div[@class='box-tools pull-right']//a)[1]] Session ID: 1f0b5aaef47e4469b022238376a71a35
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source) at com.actions.FrontOfficeAction.Addvisitor(FrontOfficeAction.java:20) at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_visitors(AdminLoginStepDefinition.java:126) at ?.clicks the Add visitors(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/FrontOffice.feature:17) * Not displayable characters are replaced by '?'.		
4	And misses some fields	SKIPPED	0.000 s
5	Then Assert the error frontOffice	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Missing the mandatory fields intentionally in new patient for front office 	PASSED	0.296 s

Enter all fields in front office as inquiry and save

FAILED	DURATION - 10.140 s

/ 3:51:47.386 pm // 3:51:57.526 pm /

Checking the Front office Module

@EnterAllFeildInFOasInquiry

Steps
Total - 5
Pass - 2
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	6.037 s
2	Given user enters into front office	PASSED	1.035 s
3	When clicks the Add visitors as inquiry	FAILED	1.111 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" data-target="#myModal" class="btn btn-primary btn-sm addvisitor">... is not clickable at point (427, 85). Other element would receive the click: <div class="pull-right">...</div>   (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d2c881040b4a20d044e61f07fc3b32d3, clickElement {id=CA893DFEA62842CB9AC438CD770ECE8D_element_76}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49385}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49385/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (d2c881040b4a20d044e61f07fc3b32d3)] -> xpath: (//div[@class='box-tools pull-right']//a)[1]] Session ID: d2c881040b4a20d044e61f07fc3b32d3
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
   at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source) at com.actions.FrontOfficeAction.AsInquiry(FrontOfficeAction.java:45) at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_visitors_as_inquiry(AdminLoginStepDefinition.java:153) at ?.clicks the Add visitors as inquiry(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/FrontOffice.feature:24) * Not displayable characters are replaced by '?'.		
4	And enter all fields	SKIPPED	0.000 s
5	Then save the visitors	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Enter all fields in front office as inquiry and save 	PASSED	0.303 s

Enter all fields in front office as seminar and save

FAILED	DURATION - 9.985 s		Steps	
/ 3:51:57.529 pm // 3:52:07.514 pm /			Total - 5	
Checking the Front office Module			Pass - 2	
			Fail - 1	
@EnterAllFeildInFOasSeminar			Skip - 2	

| #	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	2.844 s
2	Given user enters into front office	PASSED	4.056 s
3	When clicks the Add visitors as seminar	FAILED	1.082 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" data-target="#myModal"		

#	Step / Hook Details	Status	Duration

	class="btn btn-primary btn-sm addvisitor">... is not clickable at point (427, 85). Other element would receive the click: <div class="pull-right">...</div> (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [402be17a2a139b49b81e1053d295b611, clickElement {id=F3B76C75B243942CE27C624B941CF87E_element_75}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49414}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49414/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (402be17a2a139b49b81e1053d295b611)] -> xpath: (//div[@class='box-tools pull-right']//a)[1]] Session ID: 402be17a2a139b49b81e1053d295b611
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)
	    at com.actions.FrontOfficeAction.AsSeminar(FrontOfficeAction.java:55)
	    at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_visitors_as_seminar(AdminLoginStepDefinition.java:160)
	    at ?.clicks the Add visitors as seminar(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/FrontOffice.feature:31)
	* Not displayable characters are replaced by '?'.		

4	And enter all fields	SKIPPED	0.000 s
5	Then save the visitors	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Enter all fields in front office as seminar and save	PASSED	0.366 s

#	Step / Hook Details	Status	Duration

Checking the Inpatient Module

FAILED	DURATION - 42.803 s		Scenarios		Steps	
/ 3:52:07.521 pm // 3:52:50.324 pm /			Total - 4		Total - 25	
			Pass - 0		Pass - 8	
			Fail - 4	4	Fail - 4	25
			Skip - 0		Skip - 13	

Missing the mandatory fields intentionally in new patient for OutPatient office

FAILED	DURATION - 10.838 s		Steps	
/ 3:52:07.521 pm // 3:52:18.359 pm /			Total - 6	
Checking the Inpatient Module			Pass - 2	6
@NotEnterAllFeildInOp			Fail - 1	
			Skip - 3	

| #	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	6.868 s
2	Given user enters into InPatient	PASSED	0.808 s
3	When clicks the Add patient	FAILED	1.092 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" onclick="holdModal('myModal')" id="addp" class="btn btn-primary btn-sm addpatient">... is not clickable at point (573, 85). Other element would receive the click: ... (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2559960a2aa47e30fbfc402a1440f403,		

#	Step / Hook Details	Status	Duration

	clickElement {id=3839FBF54BDF32ABBA6FDAB8BCA12EF2_element_80}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49445}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49445/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (2559960a2aa47e30fbfc402a1440f403)] -> xpath: //a[contains(@class,'btn btn-primary')]] Session ID: 2559960a2aa47e30fbfc402a1440f403
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	   at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	   at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)
	   at com.actions.BillingActions.AddPatient(BillingActions.java:27)
	   at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_patient(AdminLoginStepDefinition.java:59)
	   at ?.clicks the Add patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Inpatient.feature:10)
	* Not displayable characters are replaced by '?'.		

4	And clicks the new patient	SKIPPED	0.000 s
5	And enter some fields in InPatient	SKIPPED	0.000 s
6	Then Assert the error in Inpatient	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Missing the mandatory fields intentionally in new patient for OutPatient office	PASSED	0.318 s

#	Step / Hook Details	Status	Duration

checking the new patient at out patient

FAILED	DURATION - 10.795 s
/ 3:52:18.363 pm // 3:52:29.158 pm /	
Checking the Inpatient Module	
@MandatoryOp	

Steps
Total - 6
Pass - 2
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	6.240 s
2	Given user enters into InPatient	PASSED	0.735 s
3	When clicks the Add patient	FAILED	1.127 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" onclick="holdModal('myModal')" id="addp" class="btn btn-primary btn-sm addpatient">... is not clickable at point (573, 85). Other element would receive the click: ... (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [62a0438e85fd590260a15143c1d797b3, clickElement {id=F43965F78E9993FB801003CCA1072337_element_79}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49474}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49474/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (62a0438e85fd590260a15143c1d797b3)] -> xpath: //a[contains(@class,'btn btn-primary')]] Session ID: 62a0438e85fd590260a15143c1d797b3
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)		
	at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)		
	at com.actions.BillingActions.AddPatient(BillingActions.java:27)		
	at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_patient(AdminLoginStepDefinition.java:59)		
	at ?.clicks the Add patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Inpatient.feature:18)		
	* Not displayable characters are replaced by '?'.		
4	And clicks the new patient	SKIPPED	0.000 s
5	And enter the Mandatory fields only in InPatient	SKIPPED	0.001 s
6	Then Assert the successfull message in InPatient	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.325 s
	checking the new patient at out patient		

Checking the mandatory fields for the new patient details in Inpatient

FAILED	DURATION - 10.957 s

/ 3:52:29.163 pm // 3:52:40.120 pm /

Checking the Inpatient Module

@FullOutPatient

Steps
Total - 7
Pass - 2
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.749 s
2	Given user enters into InPatient	PASSED	0.776 s
3	When clicks the Add patient	FAILED	1.173 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" onclick="holdModal('myModal')" id="addp" class="btn btn-primary btn-sm addpatient">... is not clickable at point (573, 85). Other element would receive the click: ...   (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [606642ddc3869eee565b74a942e12f05, clickElement {id=ED8E3E2BC3FC31874658B0C68841A134_element_78}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49508}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49508/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (606642ddc3869eee565b74a942e12f05)] -> xpath: //a[contains(@class,'btn btn-primary')]] Session ID: 606642ddc3869eee565b74a942e12f05
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
   at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source) at com.actions.BillingActions.AddPatient(BillingActions.java:27) at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_patient(AdminLoginStepDefinition.java:59) at ?.clicks the Add patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Inpatient.feature:27) * Not displayable characters are replaced by '?'.		
4	And clicks the new patient	SKIPPED	0.000 s
5	And enter the Mandatory fields only in InPatient	SKIPPED	0.000 s
6	Then enters the other OPD details in InPatient	SKIPPED	0.000 s
7	And checks the name in Inpatient	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Checking the mandatory fields for the new patient details in Inpatient 	PASSED	0.456 s

Intentionally failing in InPatient module

FAILED	DURATION - 10.200 s
/ 3:52:40.124 pm // 3:52:50.324 pm /	
Checking the Inpatient Module	
@OpNotMandatory	

Steps
Total - 6
Pass - 2
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	6.173 s
2	Given user enters into InPatient	PASSED	0.820 s

#	Step / Hook Details	Status	Duration
3	When clicks the Add patient	FAILED	1.142 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" onclick="holdModal('myModal')" id="addp" class="btn btn-primary btn-sm addpatient">... is not clickable at point (573, 85). Other element would receive the click: ... (Session info: headless chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cdf7c841b13a1acaf6ede2d27824785f, clickElement {id=C411F34F7B0FA41A63F69B5D641D3937_element_81}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49537}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49537/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (cdf7c841b13a1acaf6ede2d27824785f)] -> xpath: //a[contains(@class,'btn btn-primary')]] Session ID: cdf7c841b13a1acaf6ede2d27824785f
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	   at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	   at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)
	   at com.actions.BillingActions.AddPatient(BillingActions.java:27)
	   at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_patient(AdminLoginStepDefinition.java:59)
	   at ?.clicks the Add patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Inpatient.feature:37)
	* Not displayable characters are replaced by '?'.		

4	And clicks the new patient	SKIPPED	0.000 s
5	And Missing Mandatory fields only in InPatient	SKIPPED	0.000 s
6	Then Assert the intentional error in InPatient	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.334 s

#	Step / Hook Details	Status	Duration
	Intentionally failing in InPatient module		

Checking the Outpatient Module

FAILED	DURATION - 10.178 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 3:52:50.330 pm // 3:53:00.508 pm /		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

Missing the mandatory fields intentionally in new patient for OutPatient office

FAILED	DURATION - 10.178 s		Steps	
/ 3:52:50.330 pm // 3:53:00.508 pm /			Total - 6	
Checking the Outpatient Module			Pass - 2	
			Fail - 1	
@NotEnterAllFeildInOp			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.965 s
2	Given user enters into OutPatient	PASSED	0.768 s
3	When clicks the Add patient	FAILED	1.218 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a data-toggle="modal" id="add" onclick="holdModal('myModal')" class="btn btn-primary btn-sm addpatient">... is not clickable at point (713, 85). Other element would receive the click: ... (Session info: headless		

#	Step / Hook Details	Status	Duration

	chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b1a5afc3eadebc3aa00f4037d5335a3c, clickElement {id=143B1F041FDCB455056E3C337B301C37_element_74}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49568}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49568/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (b1a5afc3eadebc3aa00f4037d5335a3c)] -> xpath: //a[contains(@class,'btn btn-primary')]] Session ID: b1a5afc3eadebc3aa00f4037d5335a3c
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	  at jdk.proxy2/jdk.proxy2.$Proxy35.click(Unknown Source)
	  at com.actions.BillingActions.AddPatient(BillingActions.java:27)
	  at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_patient(AdminLoginStepDefinition.java:59)
	  at ?.clicks the Add patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Outpatient.feature:10)
	* Not displayable characters are replaced by '?'.		

4	And clicks the new patient	SKIPPED	0.000 s
5	And enter some fields in OutPatient	SKIPPED	0.000 s
6	Then Assert the error in outpatient	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Missing the mandatory fields intentionally in new patient for OutPatient office	PASSED	0.357 s

#	Step / Hook Details	Status	Duration