


Feature			Scei	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Checking the billing Module	1 m 31.726 s	4	4	0	0	33	33	0	0
Checking the Front office Module	55.811 s	4	4	0	0	20	20	0	0
Checking the Inpatient Module	1 m 27.324 s	4	2	2	0	25	21	2	2
Checking the Outpatient Module	46.276 s	4	4	0	0	25	25	0	0
Checking the User Login feature	49.868 s	4	4	0	0	16	16	0	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Checking the Inpatient Module	Checking the mandatory fields for the new patient details in Inpatient
2		Intentionally failing in InPatient module


TAG		Scei	nario			Fea	ture	
Name	Т	P	F	S	Т	P	F	S
@NotMandatory	1	1	0	0	1	1	0	0
@MandatoryBill	1	1	0	0	1	1	0	0
@FullBilling	1	1	0	0	1	1	0	0
@BillingNotMandatory	1	1	0	0	1	1	0	0
@EnterAllFeildInFO	1	1	0	0	1	1	0	0
@NotEnterAllFeildInFO	1	1	0	0	1	1	0	0
@EnterAllFeildInFOasInquiry	1	1	0	0	1	1	0	0
@EnterAllFeildInFOasSeminar	1	1	0	0	1	1	0	0
@NotEnterAllFeildInOp	2	2	0	0	2	1	1	0
@MandatoryOp	2	2	0	0	2	1	1	0
@FullInPatient	1	0	1	0	1	0	1	0
@OpNotMandatory	2	1	1	0	2	1	1	0
@FullOutPatient	1	1	0	0	1	1	0	0
@Radiology	1	1	0	0	1	1	0	0
@Ambulance	1	1	0	0	1	1	0	0
@BloodBank	1	1	0	0	1	1	0	0
@Whatsapp	1	1	0	0	1	1	0	0

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	Checking the billing Module	4	4	0	0	1 m 31.726 s
2	Checking the Front office Module	4	4	0	0	55.811 s
3	Checking the Inpatient Module	4	2	2	0	1 m 27.324 s
4	Checking the Outpatient Module	4	4	0	0	46.276 s
5	Checking the User Login feature	4	4	0	0	49.868 s

SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the billing Module	Missing the mandatory fields intentionally in new patient	8	8	0	0	22.143 s
2		checking the new patient	8	8	0	0	20.488 s
3		Checking the mandatory fields for the new patient details	9	9	0	0	27.346 s
4		Intentionally failing in billig module	8	8	0	0	21.723 s
5	Checking the Front office Module	Enter all fields in front office as visitor and save	5	5	0	0	12.769 s
6		Missing the mandatory fields intentionally in new patient for front office	5	5	0	0	11.503 s
7		Enter all fields in front office as inquiry and save	5	5	0	0	12.952 s
8		Enter all fields in front office as seminar and save	5	5	0	0	18.578 s
9	Checking the Inpatient Module	Missing the mandatory fields intentionally in new patient for OutPatient office	6	6	0	0	9.935 s
10		checking the new patient at out patient	6	6	0	0	10.665 s

SCENARIOS SUMMARY -- 7 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Checking the Inpatient Module	Checking the mandatory fields for the new patient details in Inpatient	7	5	1	1	34.093 s
12		Intentionally failing in InPatient module	6	4	1	1	32.622 s
13	Checking the Outpatient Module	Missing the mandatory fields intentionally in new patient for OutPatient office	6	6	0	0	9.227 s
14		checking the new patient at out patient	6	6	0	0	9.208 s
15		Checking the mandatory fields for the new patient details in outpatient	7	7	0	0	14.305 s
16		Intentionally failing in OutPatient module	6	6	0	0	13.530 s
17	Checking the User Login feature	Searching the report and downloading the pdf	4	4	0	0	10.340 s
18		Adding the payment details	4	4	0	0	11.493 s
19		Sorting the component issue using component name	4	4	0	0	9.597 s


- 1	#	Feature Name	Scenario Name	T	P	F	S	Duration
	20		Sending chat to the staff member	4	4	0	0	18.426 s

DETAILED SECTION -- 9 --

Checking the billing Module

PASSED	DURATION - 1 m 31.726 s	Scenarios		Steps	
		Total - 4		Total - 33	
/ 3:49:51.943 P	M // 3:51:23.669 PM /	Pass - 4	4	Pass - 33	33
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


Missing the mandatory fields intentionally in new patient



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.115 s
2	Given user enters into Billing	PASSED	0.682 s
3	When user clicks the opd	PASSED	4.640 s
4	And clicks the Add patient	PASSED	0.064 s
5	And clicks the new patient	PASSED	0.325 s
6	And enter some fields	PASSED	0.433 s
7	Then Assert the error	PASSED	2.046 s
8	And Logout1	PASSED	3.398 s


checking the new patient

DETAILED SECTION -- 10 --



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	6.570 s
2	Given user enters into Billing	PASSED	0.845 s
3	When user clicks the opd	PASSED	5.587 s
4	And clicks the Add patient	PASSED	0.151 s
5	And clicks the new patient	PASSED	0.269 s
6	And enter the Mandatory fields only	PASSED	0.470 s
7	Then Assert the successfull message	PASSED	0.232 s
8	And Logout1	PASSED	2.992 s


Checking the mandatory fields for the new patient details



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	9.244 s
2	Given user enters into Billing	PASSED	2.699 s
3	When user clicks the opd	PASSED	4.376 s
4	And clicks the Add patient	PASSED	0.054 s
5	And clicks the new patient	PASSED	0.247 s


#	Step / Hook Details	Status	Duration
6	And enter the Mandatory fields only	PASSED	0.587 s
7	Then enters the other OPD details	PASSED	4.124 s
8	And checks the name	PASSED	0.009 s
9	And Logout1	PASSED	3.043 s

Intentionally failing in billig module




#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.851 s
2	Given user enters into Billing	PASSED	0.714 s
3	When user clicks the opd	PASSED	5.606 s
4	And clicks the Add patient	PASSED	0.155 s
5	And clicks the new patient	PASSED	0.288 s
6	And Missing Mandatory fields only	PASSED	1.785 s
7	Then Assert the intentional error	PASSED	2.044 s
8	And Logout1	PASSED	2.936 s

Checking the Front office Module




DETAILED SECTION -- 12 --



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.916 s
2	Given user enters into front office	PASSED	0.991 s
3	When clicks the Add visitors	PASSED	0.098 s
4	And enter all fields	PASSED	0.718 s
5	Then save the visitors	PASSED	2.084 s


Missing the mandatory fields intentionally in new patient for front office



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.331 s
2	Given user enters into front office	PASSED	1.033 s
3	When clicks the Add visitors	PASSED	0.085 s
4	And misses some fields	PASSED	0.368 s
5	Then Assert the error frontOffice	PASSED	2.032 s


Enter all fields in front office as inquiry and save

DETAILED SECTION -- 13 --




#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.450 s
2	Given user enters into front office	PASSED	1.422 s
3	When clicks the Add visitors as inquiry	PASSED	0.872 s
4	And enter all fields	PASSED	0.409 s
5	Then save the visitors	PASSED	2.063 s

Enter all fields in front office as seminar and save




#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	10.101 s
2	Given user enters into front office	PASSED	2.520 s
3	When clicks the Add visitors as seminar	PASSED	0.768 s
4	And enter all fields	PASSED	0.417 s
5	Then save the visitors	PASSED	2.060 s

Checking the Inpatient Module




Missing the mandatory fields intentionally in new patient for OutPatient office



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.323 s
2	Given user enters into InPatient	PASSED	0.858 s
3	When clicks the Add patient	PASSED	0.175 s
4	And clicks the new patient	PASSED	0.267 s
5	And enter some fields in InPatient	PASSED	0.565 s
6	Then Assert the error in Inpatient	PASSED	0.240 s


checking the new patient at out patient



DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.897 s
2	Given user enters into InPatient	PASSED	0.912 s
3	When clicks the Add patient	PASSED	0.063 s
4	And clicks the new patient	PASSED	0.270 s
5	And enter the Mandatory fields only in InPatient	PASSED	0.646 s
6	Then Assert the successfull message in InPatient	PASSED	0.199 s

Checking the mandatory fields for the new patient details in Inpatient



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.060 s
2	Given user enters into InPatient	PASSED	1.016 s
3	When clicks the Add patient	PASSED	0.050 s
4	And clicks the new patient	PASSED	0.251 s
5	And enter the Mandatory fields only in InPatient	PASSED	0.619 s
6	Then enters the other OPD details in InPatient	FAILED	24.020 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: (//li[@role='treeitem'])[2]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.actions.InPatientActions.enters_the_other_opd_details_in_in_patient(InPatientActions.java:56) at com.stepdefinition.AdminLoginStepDefinition.enters_the_other_opd_details_in_in_patient(AdminLoginStepDefinition.java:274) at ?.enters the other OPD details in InPatient(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Inpatient.feature:30) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//li[@role='treeitem'])[2]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [f7030824d21ecaa51dc45da085500e4a, findElement {using=xpath, value=(//li[@role='treeitem'])[2]}]		

#	Step / Hook Details	Status	Duration
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\WINDOWS\SystemTemp\scope}, goog:chromeOptions: {debuggerAddress:		
	localhost:55494}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp:		
	ws://localhost:55494/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: f7030824d21ecaa51dc45da085500e4a		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy35.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at com.actions.InPatientActions.enters_the_other_opd_details_in_in_patient(InPatientActions.java:56)		
	at com.stepdefinition.AdminLoginStepDefinition.enters_the_other_opd_details_in_in_patient(AdminLoginStepDefinition.java:274)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)		
	at io.cucumber.java.lnvoker.invoke(lnvoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		


	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)	
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.PickleStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)	
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)	
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)	
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)	
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)	
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)	
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)	
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)	
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)	
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)	
1 1		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)	
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)	
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)	
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)	
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)	
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)	
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)	
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)	
1 1	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)	
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)	
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)	
1 1	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)	
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)	
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)	
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)	
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)	
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)	
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)	
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)	
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)	
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)	
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)	
1 1	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)	
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)	
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)	
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)	
1 1	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)	
	at org.junit.runner.JUnitCore.run(JUnitCore.java:115)	
	at org.testng.junit.JUnit4TestRunner.start(JUnit4TestRunner.java:78)	
	at org.testng.junit.JUnit4TestRunner.run(JUnit4TestRunner.java:63)	

DETAILED SECTION -- 18 --

#	Step / Hook Details	Status	Duration
	at org.testng.TestRunner\$1.run(TestRunner.java:710)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.runJUnitWorkers(TestRunner.java:927)		
	at org.testng.TestRunner.privateRunJUnit(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:619)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:155)		
	at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeSingleClass(TestNGDirectoryTestSuite.java:102)		
	at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:91)		
	at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:137)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)		
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)		
	* Not displayable characters are replaced by '?'.		
7	And checks the name in Inpatient	SKIPPED	0.001 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.688 s
	Checking the mandatory fields for the new patient details in Inpatient		

Intentionally failing in InPatient module

DETAILED SECTION -- 19 --




#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.106 s
2	Given user enters into InPatient	PASSED	0.898 s
3	When clicks the Add patient	PASSED	0.062 s
4	And clicks the new patient	PASSED	0.267 s
5	And Missing Mandatory fields only in InPatient	FAILED	23.377 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method": "xpath", "selector": "(//li[@role='treeitem")](2]") (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [a71d552769697153056643a336c030b7, findElement {using=xpath, value=(//li[@role='treeitem")](2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\WINDOWS\SystemTemp\scope), goog:chromeOptions: {debuggerAddress: localhost:55530}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55530/evtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a71d552769697153056643a336c030b7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.jav		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.actions.InPatientActions.missing_mandatory_fields_only_in_in_patient(InPatientActions.java:89) at com.stepdefinition.AdminLoginStepDefinition.missing_mandatory_fields_only_in_in_patient(AdminLoginStepDefinition.java:287) at ?.Missing Mandatory fields only in InPatient(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Inpatient.feature:39) * Not displayable characters are replaced by '?'.		
6	Then Assert the intentional error in InPatient	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Intentionally failing in InPatient module	PASSED	0.691 s

Checking the Outpatient Module


PASSED	DURATION - 46.276 s	Scenarios		Steps	
		Total - 4		Total - 25	
/ 3:53:46.832 PN	M // 3:54:33.108 PM /	Pass - 4	4	Pass - 25	25
		Fail - 0		Fail - 0	20
		Skip - 0		Skip - 0	
		Skip - 0		Skip - 0	

Missing the mandatory fields intentionally in new patient for OutPatient office




#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	4.814 s
2	Given user enters into OutPatient	PASSED	0.843 s
3	When clicks the Add patient	PASSED	0.086 s
4	And clicks the new patient	PASSED	0.278 s
5	And enter some fields in OutPatient	PASSED	0.488 s
6	Then Assert the error in outpatient	PASSED	0.235 s

checking the new patient at out patient




#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	4.906 s
2	Given user enters into OutPatient	PASSED	0.697 s
3	When clicks the Add patient	PASSED	0.141 s
4	And clicks the new patient	PASSED	0.250 s
5	And enter the Mandatory fields only in outPatient	PASSED	0.527 s
6	Then Assert the successfull message in OutPatient	PASSED	0.234 s

Checking the mandatory fields for the new patient details in outpatient



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	5.813 s
2	Given user enters into OutPatient	PASSED	0.843 s
3	When clicks the Add patient	PASSED	0.075 s
4	And clicks the new patient	PASSED	0.277 s
5	And enter the Mandatory fields only in outPatient	PASSED	0.526 s
6	Then enters the other OPD details in outPatient	PASSED	4.043 s
7	And checks the name in Outpatient	PASSED	0.028 s

Intentionally failing in OutPatient module



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	4.999 s
2	Given user enters into OutPatient	PASSED	0.674 s
3	When clicks the Add patient	PASSED	0.155 s
4	And clicks the new patient	PASSED	0.265 s
5	And Missing Mandatory fields only in outPatient	PASSED	4.507 s
6	Then Assert the intentional error in OutPatient	PASSED	0.197 s

Checking the User Login feature

PASSED	DURATION - 49.868 s	Scenarios		Steps	
		Total - 4		Total - 16	
/ 3:54:33.112 PM	1 // 3:55:22.980 PM /	Pass - 4	4	Pass - 16	16
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


DETAILED SECTION -- 23 --

Searching the report and downloading the pdf

PASSED	DURATION - 10.340 s							Steps		
/0.54.00.440.D	1 // 2 5 4 4 2 4 5 2 5 4 4 7	6-	 	 				Total - 4		
/ 3:54:33.112 PN	Л // 3:54:43.452 PM /	4 -	 	 				Pass - 4		
Checking the Us	ser Login feature	2-	 	 _				Fail - 0	4	1
				_				Skip - 0		_
@Radiology		0 -	 <u>.</u>	 						
			1	2	3	4				


#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login portal	PASSED	6.904 s
2	Given User clicks radiology	PASSED	0.689 s
3	When Search the bill number in search field	PASSED	0.121 s
4	Then Download the report in pdf format	PASSED	0.172 s

Adding the payment details



#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login portal	PASSED	5.732 s
2	Given User clicks the ambulance	PASSED	0.726 s
3	When Processing payment using card	PASSED	2.534 s
4	Then Checks the payment is successful	PASSED	0.000 s

Sorting the component issue using component name



#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login portal	PASSED	6.159 s
2	Given User clicks the blood bank	PASSED	0.755 s
3	When Switches to component issue	PASSED	0.134 s
4	Then Search for component using search field	PASSED	0.071 s

Sending chat to the staff member

PASSED DURATION - 18.426 s	Steps	
/ 3:55:04.554 PM // 3:55:22.980 PM /	4	
Checking the User Login feature	2 Fall - 0 Skip - 0	
@Whatsapp		

#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login portal	PASSED	6.511 s
2	Given User clicks the whatsapp	PASSED	1.188 s
3	When Send message to the staff	PASSED	5.047 s
4	Then Check the message is delivered	PASSED	3.087 s