
Cucumber Report



Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Checking the billing feature	35.349 s	1	0	1	0	4	1	1	2

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Checking the billing feature	Adding patient and checking from patient list


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@IPD-InPatient	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Checking the billing feature	1	0	1	0	35.349 s

SCENARIOS SUMMARY -- 6 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the billing feature	Adding patient and checking from patient list	4	1	1	2	35.343 s

DETAILED SECTION -- 7 -

Checking the billing feature

FAILED	DURATION - 35.349 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 10:57:57.360 pm /	// 10:58:32.709 pm /	Pass - 0	1	Pass - 1	4
		Fail - 1		Fail - 1	🖊 ' 📕
		Skip - 0		Skip - 2	

Adding patient and checking from patient list



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	8.774 s
2	Given user enter into the IPD-InPatient	FAILED	10.320 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='boxtools pull-right']//a[1]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b8c5e8bfba079064c29fdf3ca4e7c530, findElement {using=xpath, value=//div[@class='box-tools pull-right']//a[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\DMANOH~1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:63828}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63828/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b8c5e8bfba079064c29fdf3ca4e7c530 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy2.1.click(Unknown Source) at com.actions.InPatientActions.userEntersIp(InPatientActions.java:17) at com.stepdefinition.AdminLoginStepDefinition.user_enter_into_the_ipd_in_patient(AdminLoginStepDefinition.java:114) at ?.user enter into the IPD-InPatient(file:///C./Expilions/smartHospital/src/test/resources/Features/AdminLogin1.feature:26) * Not displayable characters are replaced by '?'.		
3	And Added the In patient details	SKIPPED	0.000 s
4	Then Check the In patient added	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Adding patient and checking from patient list	PASSED	0.297 s