Cucumber Report

Start : Nov 20, 6:47:36.001 pm	End : Nov 20, 6:47:52.897 pm	Duration : 16.896 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 5

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Checking the billing Module	*16.896 s*	*1*	*0*	*1*	*0*	*6*	*0*	*1*	*5*

#	Feature Name	Scenario Name
1	*Checking the billing Module*	*Intentionally failing in billig module*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@BillingNotMandatory	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Checking the billing Module*	1	0	1	0	16.896 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the billing Module	Intentionally failing in billig module	6	0	1	5	16.890 s

Checking the billing Module

FAILED	DURATION - 16.896 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 6:47:36.001 pm // 6:47:52.897 pm /			1		6

Intentionally failing in billig module

FAILED	DURATION - 16.890 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 6:47:36.007 pm // 6:47:52.897 pm /				6
Checking the billing Module				
@BillingNotMandatory				

#	Step / Hook Details	Status	Duration
1	Given user enters into Billing	FAILED	10.106 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class='fas fa-file-invoice']/following-sibling::span[1]"} (Session info: MicrosoftEdge=119.0.2151.58) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [be884c9c22751c50e22f3c6103b444fe, findElement {using=xpath, value=//i[@class='fas fa-file-invoice']/following-sibling::span[1]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:58286}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58286/devtoo..., se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: be884c9c22751c50e22f3c6103b444fe
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy21.click(Unknown Source) at com.actions.BillingActions.clickBilling(BillingActions.java:17) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_billing(AdminLoginStepDefinition.java:48) at ?.user enters into Billing(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Billing.feature:40) * Not displayable characters are replaced by '?'.		
2	When user clicks the opd	SKIPPED	0.001 s
3	And clicks the Add patient	SKIPPED	0.000 s
4	And clicks the new patient	SKIPPED	0.000 s
5	And Missing Mandatory fields only	SKIPPED	0.000 s
6	Then Assert the intentional error	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Intentionally failing in billig module	PASSED	1.225 s