

# Cucumber Report

19-Nov-2023, 8:47:28 am

Start : Nov 19, 8:45:54.079 am

End : Nov 19, 8:47:26.424 am

Duration : 1 m 32.345 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 3  
SKIPPED - 0


PASSED - 4  
FAILED - 3  
SKIPPED - 9




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checking the billing feature</u>	1 m 32.345 s	4	1	3	0	16	4	3	9

#	Feature Name	Scenario Name
1	<u>Checking the billing feature</u>	<u>Adding visitors and checking from visitors list</u>
2		<u>Adding patient and checking from patient list</u>
3		<u>Adding patient and checking from patient list</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Billing	1	1	0	0	1	0	1	0
@FrontOffice	1	0	1	0	1	0	1	0
@OPD-OutPatient	1	0	1	0	1	0	1	0
@IPD-InPatient	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Checking the billing feature</u>	4	1	3	0	1 m 32.345 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the billing feature</u>	<u>Adding patient and checking from patient list</u>	4	4	0	0	54.749 s
2		<u>Adding visitors and checking from visitors list</u>	4	0	1	3	12.222 s
3		<u>Adding patient and checking from patient list</u>	4	0	1	3	12.839 s
4		<u>Adding patient and checking from patient list</u>	4	0	1	3	12.483 s

## Checking the billing feature



<b>FAILED</b>	DURATION - 1 m 32.345 s	Scenarios		Steps	
/ 8:45:54.079 am // 8:47:26.424 am /		Total - 4		Total - 16	
		Pass - 1		Pass - 4	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 9	

## Adding patient and checking from patient list

<b>PASSED</b>	DURATION - 54.749 s		Steps	
/ 8:45:54.087 am // 8:46:48.836 am /			Total - 4	
Checking the billing feature			Pass - 4	
@Billing			Fail - 0	
			Skip - 0	


#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	10.881 s
2	Given user enters into opd	PASSED	14.996 s
3	And Added the patient details	PASSED	20.861 s
4	Then Check the patient added	PASSED	0.022 s

## Adding visitors and checking from visitors list



<b>FAILED</b>	DURATION - 12.222 s		Steps	
/ 8:46:48.853 am // 8:47:01.075 am /			Total - 4	
Checking the billing feature			Pass - 0	
@FrontOffice			Fail - 1	
			Skip - 3	

#	Step / Hook Details	Status	Duration
1	<p>Given user enters into the Admin portal</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[contains(@class,'btn btn-primary')]/i)[2]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [6a56477c38d776fc0457d20e1f536c24, findElement {using=xpath, value=(//a[contains(@class,'btn btn-primary')]/i)[2]] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:59114}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\91908\AppData\Loca..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59114/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6a56477c38d776fc0457d20e1f536c24     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)     at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_the_admin_portal(AdminLoginStepDefinition.java:37)     at ?.user enters into the Admin portal(file:///C:/PilotDeepakGit/Test/smartHospital/src/test/resources/Features/AdminLogin1.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	11.952 s
2	Given user enter into the FrontOffice	SKIPPED	0.003 s
3	And added the visitors	SKIPPED	0.000 s
4	Then Check the visitors added	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.258 s
	Adding visitors and checking from visitors list		




#	Step / Hook Details	Status	Duration
			



### Adding patient and checking from patient list

<div>FAILED</div> <div>DURATION - 12.839 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 8:47:01.093 am // 8:47:13.932 am /				
Checking the billing feature				
@OPD-OutPatient				

#	Step / Hook Details	Status	Duration
1	<p>Given user enters into the Admin portal</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[contains(@class,'btn btn-primary')]/i[2]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [6a56477c38d776fc0457d20e1f536c24, findElement {using=xpath, value=//a[contains(@class,'btn btn-primary')]/i[2]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:59114}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\91908\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59114/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6a56477c38d776fc0457d20e1f536c24</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p>	<b>FAILED</b>	12.568 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_the_admin_portal(AdminLoginStepDefinition.java:37) at ?.user enters into the Admin portal(file:///C:/PilotDeepakGit/Test/smartHospital/src/test/resources/Features/AdminLogin1.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given user enter into the OPD-OutPatient	SKIPPED	0.000 s
3	And Added the op patient details	SKIPPED	0.000 s
4	Then Check the op patient added	SKIPPED	0.001 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.266 s
	Adding patient and checking from patient list		
			

### Adding patient and checking from patient list

<b>FAILED</b> DURATION - 12.483 s / 8:47:13.941 am // 8:47:26.424 am / Checking the billing feature @IPD-InPatient		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
---	---	--	--

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//a[contains(@class,'btn btn-primary')]/i)[2]"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver </pre>	FAILED	12.259 s

#	Step / Hook Details	Status	Duration
	<p>info: org.openqa.selenium.edge.EdgeDriver Command: [6a56477c38d776fc0457d20e1f536c24, findElement {using=xpath, value=//a[contains(@class,'btn btn-primary')]/i)[2]] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:59114}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\91908\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59114/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6a56477c38d776fc0457d20e1f536c24</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)  at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_the_admin_portal(AdminLoginStepDefinition.java:37)  at ?.user enters into the Admin portal(file:///C:/PilotDeepakGit/Test/smartHospital/src/test/resources/Features/AdminLogin1.feature:4)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	Given user enter into the IPD-InPatient	SKIPPED	0.001 s
3	And Added the In patient details	SKIPPED	0.000 s
4	Then Check the In patient added	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.221 s
	Adding patient and checking from patient list		
	