Cucumber Report

Start : Nov 21, 11:15:32.736 am | **End : Nov 21, 11:18:22.747 am** | **Duration : 2 m 50.011 s**

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 3 SKIPPED - 0	PASSED - 13 FAILED - 3 SKIPPED - 4

Features: 1

Scenarios: 4

Steps: 20

Pass % — Features: 0 %

Pass % — Scenarios: 25 %

Pass % — Steps: 65 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Checking the Front office Module	*2 m 50.011 s*	*4*	*1*	*3*	*0*	*20*	*13*	*3*	*4*

#	Feature Name	Scenario Name
1	*Checking the Front office Module*	*Missing the mandatory fields intentionally in new patient for front office*
2		*Enter all fields in front office as inquiry and save*
3		*Enter all fields in front office as seminar and save*

| TAG | Scenario | | | | Feature | | | |
Name	T	P	F	S	T	P	F	S
@EnterAllFeildInFO	1	1	0	0	1	0	1	0
@NotEnterAllFeildInFO	1	0	1	0	1	0	1	0
@EnterAllFeildInFOasInquiry	1	0	1	0	1	0	1	0
@EnterAllFeildInFOasSeminar	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Checking the Front office Module	4	1	3	0	2 m 50.011 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Front office Module	Enter all fields in front office as visitor and save	5	5	0	0	46.916 s
2		Missing the mandatory fields intentionally in new patient for front office	5	4	1	0	51.900 s
3		Enter all fields in front office as inquiry and save	5	2	1	2	31.203 s
4		Enter all fields in front office as seminar and save	5	2	1	2	39.305 s

Checking the Front office Module

FAILED	DURATION - 2 m 50.011 s	Scenarios Total - 4 Pass - 1 Fail - 3 Skip - 0		Steps Total - 20 Pass - 13 Fail - 3 Skip - 4	
/ 11:15:32.736 am // 11:18:22.747 am /			4		20

Enter all fields in front office as visitor and save

PASSED	DURATION - 46.916 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 11:15:32.753 am // 11:16:19.669 am /				5
Checking the Front office Module				
@EnterAllFeildInFO				

| #	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	13.519 s
2	Given user enters into front office	PASSED	2.328 s
3	When clicks the Add visitors	PASSED	0.096 s
4	And enter all fields	PASSED	1.844 s
5	Then save the visitors	PASSED	0.086 s

Missing the mandatory fields intentionally in new patient for front office

FAILED	DURATION - 51.900 s		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 11:16:19.676 am // 11:17:11.576 am /				5
Checking the Front office Module				
@NotEnterAllFeildInFO				

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	24.157 s
2	Given user enters into front office	PASSED	2.850 s
3	When clicks the Add visitors	PASSED	0.083 s
4	And misses some fields	PASSED	0.905 s
5	Then Assert the error frontOffice	FAILED	10.206 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[text()='The Purpose field is required.']"}   (Session info: MicrosoftEdge=119.0.2151.58) For documentation on this error, please visit: https://www.selenium. dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [2417658a8fa639e677718eff75fca337, findElement {using=xpath, value=//p[text()='The Purpose field is required.']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:55127}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55127/devtoo..., se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2417658a8fa639e677718eff75fca337
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
    at jdk.proxy2/jdk.proxy2.$Proxy21.getText(Unknown Source)
    at com.actions.FrontOfficeAction.assertfrontError(FrontOfficeAction.java:41)
    at com.stepdefinition.AdminLoginStepDefinition.assert_the_error_front_office(AdminLoginStepDefinition.java:141)
    at ?.Assert the error frontOffice(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/FrontOffice.feature:19)
* Not displayable characters are replaced by '?'.

#	Step / Hook Details	Status	Duration
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	4.678 s
	Missing the mandatory fields intentionally in new patient for front office		

Enter all fields in front office as inquiry and save

FAILED	DURATION - 31.203 s
/ 11:17:12.236 am // 11:17:43.439 am /	
Checking the Front office Module	
@EnterAllFeildInFOasInquiry	

Steps
Total - 5
Pass - 2
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	10.782 s
2	Given user enters into front office	PASSED	1.484 s
3	When clicks the Add visitors as inquiry	FAILED	10.124 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: MicrosoftEdge=119.0.2151.58) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [fdf2a5d149dcdbab7fcb250987afadc2, sendKeysToElement {id=54EF2686383AD6215F4A10A1C58E2A68_element_156, value=[Ljava.lang.CharSequence;@6c841199}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:55304}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55304/devtoo..., se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: msedge on windows (fdf2a5d149dcdbab7fcb250987afadc2)] -> xpath: (//small[@class='req']/following-sibling::input)[2]] Session ID: fdf2a5d149dcdbab7fcb250987afadc2
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy21.sendKeys(Unknown Source) at com.actions.FrontOfficeAction.AsInquiry(FrontOfficeAction.java:45) at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_visitors_as_inquiry(AdminLoginStepDefinition.java:147) at ?.clicks the Add visitors as inquiry(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/FrontOffice.feature:24) * Not displayable characters are replaced by '?'.		
4	And enter all fields	SKIPPED	0.002 s
5	Then save the visitors	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Enter all fields in front office as inquiry and save 	PASSED	1.542 s

Enter all fields in front office as seminar and save

FAILED	DURATION - 39.305 s
/ 11:17:43.442 am // 11:18:22.747 am /	
Checking the Front office Module	
@EnterAllFeildInFOasSeminar	

Steps
Total - 5
Pass - 2
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	19.509 s
2	Given user enters into front office	PASSED	2.992 s
3	When clicks the Add visitors as seminar	FAILED	10.116 s

org.openqa.selenium.ElementNotInteractableException: element not interactable   (Session info: MicrosoftEdge=119.0.2151.58) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [41dca44278acad8afe9c766f629de256, sendKeysToElement {id=6A27BB7794FE9A6388E5B8AEE54BD4A2_element_159, value=[Ljava.lang.CharSequence;@24d61e4}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:55392}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\DMANOH~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55392/devtoo..., se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: msedge on windows (41dca44278acad8afe9c766f629de256)] -> xpath: (//small[@class='req']/following-sibling::input)[2]] Session ID: 41dca44278acad8afe9c766f629de256
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
   at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)
   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy21.sendKeys(Unknown Source) at com.actions.FrontOfficeAction.AsSeminar(FrontOfficeAction.java:54) at com.stepdefinition.AdminLoginStepDefinition.clicks_the_add_visitors_as_seminar(AdminLoginStepDefinition.java:154) at ?.clicks the Add visitors as seminar(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/FrontOffice.feature:31) * Not displayable characters are replaced by '?'.		
4	And enter all fields	SKIPPED	0.000 s
5	Then save the visitors	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Enter all fields in front office as seminar and save 	PASSED	1.509 s