Cucumber Report

| Start : Nov 19, 8:42:15.316 am	End : Nov 19, 8:42:33.454 am	Duration : 18.138 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 16

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Checking the billing feature	18.138 s	4	0	4	0	16	0	0	16

#	Feature Name	Scenario Name
1	*Checking the billing feature*	*Adding patient and checking from patient list*
2		*Adding visitors and checking from visitors list*
3		*Adding patient and checking from patient list*
4		*Adding patient and checking from patient list*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Billing	1	0	1	0	1	0	1	0
@FrontOffice	1	0	1	0	1	0	1	0
@OPD-OutPatient	1	0	1	0	1	0	1	0
@IPD-InPatient	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Checking the billing feature*	4	0	4	0	18.138 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the billing feature	Adding patient and checking from patient list	4	0	0	4	9.075 s
2		Adding visitors and checking from visitors list	4	0	0	4	2.927 s
3		Adding patient and checking from patient list	4	0	0	4	3.020 s
4		Adding patient and checking from patient list	4	0	0	4	3.070 s

Checking the billing feature

FAILED	DURATION - 18.138 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 16 Pass - 0 Fail - 0 Skip - 16	
/ 8:42:15.316 am // 8:42:33.454 am /			4		16

Adding patient and checking from patient list

FAILED	DURATION - 9.075 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 8:42:15.323 am // 8:42:24.398 am /				4
Checking the billing feature				
@Billing				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepdefinition.HookClass.setUp()	FAILED	9.039 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 119.0.6045.160 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'LAPTOP-2PTAM6EL', ip: '192.168.84.48' Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]}]
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236)
	  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163)
	  at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51) at com.utility.HelperClass.<init>(HelperClass.java:17) at com.utility.HelperClass.setUpDriver(HelperClass.java:35) at com.stepdefinition.HookClass.setUp(HookClass.java:15)		
1	Given user enters into the Admin portal	SKIPPED	0.002 s
2	Given user enters into opd	SKIPPED	0.001 s
3	And Added the patient details	SKIPPED	0.001 s
4	Then Check the patient added	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utility.HelperClass.getDriver()" is null at com.stepdefinition.HookClass.tearDown(HookClass.java:21)		

Adding visitors and checking from visitors list

FAILED	DURATION - 2.927 s		Steps	
/ 8:42:24.418 am // 8:42:27.345 am /			Total - 4	
Checking the billing feature			Pass - 0 Fail - 0 Skip - 4	4
@FrontOffice				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepdefinition.HookClass.setUp()	FAILED	2.919 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 119.0.6045.160 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'LAPTOP-2PTAM6EL', ip: '192.168.84.48' Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51) at com.utility.HelperClass.<init>(HelperClass.java:17) at com.utility.HelperClass.setUpDriver(HelperClass.java:35) at com.stepdefinition.HookClass.setUp(HookClass.java:15)		
1	Given user enters into the Admin portal	SKIPPED	0.000 s
2	Given user enter into the FrontOffice	SKIPPED	0.001 s
3	And added the visitors	SKIPPED	0.000 s
4	Then Check the visitors added	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utility.HelperClass.getDriver()" is null at com.stepdefinition.HookClass.tearDown(HookClass.java:21)		

Adding patient and checking from patient list

FAILED	DURATION - 3.020 s
/ 8:42:27.354 am // 8:42:30.374 am /	
Checking the billing feature	
@OPD-OutPatient	

Steps
Total - 4
Pass - 0
Fail - 0
Skip - 4

4

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepdefinition.HookClass.setUp()	FAILED	3.012 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 119.0.6045.160 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'LAPTOP-2PTAM6EL', ip: '192.168.84.48' Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary:		

#	Step / Hook Details	Status	Duration

	C:\Program Files\Google\Chr..., extensions: []}}]}]
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236)
	   at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163)
	   at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51)
	   at com.utility.HelperClass.<init>(HelperClass.java:17)
	   at com.utility.HelperClass.setUpDriver(HelperClass.java:35)
	   at com.stepdefinition.HookClass.setUp(HookClass.java:15)		

1	Given user enters into the Admin portal	SKIPPED	0.000 s
2	Given user enter into the OPD-OutPatient	SKIPPED	0.000 s
3	And Added the op patient details	SKIPPED	0.000 s
4	Then Check the op patient added	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utility.HelperClass.getDriver()" is null at com.stepdefinition.HookClass.tearDown(HookClass.java:21)		

Adding patient and checking from patient list

FAILED	DURATION - 3.070 s
/ 8:42:30.384 am // 8:42:33.454 am /	
Checking the billing feature	
@IPD-InPatient	

Steps
Total - 4
Pass - 0
Fail - 0
Skip - 4

4

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepdefinition.HookClass.setUp()	FAILED	3.064 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 119.0.6045.160 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'LAPTOP-2PTAM6EL', ip: '192.168.84.48' Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], binary: C:\Program Files\Google\Chr..., extensions: []}}]}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51)
	    at com.utility.HelperClass.<init>(HelperClass.java:17)
	    at com.utility.HelperClass.setUpDriver(HelperClass.java:35)
	    at com.stepdefinition.HookClass.setUp(HookClass.java:15)		

1	Given user enters into the Admin portal	SKIPPED	0.001 s
2	Given user enter into the IPD-InPatient	SKIPPED	0.000 s
3	And Added the In patient details	SKIPPED	0.000 s
4	Then Check the In patient added	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.utility.HelperClass.getDriver()" is null at com.stepdefinition.HookClass.tearDown(HookClass.java:21)		