

Cucumber Report

20 Nov 2023, 18:48:39

Start : Nov 20, 6:48:12.913 pm

End : Nov 20, 6:48:37.340 pm

Duration : 24.427 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checking the billing Module</u>	24.427 s	1	0	1	0	7	5	1	1

#	Feature Name	Scenario Name
1	<u>Checking the billing Module</u>	<u>Intentionally failing in billig module</u>

<i>TAG</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@BillingNotMandatory	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Checking the billing Module</u>	1	0	1	0	24.427 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the billing Module</u>	<u>Intentionally failing in billig module</u>	7	5	1	1	24.422 s

Checking the billing Module

FAILED	DURATION - 24.427 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 5 Fail - 1 Skip - 1	
/ 6:48:12.913 pm // 6:48:37.340 pm /					

Intentionally failing in billig module

<div>FAILED</div> <div>DURATION - 24.422 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 6:48:12.918 pm // 6:48:37.340 pm /</div>				
<div>Checking the billing Module</div>				
<div>@BillingNotMandatory</div>				

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	9.114 s
2	Given user enters into Billing	PASSED	0.758 s
3	When user clicks the opd	PASSED	3.615 s
4	And clicks the Add patient	PASSED	0.087 s
5	And clicks the new patient	PASSED	0.331 s
6	And Missing Mandatory fields only	FAILED	4.256 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element Select is not clickable at point (956, 298). Other element would receive the click: <div class="col-sm-6">...</div> (Session info: MicrosoftEdge=119.0.2151.58) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [276b263fd520a749e263cf0f74f612e4, clickElement {id=EB7CFD93F131E0FBF831364CF84CFA22_element_208}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:58352}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\DMANOH~1\AppData\Local\Microsoft\Edge\Sandboxing\Edge\userDataDir), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58352/devtools/page/1, se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: msedge on windows (276b263fd520a749e263cf0f74f612e4)] -> xpath: (//span[@class='select2-selection		

#	Step / Hook Details	Status	Duration
	<p>select2-selection--single']//span)[3]] Session ID: 276b263fd520a749e263cf0f74f612e4</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy21.click(Unknown Source)</p> <p>at com.actions.BillingActions.missMandatoryField(BillingActions.java:71)</p> <p>at com.stepdefinition.AdminLoginStepDefinition.missing_mandatory_fields_only(AdminLoginStepDefinition.java:72)</p> <p>at ?.Missing Mandatory fields only(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Billing.feature:44)</p> <p>* Not displayable characters are replaced by '?'. </p>		
7	Then Assert the intentional error	SKIPPED	0.001 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.729 s
	Intentionally failing in billig module		
	