

# Cucumber Report

21 Nov 2023, 17:04:33

Start : Nov 21, 5:01:26.201 pm

End : Nov 21, 5:04:28.799 pm

Duration : 3 m 2.598 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 4  
SKIPPED - 0


PASSED - 12  
FAILED - 4  
SKIPPED - 9




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checking the Inpatient Module</u>	3 m 2.598 s	4	0	4	0	25	12	4	9

#	Feature Name	Scenario Name
1	<u>Checking the Inpatient Module</u>	<u>Missing the mandatory fields intentionally in new patient for OutPatient office</u>
2		<u>checking the new patient at out patient</u>
3		<u>Checking the mandatory fields for the new patient details in Inpatient</u>
4		<u>Intentionally failing in InPatient module</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@NotEnterAllFeildInOp	1	0	1	0	1	0	1	0
@MandatoryOp	1	0	1	0	1	0	1	0
@FullOutPatient	1	0	1	0	1	0	1	0
@OpNotMandatory	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Checking the Inpatient Module</u>	4	0	4	0	3 m 2.598 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Inpatient Module</u>	<u>Missing the mandatory fields intentionally in new patient for OutPatient office</u>	6	3	1	2	49.607 s
2		<u>checking the new patient at out patient</u>	6	3	1	2	1 m 3.018 s
3		<u>Checking the mandatory fields for the new patient details in Inpatient</u>	7	3	1	3	32.000 s
4		<u>Intentionally failing in InPatient module</u>	6	3	1	2	37.742 s


## Checking the Inpatient Module

<b>FAILED</b>	<b>DURATION - 3 m 2.598 s</b>	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 25 Pass - 12 Fail - 4 Skip - 9	
/ 5:01:26.201 pm // 5:04:28.799 pm /					

## Missing the mandatory fields intentionally in new patient for OutPatient office

<b>FAILED</b>	<b>DURATION - 49.607 s</b>		Steps Total - 6 Pass - 3 Fail - 1 Skip - 2	
/ 5:01:26.208 pm // 5:02:15.815 pm /				
Checking the Inpatient Module				
@NotEnterAllFeildInOp				

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	17.032 s
2	Given user enters into InPatient	PASSED	1.999 s
3	When clicks the Add patient	PASSED	0.142 s
4	And clicks the new patient	FAILED	10.782 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='add']/span[1]"} (Session info: MicrosoftEdge=119.0.2151.58) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [65174503831e814cd0441129b1155f98, findElement {using=xpath, value=//a[@id='add']/span[1]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:52372}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\DMANOH~1\AppData\Local\Microsoft\Edge\UserData\Default\), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52372/devtools, se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 65174503831e814cd0441129b1155f98 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.click(Unknown Source) at com.actions.BillingActions.NewPatient(BillingActions.java:29) at com.stepdefinition.AdminLoginStepDefinition.clicks_the_new_patient(AdminLoginStepDefinition.java:63) at ?.clicks the new patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Inpatient.feature:11) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
5	And enter some fields in InPatient	SKIPPED	0.001 s
6	Then Assert the error in Inpatient	SKIPPED	0.001 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	13.518 s
	Missing the mandatory fields intentionally in new patient for OutPatient office		
			

checking the new patient at out patient




<div>FAILED</div> <div>DURATION - 1 m 3.018 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>29.097</td></tr><tr><td>2</td><td>2.459</td></tr><tr><td>3</td><td>0.090</td></tr><tr><td>4</td><td>10.020</td></tr></tbody></table></div>	Step	Duration (s)	1	29.097	2	2.459	3	0.090	4	10.020	<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div><div>6</div></div>
Step	Duration (s)													
1	29.097													
2	2.459													
3	0.090													
4	10.020													
<div>/ 5:02:16.027 pm // 5:03:19.045 pm /</div>														
<div>Checking the Inpatient Module</div>														
<div>@MandatoryOp</div>														



#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	29.097 s
2	Given user enters into InPatient	PASSED	2.459 s
3	When clicks the Add patient	PASSED	0.090 s
4	And clicks the new patient	FAILED	10.020 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='add']/span[1]"} (Session info: MicrosoftEdge=119.0.2151.58) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception> Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [f7d87109237e8b2478d125f31b72daf5, findElement {using=xpath, value=//a[@id='add']/span[1]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:52522}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\DMANOH~1\AppData\Local\Microsoft\EdgeDevToolsClient\), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52522/devtools..., se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f7d87109237e8b2478d125f31b72daf5

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  
at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.click(Unknown Source) at com.actions.BillingActions.NewPatient(BillingActions.java:29) at com.stepdefinition.AdminLoginStepDefinition.clicks_the_new_patient(AdminLoginStepDefinition.java:63) at ?.clicks the new patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Inpatient.feature:19) * Not displayable characters are replaced by '?'. </pre>		
5	And enter the Mandatory fields only in InPatient	SKIPPED	0.000 s
6	Then Assert the successfull message in InPatient	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	1.929 s
	checking the new patient at out patient		
			

### Checking the mandatory fields for the new patient details in Inpatient



<b>FAILED</b> DURATION - 32.000 s		Steps Total - 7 Pass - 3 Fail - 1 Skip - 3	
/ 5:03:19.051 pm // 5:03:51.051 pm /			
Checking the Inpatient Module			
@FullOutPatient			

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	12.505 s
2	Given user enters into InPatient	PASSED	1.337 s
3	When clicks the Add patient	PASSED	0.070 s
4	And clicks the new patient	FAILED	10.043 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='add']/span[1]"} (Session info: MicrosoftEdge=119.0.2151.58) For documentation on this error, please </pre>		

#	Step / Hook Details	Status	Duration
	<p>visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [43ea3d6684e24aceac6fc2e19fd8f8aa, findElement {using=xpath, value=//a[@id='add']/span[1]]} Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:52618}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\DMANOH~1\AppData\Local\Microsoft\Edge\Sandboxing\msedge\userDataDir\Profile1\), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52618/devtools, se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 43ea3d6684e24aceac6fc2e19fd8f8aa</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy21.click(Unknown Source)  at com.actions.BillingActions.NewPatient(BillingActions.java:29)  at com.stepdefinition.AdminLoginStepDefinition.clicks_the_new_patient(AdminLoginStepDefinition.java:63)  at ?.clicks the new patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Inpatient.feature:28)</p> <p>* Not displayable characters are replaced by '?'.  </p>		
5	And enter the Mandatory fields only in InPatient	SKIPPED	0.000 s
6	Then enters the other OPD details in InPatient	SKIPPED	0.000 s
7	And checks the name in Inpatient	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	2.487 s
	Checking the mandatory fields for the new patient details in Inpatient		

#	Step / Hook Details	Status	Duration
			

### Intentionally failing in InPatient module

<div>FAILED</div> <div>DURATION - 37.742 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 5:03:51.057 pm // 5:04:28.799 pm /				
Checking the Inpatient Module				
@OpNotMandatory				

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	16.724 s
2	Given user enters into InPatient	PASSED	5.224 s
3	When clicks the Add patient	PASSED	0.074 s
4	And clicks the new patient  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='add']/span[1]"} (Session info: MicrosoftEdge=119.0.2151.58) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [6e5ea0033723d65e9bb775dfc169460b, findElement {using=xpath, value=//a[@id='add']/span[1]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:52700}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\DMANOH~1\AppData\Local\Microsoft\Edge\Sandboxing\msedge\userDataDir\Profile1\), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52700/devtools, se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6e5ea0033723d65e9bb775dfc169460b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	10.034 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.click(Unknown Source) at com.actions.BillingActions.NewPatient(BillingActions.java:29) at com.stepdefinition.AdminLoginStepDefinition.clicks_the_new_patient(AdminLoginStepDefinition.java:63) at ?.clicks the new patient(file:///C:/MainPilotDeepak/Test/smartHospital/src/test/resources/Features/Inpatient.feature:38) * Not displayable characters are replaced by '?'. </pre>		
5	And Missing Mandatory fields only in InPatient	SKIPPED	0.000 s
6	Then Assert the intentional error in InPatient	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	1.321 s
	Intentionally failing in InPatient module		
			