Cucumber Report

| Start : Nov 23, 11:47:54.999 AM	End : Nov 23, 11:48:33.290 AM	Duration : 38.291 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 4

Pass % — 0 %

Pass % — 0 %

Pass % — 75 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Checking the User Login feature	*38.291 s*	*1*	*0*	*1*	*0*	*4*	*3*	*1*	*0*

#	Feature Name	Scenario Name
1	*Checking the User Login feature*	*Adding the payment details*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@Ambulance	*1*	*0*	*1*	*0*	*1*	*0*	*1*	*0*

#	Feature Name	T	P	F	S	Duration
1	*Checking the User Login feature*	1	0	1	0	38.291 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the User Login feature	Adding the payment details	4	3	1	0	38.286 s

Checking the User Login feature

FAILED	DURATION - 38.291 s		Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 11:47:54.999 AM // 11:48:33.290 AM /						

Adding the payment details

FAILED	DURATION - 38.286 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 11:47:55.004 AM // 11:48:33.290 AM /				
Checking the User Login feature				
@Ambulance				

#	Step / Hook Details	Status	Duration
1	Given User enters into the User Login portal	PASSED	15.913 s
2	Given User clicks the ambulance	PASSED	0.982 s
3	When Processing payment using card	PASSED	5.545 s
4	Then Checks the payment is successful	FAILED	10.073 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='alert alert-success alert-dismissible']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium. dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [455c04c9631e4ab3bd3c0c067a4d0a4e, findElement {using=xpath, value=//div[@class='alert alert-success alert-dismissible']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\tsridhar\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61745}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61745/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 455c04c9631e4ab3bd3c0c067a4d0a4e
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy35.getText(Unknown Source)		
	at com.actions.BillingActions.verifyPayment(BillingActions.java:79)		
	at com.stepdefinition.AdminLoginStepDefinition.checks_the_payment_is_successful(AdminLoginStepDefinition.java:88)		
	at ?.Checks the payment is successful(file:///C:/Git/Test/Test/smartHospital/src/test/resources/Features/AdminLogin1.feature:16)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.545 s
	Adding the payment details		