Cucumber Report

| Start : Nov 28, 5:37:44.293 PM	End : Nov 28, 5:39:03.793 PM	Duration : 1 m 19.500 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 3 SKIPPED - 0	PASSED - 8 FAILED - 3 SKIPPED - 19

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Checking the billing Module	*1 m 19.500 s*	*4*	*1*	*3*	*0*	*30*	*8*	*3*	*19*

#	Feature Name	Scenario Name
1	*Checking the billing Module*	*checking the new patient*
2		*Checking the mandatory fields for the new patient details*
3		*Intentionally failing in billig module*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@NotMandatory	1	1	0	0	1	0	1	0
@MandatoryBill	1	0	1	0	1	0	1	0
@FullBilling	1	0	1	0	1	0	1	0
@BillingNotMandatory	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Checking the billing Module	4	1	3	0	1 m 19.500 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the billing Module	Missing the mandatory fields intentionally in new patient	8	8	0	0	41.209 s
2		checking the new patient	7	0	1	6	12.689 s
3		Checking the mandatory fields for the new patient details	8	0	1	7	12.767 s
4		Intentionally failing in billig module	7	0	1	6	12.801 s

Checking the billing Module

FAILED	DURATION - 1 m 19.500 s	Scenarios		Steps	
		Total - 4		Total - 30	
/ 5:37:44.293 PM // 5:39:03.793 PM /		Pass - 1	4	Pass - 8	30
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 19	

Missing the mandatory fields intentionally in new patient

PASSED	DURATION - 41.209 s		Steps	
			Total - 8	
/ 5:37:44.297 PM // 5:38:25.506 PM /			Pass - 8	8
Checking the billing Module			Fail - 0	
@NotMandatory			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user enters into the Admin portal	PASSED	29.522 s
2	Given user enters into Billing	PASSED	0.854 s
3	When user clicks the opd	PASSED	3.625 s
4	And clicks the Add patient	PASSED	0.067 s
5	And clicks the new patient	PASSED	0.298 s
6	And enter some fields	PASSED	0.298 s
7	Then Assert the error	PASSED	2.061 s
8	And Logout1	PASSED	0.520 s

checking the new patient

FAILED	DURATION - 12.689 s
/ 5:38:25.518 PM // 5:38:38.207 PM /	
Checking the billing Module	
@MandatoryBill	

Steps
Total - 7
Pass - 0
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	Given user enters into Billing	FAILED	10.098 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class='fas fa-file-invoice']/following-sibling::span[1]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [5a018c6b4d973e40b143cf61972cc06f, findElement {using=xpath, value=//i[@class='fas fa-file-invoice']/following-sibling::span[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\tsridhar\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58937}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58937/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5a018c6b4d973e40b143cf61972cc06f
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at com.actions.BillingActions.clickBilling(BillingActions.java:19) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_billing(AdminLoginStepDefinition.java:50) at ?.user enters into Billing(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Billing.feature:21) * Not displayable characters are replaced by '?'.		
2	When user clicks the opd	SKIPPED	0.000 s
3	And clicks the Add patient	SKIPPED	0.000 s
4	And clicks the new patient	SKIPPED	0.001 s
5	And enter the Mandatory fields only	SKIPPED	0.000 s
6	Then Assert the successfull message	SKIPPED	0.000 s
7	And Logout1	SKIPPED	0.001 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) checking the new patient	PASSED	0.325 s

Checking the mandatory fields for the new patient details

FAILED	DURATION - 12.767 s
/ 5:38:38.215 PM // 5:38:50.982 PM /	
Checking the billing Module	
@FullBilling	

Steps
Total - 8
Pass - 0
Fail - 1
Skip - 7

8

#	Step / Hook Details	Status	Duration
1	Given user enters into Billing	FAILED	10.068 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class='fas fa-file-invoice']/following-sibling::span[1]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [503ec96f158fa3445230b24b500f57cb, findElement {using=xpath, value=//i[@class='fas fa-file-invoice']/following-		

#	Step / Hook Details	Status	Duration

	sibling::span[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\tsridhar\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58959}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58959/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 503ec96f158fa3445230b24b500f57cb
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at com.actions.BillingActions.clickBilling(BillingActions.java:19)
	  at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_billing(AdminLoginStepDefinition.java:50)
	  at ?.user enters into Billing(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Billing.feature:32)
	* Not displayable characters are replaced by '?'.		

2	When user clicks the opd	SKIPPED	0.000 s
3	And clicks the Add patient	SKIPPED	0.001 s
4	And clicks the new patient	SKIPPED	0.000 s
5	And enter the Mandatory fields only	SKIPPED	0.000 s
6	Then enters the other OPD details	SKIPPED	0.001 s
7	And checks the name	SKIPPED	0.000 s
8	And Logout1	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.321 s
	Checking the mandatory fields for the new patient details		

#	Step / Hook Details	Status	Duration

Intentionally failing in billig module

FAILED	DURATION - 12.801 s
/ 5:38:50.992 PM // 5:39:03.793 PM /	
Checking the billing Module	
@BillingNotMandatory	

Steps
Total - 7
Pass - 0
Fail - 1
Skip - 6

7

#	Step / Hook Details	Status	Duration
1	Given user enters into Billing	FAILED	10.048 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class='fas fa-file-invoice']/following-sibling::span[1]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [09aef05fc1e6c9bf7ab439c65e297c61, findElement {using=xpath, value=//i[@class='fas fa-file-invoice']/following-sibling::span[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\tsridhar\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58980}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58980/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 09aef05fc1e6c9bf7ab439c65e297c61
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at com.actions.BillingActions.clickBilling(BillingActions.java:19) at com.stepdefinition.AdminLoginStepDefinition.user_enters_into_billing(AdminLoginStepDefinition.java:50) at ?.user enters into Billing(file:///C:/PathuFolder/Explions/smartHospital/src/test/resources/Features/Billing.feature:44) * Not displayable characters are replaced by '?'.		
2	When user clicks the opd	SKIPPED	0.000 s
3	And clicks the Add patient	SKIPPED	0.000 s
4	And clicks the new patient	SKIPPED	0.000 s
5	And Missing Mandatory fields only	SKIPPED	0.000 s
6	Then Assert the intentional error	SKIPPED	0.000 s
7	And Logout1	SKIPPED	0.000 s
	AFTER - com.stepdefinition.HookClass.tearDown(io.cucumber.java.Scenario) Intentionally failing in billig module	PASSED	0.340 s